

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

RECEIVED
RESERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
APR 17 2012
HOBBSOCD

WELL API NO. 30-025-05947
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name G. C. Matthews
8. Well Number: 6
9. OGRID Number:
10. Pool name or Wildcat Monument, Mekee Ellenbrgr Pro Gas

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other Water Injection	
2. Name of Operator Chevron U.S.A. INC.	
3. Address of Operator 15 Smith Road Midland, TX 79705	
4. Well Location Unit Letter <u>I</u> : <u>1650</u> feet from the <u>South</u> line and <u>990</u> feet from the <u>East</u> line Section <u>6</u> Township <u>20-S</u> Range <u>37-E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3560' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-9920' PB-9872' PERFS-5665'-5705', 3805'-3830', 3725'-3778', 3682'-3702' CIBP @ 6345'

- MIRUWSU. NDWH. NUBOPE.
- Drill out CIBP @ 6345' TAG 35 sx → Circ w/MLF
- Run TAG 35 sx of C cement on CIBP @ 6345' RT 40 CIBP set @ 5800' cap w/ 150' cmt
- Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
- TAG 35 sx of C cement @ 3875'. PERF 450 45 sx cmt @ 2750' WOC-TAG
- P&S 35 sx of C cement 2,700' CTOC. WOC & TAG
- P&S 25 sx of C cement 1400' CTOC. WOC & TAG
- Perf & Circulate 40 sx of C cement 400'-Surface.
- Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Matthew Brewer TITLE Representative DATE 04/16/12

Type or print name Matthew Brewer E-mail address: mbrewer01@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: ET Brewer TITLE STAFF MGR DATE 4-17-2012
Conditions of Approval (if any):

APR 18 2012

Well: G.C.

MATTHEWS #6

MONUMENT

Well TA'd

Location: 1650' FSL &	
990' FEL	
Section:	6
TOWNSHIP	20S
RANGE	37E
County:	LEA, NM


Elevations:	
GL:	3560'
DF:	3574'
KB:	3573'
KB= 13'	

Tbg Detail:
No tubing in hole

CIBP @ 6345' 11/27/02

TOC @ 9263'
CICR @ 9641'
PBDT @ CICR @ 9641' CAP W/25 SX CMT TA'D 2/95 DL

**Current
Wellbore Diagram**



Well ID Info:	
Refno:	FA7069
API No:	30-025-05947
L5/L6:	
Spud Date:	10/13/1951
Compl Date:	11/26/1951

Surf. Csg:	14"
Set: @	330'
With:	300 SXS
Hole Size:	17 1/4
Circ:	YES
TOC @	SURFACE

Perfs:	Status
5665	5705
3805	3830
3725	3778
3682	3702

2719	2720
9746	9812

6406'-10' 6444

Int. Csg:	9 5/8
Set @	2648
With:	1408
Hole Size:	12 1/4
Circ:	YES
TOC @	SURFACE

Int. Csg:	7"
Set @	5733
With:	650
Hole Size:	
Circ:	
TOC @	2820

Prod. Csg:	4 1/2"
Set @	9,920'
With:	515
Hole Size:	6 1/4
Circ:	
TOC @	2730'

COTD:
PBDT: 9,872'
TD: 9,920'

Updated: 7/13/2011
By: Trudy Morris


Well: **G.C.****MATTHEWS #6****MONUMENT****Well TA'd****PROPOSED****Current****Wellbore Diagram**

Location: 1650' FSL &	
990' FEL	
Section:	6
TOWNSHIP	20S
RANGE	37E
County	LEA, NM

Elevations:	
GL:	3560'
DF:	3574'
KB:	3573'
KB= 13'	

Tbg Detail:
No tubing in hole

CIBP @ 6345' 11/27/02



Well ID Info:	
Refno:	FA7069
API No:	30-025-05947
L5/L6:	
Spud Date:	10/13/1951
Compl. Date:	11/26/1951

Surf. Csg:	14"
Set: @	330'
With:	300 SXS
Hole Size:	17 1/4
Circ:	YES
TOC @	SURFACE

Perfs:	Status
5665	5705
3805	3830
3725	3778
3682	3702

2719	2720
9746	9812
6406'-10'	6444

Int. Csg:	9 5/8
Set @	2648
With:	1408
Hole Size:	12 1/4
Circ:	YES
TOC @	SURFACE

Int. Csg:	7"
Set @	5733
With:	650
Hole Size:	
Circ:	
TOC @	2820

Prod. Csg:	4 1/2"
Set @	9,920'
With:	515
Hole Size:	6 1/4
Circ:	
TOC @	2730'

COTD:
PBTD: 9,872'
TD: 9,920'

Updated: 7/13/2011
By: Trudy Morris

TOC @ 9263'
CICR @ 9641'

PBTD @ CICR @ 9641' CAP W/25 SX CMT TAD 2/95 DL