

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

HOBBS OGD
RECEIVED
APR 19 2012
NEW MEXICO CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-025-32271
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CHEVRON U.S.A. INC.		6. State Oil & Gas Lease No.
3. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705		7. Lease Name or Unit Agreement Name NEW MEXICO "O" STATE NCT-1
4. Well Location Unit Letter P: 380' feet from the SOUTH line and 330' feet from the EAST line Section 36 Township 17S Range 34E NMPM County LEA		8. Well Number 34
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3986' GL		9. OGRID Number 4323
		10. Pool name or Wildcat VACUUM YATES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: EXTEND TA STATUS W/CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4-17-12: RAN CHART FOR NMOC. TEST CSG TO 580 PSI FOR 31 MINUTES. (ORIGINAL CHART & COPY OF CHART ATTACHED). MAXEY BROWN, NMOC, WITNESSED AND SIGNED CHART.

EXTEND TA STATUS FOR 1 YR.

This Approval of Temporary
Abandonment Expires 4-17-2013

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Denise Pinkerton

TITLE

REGULATORY SPECIALIST

DATE 04-18-2012

Type or print name DENISE PINKERTON

E-mail address: leakejd@chevron.com

PHONE: 432-687-7375

For State Use Only

APPROVED BY:

[Signature]


TITLE

Staff

DATE

4-19-2012

Conditions of Approval (if any)



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

4/17/2012
BR 2221

CHEVRON
NEW MEXICO

NCT # 34

P 36-17-34

30-025-32271

T/A STATUS TEST

EXT ONLY

580#

TIME 8/580#

May 8/2012

Key 1000/60m.A

Cats 4/16/2012

NOON

New Mexico "O" State NCT-1 # 34

Lease: New Mexico "O" State NCT-1
 Field: Vacuum
 Surf. Loc.: 380' FSL & 330' FEL
 Section: 36
 County: LEA St.: NM

Well #: 34
 API: 30-025-32271
 Surface Tshp/Rng: T17S & R34E
 Unit Ltr.: P Section: 36

Surface Casing

Size: 8-5/8"
 Wt., Grd.: 24#, WC-50
 Depth: 1460'
 Sxs Cmt: 650
 Circulate: Yes, 100 sxs
 TOC: Surf
 Hole Size: 11"


Production Casing

Size: 5-1/2"
 Wt., Grd.: 17#, L-80, WC-50
 Depth: 8000'
 Sxs Cmt: 3285 sxs
 Circulate: Yes, 116 sxs
 TOC: Surf
 Hole Size: 7-7/8"
 DV Tool: 5003'

Tubing

2 3/8" J-55 TK-15 IPC, 1.992 ID
 5 1/2" X 2 3/8" O/O
 1.43 'F' PN @ 2996'
 5 1/2" X 2 3/8" ASIX 10K COATED

Geology - Tops	
Queen	3690'
San Andres	4253'
Glorietta	5880'
Paddock	5958'
Tubb	7450'
Drk	7548'



KB: 4000'
 DF:
 GL: 3986'
 Ini. Spud: 12/05/93
 Ini. Comp.: 01/03/94

PACKER SET @ 2997'

YATES PERFS

3018'-3026', 3042'-3046', 3076'-3078',
 3090'-3096', 3118'-3122', 3128'-3132'

CIBP SET @ 6400'

BLINEBRY PERFS

6482'-84', 6512'-18', 6696'-98', 6714'-20', 6732'-40',
 6751'-54', 6784'-98', 6822'-26', 6832'-42', 7056'-58',
 7098'-7110', 7154'-56',

DRK PERFS

7452'-64', 7477'-80', 7498'-7510', 7516'-20', 7526'-30',
 7526'-37', 7542'-48', 7624'-32'
 7551'-56', 7561'-88', 7602'-08', 7612'-20'
 7632'-39', 7642'-48', 7655'-62', 7642'-48',
 7655'-62', 7666'-70', 7679'-88', 7693'-7705',
 7724'-34', 7741'-46', 7755'-61', 7765'-74',
 7778'-80', 7792'-98', 7808'-10', 7819'-32',
 7838'-42', 7856'-58', 7870'-72'

TD: 8000'