

Submit 1 Copy To Appropriate District Office

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88241  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

APR 19 2012

RECEIVED

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-29333
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Central Corbin Queen Unit
8. Well Number 602
9. OGRID Number 16696
10. Pool name or Wildcat Corbin Queen, Central
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4012' GR

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
OXY USA Inc.

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710

4. Well Location  
Unit Letter L : 1650 feet from the south line and 330 feet from the west line  
Section 3 Township 18S Range 33E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5200' PBTD-4350' Perfs-4224-4234' CIBP-4350'  
8-5/8" 24# csg @ 1554' w/ 710sx, 12-1/4" hole, TOC-Surf-Circ  
5-1/2" 17# csg @ 5200', w/ 350sx, 7-7/8" hole, TOC-3179'-Calc  
1. RIH & tag CIBP @ 4350', M&P 30sx cmt to 4350-4170' WOC-Tag  
2. Perf @ 3200', sqz 70sx cmt to 3000' WOC-Tag  
3. Perf @ 1604', sqz 55sx cmt to 1454' WOC-Tag  
4. Perf @ 200', sqz 70sx cmt to Surface  
10# MLF between plugs

Spud Date:

Rig Release

The Oil Conservation Division Must be notified  
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 4/19/12


Type or print name \_\_\_\_\_ E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: David Stewart TITLE STATE MGR DATE 4/19-2012

Conditions of Approval (if any):

OXY USA Inc.  
Central Corbin Queen Unit #602  
API No. 30-025-29333



OXY USA Inc.  
Central Corbin Queen Unit #602  
API No. 30-025-29333


70sx @ 200'-Surface

55sx @ 1604-1454' WOC-Tag

70sx @ 3200-3000' WOC-Tag

30sx @ 4350-4170' WOC-Tag

8/85-CIBP @ 4350'



Perf @ 200'

12-1/4" hole @ 1554'  
8-5/8" csg @ 1554'•  
w/ 710sx-TOC-Surf-Circ

Perf @ 1604'

Perf @ 3200'

Perfs @ 4224-4234'

7-7/8" hole @ 5200'  
5-1/2" csg @ 5200'  
w/ 350sx-TOC-3179'-Calc

Perfs @ 4898-5128'

TD-5200'