

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
HOBBS OCD
OIL CONSERVATION DIVISION
200 South St. Francis Dr.
Santa Fe, NM 87505
APR 26 2010

Form C-103
June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35023
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: Bell Ramsay NCT J
4. Well Location Unit Letter <u>M</u> : <u>880</u> feet from the <u>South</u> line and <u>800</u> feet from the <u>West</u> line		8. Well Number 2
Section <u>25</u> Township <u>20S</u> Range <u>37E</u> NMPM County <u>Lea</u>		9. OGRID Number 005380
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3504 GL		10. Pool name or Wildcat HARDY; TUBB-DRINKARD, NORTH

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: TEMPORARILY ABANDON

☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER:

☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO ENERGY, INC WOULD LIKE TO PROPOSE THE FOLLOWING P&A INTENT FOR BELL-RAMSAY NCT 'J' #2:

1. POOH w/ pump, rods & 2-3/8" tbg.
2. Set CIBP @ +/- 6400'
3. Load & Test csg w/ FW+KCI to 350 psi for 30 mins to chart record MIT.

Condition of Approval: Notify OCD Hobbs office 24 hours prior to running MIT Test & Chart

Spud Date:

05/24/2000

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Stephanie Rabadue

TITLE

Regulatory Analyst

DATE

04/24/2012

Type or print name STEPHANIE RABADUE

E-mail address:

stephanie_rabadue@xtoenergy.com

PHONE

432-620-6714

For State Use Only

APPROVED BY

Mark Whitaker

TITLE

Compliance Officer

DATE


04-27-2012

Conditions of Approval (if any):



BELL-RAMSAY NCT 'J' #2
WELLBORE DIAGRAM

GL 3504
KB 3517
DF 3516



DATA
LOCATION: 800' FSL & 800' FWL, UNIT M. SEC. 25, T-20-S, R-37E
COUNTY/STATE: LEA COUNTY, NM
FIELD:
FORMATION: HARDY; TUBB-DRINKARD, NORTH
INITIAL IP: P 24 HRS, 170 BO, 47 BW, 45 MCF.
API #: 30-025-35023
CURRENT STATUS: ACTIVE

HISTORY

COMPLETION DATA:
05/24/00: SPUD 12 1/4" HOLE. RAN 8 5/8" 24# J-55 CSG & SET @ 1335'. CMT W/475 SX. TOC BY CIRC. TOC SURF. CONT DRLG. DRL 7 7/8" HOLE. RAN 5 1/2" 15.5# K-55 & L-80 CSG @ 7400'. CMT W/460 SX. DID NOT CIRC CMT. TOC CALC @ 5000'.
10/19/00: DO CMT TO 7360'. CIRC CLEAN. PERF 7129-7340'. ACDZ W/3.3 BBLS 15% HCL. FRAC W/12,000 GALS 20% HCL & 18,000 GALS GELLED WTR. RIH W/TBG, PMP & RODS, TBG @ 7339'. POH W/PROD EQUIP. SET CIBP @ 7100'. DUMP 15' CMT ON TOP. PERF 6481-6829' W/4 JHPF. ACDZ W/2800 GALS 15% HCL. FRAC W/64,500 GALS FOAM & 193,830# SD. RIH W/TBG, PMP & RODS, TBG @ 6862'.

WORKOVER HISTORY:

10/22/04: POH W/RODS & SHEAR TOOL. ATTEMPT TO REL TAC, COULDN'T. PMP 10 GALS OF CHAMPION M-154 PARAFFIN DISPER W/70 BFW @ 250 DEG DWN CSG & LET SET FOR 1 HR.
10/23/04: TAGGED PARAFFIN @ 1210'. POH W/WL TOOL. PMP 28 BW DN 2 3/8" TBG & PRESS TSTD TBG TO 500 PSIG FOR 5", HELD OK. HOT OIL TAC W/50 BO. ATTEMPT TO REL TAC, COULDN'T. TAC @ 6410'. POH.
10/26/04: RIH, LATCHED ONTO FISH @ 6345'. JARRED ON FISH FOR 30" PULLED OFF FISH. POH W/TBG & TOOLS. TAGGED TOF @ 6345'.
10/29/04: POH W/RODS & PMP. FOUND HOLE IN 2 3/8" TBG 203 JFS. RIH W/TBG & RODS.
11/01/04: POH W/RODS & PMP. RIH W/PMP & RODS.
11/11/04: POH W/RODS & PMP. RIH W/RODS & PMP.
02/10/06: PMP 500 GALS XYLENE DWN TCA. CIRC WELL FOR 18 HRS. PMP 1000 GALS 15% NEFE HCL ACID DWN TCA. SWI 4 HRS.
02/13/06: 24 HRS, 8 BO, 6 BW & 8 MCF.



BELL-RAMSAY NCT 'J' #2
WELLBORE DIAGRAM

