

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

MAY 17 2012

RECEIVED

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 CLEZ
Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOC District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ☒ Permit ☐ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

1. Operator: Occidental Permian Ltd. OGRID #: 157984
Address: P.O. Box 4294, Houston, TX 77210-4294
Facility or well name: North Hobbs G/SA Unit No. 635
API Number: 30-025-37409 OCD Permit Number: P1-04599
U/L or Qtr/Qtr I Section 29 Township 18-S Range 38-E County: Lea
Center of Proposed Design: Latitude 32 42 56.088 Longitude -103 09 56.124 NAD: ☒ 1927 ☐ 1983
Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment

2. ☒ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Operation: ☐ Drilling a new well ☒ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A
☒ Above Ground Steel Tanks or ☐ Haul-off Bins

3. Signs: Subsection C of 19.15.17.11 NMAC
☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
☒ Signed in compliance with 19.15.16.8 NMAC

4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☒ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number: _____
☐ Previously Approved Operating and Maintenance Plan API Number: _____

5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13 D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name: Sundance Services Parabo Facility Disposal Facility Permit Number: NM 01003
Disposal Facility Name: _____ Disposal Facility Permit Number: _____
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?
☐ Yes (If yes, please provide the information below) ☒ No
Required for impacted areas which will not be used for future service and operations:
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

6. Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Mark Stephens Title: Reg. Comp. Analyst
Signature: Mark Stephens Date: 5/3/12
e-mail address: Mark_Stephens@oxy.com Telephone: (713) 366-5158

MAY 17 2012

7. **OCD Approval:** ☐ Permit Application (including closure plan) ☐ Closure Plan (only)

OCD Representative Signature: _____

Approval Date: 5-17-2012

Title: _____

OCD Permit Number: P1-04599

8. **Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☐ Closure Completion Date: _____

9. **Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Site Reclamation (Photo Documentation)

☐ Soil Backfilling and Cover Installation

☐ Re-vegetation Application Rates and Seeding Technique


10. **Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____



New Mexico Drilling Daily Circulating System Inspection
For Closed Loop Systems

Wellname:		Permit #:		Rig Move Date:	
County:				Rig Demobe Date:	


Inspection Date	Time	By Whom	Any drips or leaks from steel tanks, lines or pumps not contained? * Explain.	Has any hazardous waste been disposed of in system?


All circulating systems to be inspected DAILY during drilling operations.

*Any leak of the steel tanks, lines or pumps shall be reported to the NMOCD and repaired within 48 hours.


OXY FLEX III PAD (SCOMI Closed Loop System)

Level Area-No Gailche-For Offices and Living Quarters





<p>REVISIONS</p> <table><tr><th>NO.</th><th>DATE</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>10/1/78</td><td>ISSUED FOR CONSTRUCTION</td></tr></table>	NO.	DATE	DESCRIPTION	1	10/1/78	ISSUED FOR CONSTRUCTION	<p>NOTES</p> <ol style="list-style-type: none">1. ALL DIMENSIONS ARE IN FEET AND INCHES.2. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE SPECIFIED.3. ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.4. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE SPECIFIED.5. ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.6. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE SPECIFIED.7. ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.8. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE SPECIFIED.9. ALL DIMENSIONS SHALL BE TO FACE UNLESS OTHERWISE SPECIFIED.10. ALL DIMENSIONS SHALL BE TO CENTER UNLESS OTHERWISE SPECIFIED.	<p>CLOSED LOOP SYSTEM BASIC LAYOUT AND TIE IN OXY - H&P - FLEX HIGS / PG 1 OF 2</p> <table><tr><td>DATE</td><td>10/1/78</td><td>BY</td><td>WJH</td></tr><tr><td>SCALE</td><td>1" = 10'</td><td>PROJECT NO.</td><td>5215-014</td></tr><tr><td>FIGURE NO.</td><td>1</td><td>REVISION</td><td>0</td></tr></table>	DATE	10/1/78	BY	WJH	SCALE	1" = 10'	PROJECT NO.	5215-014	FIGURE NO.	1	REVISION	0	<p>Scomi</p> <p>5215-014</p>
NO.	DATE	DESCRIPTION																			
1	10/1/78	ISSUED FOR CONSTRUCTION																			
DATE	10/1/78	BY	WJH																		
SCALE	1" = 10'	PROJECT NO.	5215-014																		
FIGURE NO.	1	REVISION	0																		



<div>REVISIONS</div> <table><tr><th>NO.</th><th>DESCRIPTION</th><th>DATE</th></tr><tr><td>1</td><td>ISSUED FOR CONSTRUCTION</td><td>10/1/77</td></tr></table>		NO.	DESCRIPTION	DATE	1	ISSUED FOR CONSTRUCTION	10/1/77	<div>1. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A PRESSURE OF 100 PSIG.</div> <div>2. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A FLOW RATE OF 100 GPM.</div> <div>3. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A TEMPERATURE OF 100°F.</div> <div>4. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A VIBRATION LEVEL OF 0.1 IN/IN.</div> <div>5. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A NOISE LEVEL OF 100 DBA.</div> <div>6. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A SEISMIC LEVEL OF 0.1 G.</div> <div>7. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A CORROSION RATE OF 0.001 IN/IN.</div> <div>8. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A FATIGUE LIFE OF 10 YEARS.</div> <div>9. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A MAINTENANCE COST OF \$100,000/YR.</div> <div>10. THE SYSTEM SHALL BE DESIGNED TO OPERATE AT A SAFETY FACTOR OF 1.5.</div>		<div>CLOSED LOOP SYSTEM</div> <div>BASIC LAYOUT AND TIE IN</div> <div>OXY H&F - FLEX RIGS / PG 2 OF 2</div>		<div>Scomi</div> <div>52-S-014</div>	
NO.	DESCRIPTION	DATE											
1	ISSUED FOR CONSTRUCTION	10/1/77											