

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 March 4, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-34528
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron USA Inc		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Rd, Midland, TX 79705		7. Lease Name or Unit Agreement Name Van Etten L.
4. Well Location Unit Letter O : 467 feet from the South line and 1650 feet from the East line Section 9 Township 20-S Range 37-E NMPM Lea County		8. Well Number 19
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
10. Pool name or Wildcat PAD, BLINEBRY, TUBB, DRNK, ABO		

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)


Pit Location: UL O Sect 9 Twp 20S Rng 37E Pit type Steel Depth to Groundwater 30 Distance from nearest fresh water well Over 1000'
 Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
 467 feet from the South line and 1650 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hours Prior to MI & RU.
2. Set 5 1/2 CIBP @ 6700' Spot 50sx plug 6700-8200 (Lateral, ABO Monument Tubb, Weir Drinkard) WOC Tag.
3. Spot 60sx plug 5750-5100 (Weir Blinebry-Monument Paddock) WOC Tag.
4. Displace hole w/MLF. 9.5# Brine w/12.5# gel P/BBL.
5. Spot 25sx plug 4000-3800 (S. Andres)
6. Spot 25sx plug 2800-2400 (Yates).
7. Spot 25sx plug 1200-1006 (8 5/8 Shoe, T-Salt) WOC Tag.
8. Spot 30sx plug 300'- Surf (Surf) WOC Tag.

9. Install Dry Hole Marker.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Jimmy Bagley TITLE Consultant DATE 4-30-05
 Type or print name E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Chris Williams TITLE Dist. Supervisor DATE 4/20/05
 Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET (STRING CSNG)

OPERATOR CHEVRON USA INC.

LEASENAME VAN ETREN

WELL # 19

SECT 9 TWN 20-S RNG 37-E

FROM 467 NGL 1650 EWL

TD: 7500 FORMATION @ TD ABO

PBTD: FORMATION @ PBTD Paddock

MLF

85/8
@ 1150
TOC SURF

MLF

MLF

MLF

MONUMENT
WEIR DEND

5 1/2
@ 7500
TOC SURF

TD 7500

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	85/8	1150	SURF	CIRC.
INTMED 1				
INTMED 2				
PROD	5 1/2	7500	SURF	CIRC.
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERF	5158 - 6812
INTMED 2			OPENHOLE	7007 - 8141
PROD				

* REQUIRED PLUGS DISTRICT *

STATE (COUNTY)	
YATES	
QUINN	
GRAYSON	
SAN ANDREAS	
CAPITAN MEX	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BERRY CANYON	
BONE SPRING	
FLORIDA	
OLNEY	
ORANGE	
ABO	
WC	
FRAN	
STRAWN	
ARDEA	
MORROW	
SON	
DEVONIAN	

PLUG	TYPE	BACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIRP/35'		1300'
PLUG #4	CIRP	25 SXS	1300'
PLUG #5	STUB	50 SXS	4500'-4700'
PLUG #6	REINR SQZ	200 SXS	400
PLUG #7	SURF	10 SXS	0-10'
PLUG #8	CIRP	50	6700
PLUG #9	WEIR	60	5750
PLUG #10	S. ANDREAS	25	4000
PLUG #11	YATES	25	2600
PLUG #12	51/8 S	25	1200
PLUG #13	SURF	30	300
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

APR 20 2005
Received
Hobbs
OCD