

New Mexico Oil Conservation Division, District I
UNITED STATES OPERATOR'S COPY
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
1845 N. French Drive
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator
CHEVRON USA INC

3. Address and Telephone No. 15 SMITH RD, MIDLAND, TX 79705 432-687-737

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter F : 1980 Feet From The NORTH Line and 1981 Feet From The

WEST Line Section 8 Township 22S Range 37E

5. Lease Designation and Serial No.

NMLC-033706A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number

C.P. FALBY 'A' FEDERAL

3

9. API Well No.

30-025-10118

10. Field and Pool, Exploratory Area

PENROSE SKELLY GRAYBURG

11. County or Parish, State

LEA, NM

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

- ☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ OTHER: PLUGBACK TO GRAYBURG


- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CHEVRON U.S.A. INC. INTENDS TO RECOMLETE THE SUBJECT WELL FROM THE EUNICE SAN ANDRES SW TO THE PENROSE SKELLY GRAYBURG FIELD AND POOL. *****A PIT WILL NOT BE USED FOR THIS PLUGBACK. A STEEL FRAC TANK WILL BE UTILIZED.***** THE CURRENT AND PROPOSED WELLBORE DIAGRAMS ARE ATTACHED FOR YOUR APPROVAL. DOWNHOLE COMMINGLE APPROVAL IS BEING SOUGHT THROUGH NMOC, SANTA FE, NM. (COPY ATTACHED). THE INTENDED PROCEDURE IS AS FOLLOWS:

MIRU. REL PKR. TIH W/BIT TO PBDT @ 5445. RUN GR/CPNL/CCL LOG FR 5000-2500. RUN CBL/CCL LOG FR 5000-100' ABOVE CMT TOP. TIH W/RBP & PKR. SET PKR @ 3990. RU SWAB & SWAB PERFS 4010-4020. REL PKR. RETR RBP. SET RBP @ 4000. PU & SET PKR. SPOT 10' SAND ON TOP OF RBP. PERF PICKED GRAYBURG INTERVALS. TIH W/PKR. ACIDIZE PERFS W/15% NEFE HCL. REL PKR & PU ABOVE TOP PERF. RU SWAB. TIH W/FRAC PKR & SET @ 3600. INSTL FRAC HEAD. FRAC W/84,000 GALS YF130 & SAND. REL PKR. TIH W/BIT TO TOP OF FILL. C/O FILL & SAND ON RBP. REL RBP. TIH W/PKR & SET ABOVE TOP PERF & RU SWAB. CONDUCT AFTER FRAC LOG W/TEMP LOG. REL PKR. TIH W/2 7/8" PROD TBG & SUB PUMP. RIG DOWN. TURN WELL OVER TO PRODUCTION.



14. I hereby certify that the foregoing is true and correct

SIGNATURE Denise Pinkerton TITLE Regulatory Specialist

DATE 4/21/2005

TYPE OR PRINT NAME Denise Pinkerton

(This space for Federal or State office use)

APPROVED DAVID E. GLASS TITLE PETROLEUM ENGINEER

CONDITIONS OF APPROVAL, IF ANY:

DATE APR 22 2005

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Well: **CP Falby A Fed #3**

Reservoir: **San Andres**

Field: **Eunice San Andres Southwest**

Location:
1980'-FNL & 1981' FWL
Section: 8
Township: 22S
Range: 37E
County: LEA, NM.
Unit Letter: F

Current
Wellbore Diagram

Well ID Info:

Refno: FB1123
API No: 3002510118
L5/L6: LB10300
Spud Date:
Compl. Date:

Elevations:
GL: 3433'
DF: 3422'
KB: 3423'

TBG Detail
2-3/8" Tbg
Model R DG set @ 3728'

Surf. Csg:
Size 10-3/4"
Weight 32.75#
Set: @ 373'
With: 300 sxs
Hole Size:
Circ: Yes
TOC @ Surface

Original Openhole completion
Grayburg 3514'-3740'
Cased over

Int. Csg:
Size 7"
Weight 24#
Set: @ 3514'
With: 300 sxs
Hole Size:
Circ: No
TOC @ 2050' calc. 75%

San Andres
Perfs: **Status**
3820'-4020' Open

Blinbry
Perfs: **Status**
5532'-5939' Sqz'd

CIBP @ 5480' w/ 35' cmt


Prod. Csg:
Size 5"
Weight 13#
Set @ 6557'
With: 300 sxs
Hole Size:
Circ: No
TOC @ 3500' by TS

Drinkard
Perfs: **Status**
6343'-6555' Open

CIBP @ 6300' w/ 35' cmt

PBTD: 5445'
TD: 6557'

Updated: 10-Mar-05
By: Keith Lopez



Reservoir: **San Andres/Grayburg**
Field: **Eunice San Andres SW/Penrose Skelly**

Well ID Info:

Refno:	FB1123
API No:	3002510118
L5/L6:	10300/U493900
Spud Date:	
Comp. Date:	

GL: 3433'
DF: 3422'
KB: 3423'

Surf. Csg:	
Size	10-3/4"
Weight	32.75#
Set: @	373'
With:	300 sxs
Hole Size:	
Circ:	Yes
TOC @	Surface

San Andres	
Perfs:	Status
3820'-4020'	Open

Perfs:	Status
5532'-5939'	Sqz'd

Drinkard	
Perfs:	Status
6343'-6555'	Open

PBTD: 5445'
TD: 6557'

← Original Openhole completion
Grayburg 3514'-3740'
Cased over

Int. Csg:
Size 7"
Weight 24#
Set: @ 3514'
With: 300 sxs
Hole Size:
Circ: No
TOC @ 2050' calc. 75%

CIBP @ 5480' w/ 35' cmt

Prod. Csg:
Size 5"
Weight 13#
Set @ 6557'
With: 300 sxs
Hole Size:
Circ: No
TOC @ 3500' by TS

CIBP @ 6300' w/ 35' cmt

Updated: 10-Mar-05
By: Keith Lopez

