

District I
1625 N French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

MAY 31 2012

RECEIVED

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 CLEZ
Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOC District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ☒ Permit ☐ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

1. Operator: Occidental Permian Ltd. OGRID #: 157984
Address: P.O. Box 4294, Houston, TX 77210-4294
Facility or well name: North Hobbs G/SA Unit No. 311
API Number: 30-025-07491 OCD Permit Number: P1-04693
U/L or Qtr/Qtr B Section 31 Township 18-S Range 38-E County Lea
Center of Proposed Design: Latitude 32 42 35.2404 Longitude -103 11 10.6332 NAD: ☒ 1927 ☐ 1983
Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment

2. ☒ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Operation: ☐ Drilling a new well ☒ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A
☒ Above Ground Steel Tanks or ☐ Haul-off Bins

3. **Signs:** Subsection C of 19.15.17.11 NMAC
☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
☒ Signed in compliance with 19.15.16.8 NMAC

4. **Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☒ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number: _____
☐ Previously Approved Operating and Maintenance Plan API Number: _____

5. **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name: Sundance Services Parabo Facility Disposal Facility Permit Number: NM 01003
Disposal Facility Name: _____ Disposal Facility Permit Number: _____
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?
☐ Yes (If yes, please provide the information below) ☒ No
Required for impacted areas which will not be used for future service and operations:
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

6. Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Mark Stephens Title: Reg. Comp. Analyst
Signature: Mark Stephens Date: 5/31/12
e-mail address: Mark_Stephens@oxy.com Telephone: (713) 366-5158

MAY 31 2012

7. **OCD Approval:** ☐ Permit Application (including closure plan) ☐ Closure Plan (only)

OCD Representative Signature: _____

Approval Date: _____

Title: _____

OCD Permit Number: _____

8. **Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☐ Closure Completion Date: _____

9. **Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Site Reclamation (Photo Documentation)

☐ Soil Backfilling and Cover Installation

☐ Re-vegetation Application Rates and Seeding Technique

10. **Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): _____

Title: _____

Signature: _____

Date: _____

e-mail address: _____

Telephone: _____

New Mexico Drilling Daily Circulating System Inspection For Closed Loop Systems

Wellname:		Permit #:		Rig Move Date:	
County:				Rig Demobe Date:	


[illegible]


All circulating systems to be inspected DAILY during drilling operations.

*Any leak of the steel tanks, lines or pumps shall be reported to the NMOCD and repaired within 48 hours.


OXY FLEX III PAD (SCOM Closed Loop System)

Level Area-No Caliche-For Offices and Living Quarters





<p>1. ALL DIMENSIONS ARE IN FEET AND INCHES.</p> <p>2. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE NOTED.</p> <p>3. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>4. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>5. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>6. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>7. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>8. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>9. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p> <p>10. ALL DIMENSIONS ARE TO CENTERLINE UNLESS OTHERWISE NOTED.</p>				<p>CLOSED LOOP SYSTEM BASIC LAYOUT AND TIE IN OXY - HAP - FLEX HIGS / PG 1 OF 2</p>				<p>Scomi</p>			
<p>5215-314</p>				<p>0</p>				<p>5215-314</p>			



<p>1. FLOWING WATER TO BE USED IN THE 2. FLOWING WATER TO BE USED IN THE 3. FLOWING WATER TO BE USED IN THE 4. FLOWING WATER TO BE USED IN THE 5. FLOWING WATER TO BE USED IN THE 6. FLOWING WATER TO BE USED IN THE 7. FLOWING WATER TO BE USED IN THE 8. FLOWING WATER TO BE USED IN THE 9. FLOWING WATER TO BE USED IN THE 10. FLOWING WATER TO BE USED IN THE 11. FLOWING WATER TO BE USED IN THE 12. FLOWING WATER TO BE USED IN THE 13. FLOWING WATER TO BE USED IN THE 14. FLOWING WATER TO BE USED IN THE 15. FLOWING WATER TO BE USED IN THE 16. FLOWING WATER TO BE USED IN THE 17. FLOWING WATER TO BE USED IN THE 18. FLOWING WATER TO BE USED IN THE 19. FLOWING WATER TO BE USED IN THE 20. FLOWING WATER TO BE USED IN THE 21. FLOWING WATER TO BE USED IN THE 22. FLOWING WATER TO BE USED IN THE 23. FLOWING WATER TO BE USED IN THE 24. FLOWING WATER TO BE USED IN THE 25. FLOWING WATER TO BE USED IN THE 26. FLOWING WATER TO BE USED IN THE 27. FLOWING WATER TO BE USED IN THE 28. FLOWING WATER TO BE USED IN THE 29. FLOWING WATER TO BE USED IN THE 30. FLOWING WATER TO BE USED IN THE 31. FLOWING WATER TO BE USED IN THE 32. FLOWING WATER TO BE USED IN THE 33. FLOWING WATER TO BE USED IN THE 34. FLOWING WATER TO BE USED IN THE 35. FLOWING WATER TO BE USED IN THE 36. FLOWING WATER TO BE USED IN THE 37. FLOWING WATER TO BE USED IN THE 38. FLOWING WATER TO BE USED IN THE 39. FLOWING WATER TO BE USED IN THE 40. FLOWING WATER TO BE USED IN THE 41. FLOWING WATER TO BE USED IN THE 42. FLOWING WATER TO BE USED IN THE 43. FLOWING WATER TO BE USED IN THE 44. FLOWING WATER TO BE USED IN THE 45. FLOWING WATER TO BE USED IN THE 46. FLOWING WATER TO BE USED IN THE 47. FLOWING WATER TO BE USED IN THE 48. FLOWING WATER TO BE USED IN THE 49. FLOWING WATER TO BE USED IN THE 50. FLOWING WATER TO BE USED IN THE 51. FLOWING WATER TO BE USED IN THE 52. FLOWING WATER TO BE USED IN THE 53. FLOWING WATER TO BE USED IN THE 54. FLOWING WATER TO BE USED IN THE 55. FLOWING WATER TO BE USED IN THE 56. FLOWING WATER TO BE USED IN THE 57. FLOWING WATER TO BE USED IN THE 58. FLOWING WATER TO BE USED IN THE 59. FLOWING WATER TO BE USED IN THE 60. FLOWING WATER TO BE USED IN THE 61. FLOWING WATER TO BE USED IN THE 62. FLOWING WATER TO BE USED IN THE 63. FLOWING WATER TO BE USED IN THE 64. FLOWING WATER TO BE USED IN THE 65. FLOWING WATER TO BE USED IN THE 66. FLOWING WATER TO BE USED IN THE 67. FLOWING WATER TO BE USED IN THE 68. FLOWING WATER TO BE USED IN THE 69. FLOWING WATER TO BE USED IN THE 70. FLOWING WATER TO BE USED IN THE 71. FLOWING WATER TO BE USED IN THE 72. FLOWING WATER TO BE USED IN THE 73. FLOWING WATER TO BE USED IN THE 74. FLOWING WATER TO BE USED IN THE 75. FLOWING WATER TO BE USED IN THE 76. FLOWING WATER TO BE USED IN THE 77. FLOWING WATER TO BE USED IN THE 78. FLOWING WATER TO BE USED IN THE 79. FLOWING WATER TO BE USED IN THE 80. FLOWING WATER TO BE USED IN THE 81. FLOWING WATER TO BE USED IN THE 82. FLOWING WATER TO BE USED IN THE 83. FLOWING WATER TO BE USED IN THE 84. FLOWING WATER TO BE USED IN THE 85. FLOWING WATER TO BE USED IN THE 86. FLOWING WATER TO BE USED IN THE 87. FLOWING WATER TO BE USED IN THE 88. FLOWING WATER TO BE USED IN THE 89. FLOWING WATER TO BE USED IN THE 90. FLOWING WATER TO BE USED IN THE 91. FLOWING WATER TO BE USED IN THE 92. FLOWING WATER TO BE USED IN THE 93. FLOWING WATER TO BE USED IN THE 94. FLOWING WATER TO BE USED IN THE 95. FLOWING WATER TO BE USED IN THE 96. FLOWING WATER TO BE USED IN THE 97. FLOWING WATER TO BE USED IN THE 98. FLOWING WATER TO BE USED IN THE 99. FLOWING WATER TO BE USED IN THE 100. FLOWING WATER TO BE USED IN THE</p>		<p>CLOSED LOOP SYSTEM BASIC LAYOUT AND TIE IN OXY H&P - F&S RIGS / PG 2 OF 2</p>		<p>Scomi</p>
<p>52-S-114</p>		<p>1 A</p>		<p>52-S-114</p>