Submit To Appropr	nate Distric	t Office				State of Ne	w Mexi	ico	· · · · · · · · · · · · · · · · · · ·						Fo	orm C-105	
District I	ایان و	Energy, Minerals and Natural Resources						Revised August 1, 2					ugust 1, 2011				
Two Copies  District I  1625 N. French Dr., Hobbs, NM 88240BBS OCD  Energy, Minerals and Natural Resources  District II									1. WELL API NO. 30-025-40341								
811 S. First St., Artesia, NM 88210 District III Oil Conservation Division									2. Type of Lease								
Oil Conservation Division    District III   1000 Rio Brazos Rd , Aztec, NM 8   100   2 2   20\2   20\2   20\2   20\2   20\2   South St. Francis Dr.									STATE FEE FED/INDIAN  3. State Oil & Gas Lease No.								
1220 S St Francis Dr., Santa Fe, NM 87505								1100		3. State Off & Gas Lease No.							
WELL COMPLETION OF RECOMPLETION REPORT AND LOG									5 Lease Name or Unit Agreement Name								
4. Reason for filing:										Tres Equis St	ate						
COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)								6. Well Number: 004									
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or																	
#33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)  7. Type of Completion:																	
8. Name of Opera		WORK	OVER 🗌	DEEPE	ENING	□PLUGBACI	K 🗌 DIFF	ERE	NT RESERV	VOIR	R OTHER						
Cimarex Energy	Co										9. OGRID 215099						
10. Address of Operator 600 N. Marienfeld St., Ste 600, Midland, Tx 79701								11 Pool name or Wildcat Triple X; Bone Spring, West (96674)									
12.Location Unit Ltr Section			on	Township		Range Lot			Feet from th		N/S Line	Fee	Feet from the		/W Line	County	
Surface:	A	6		24S		33E			330		North	660		E	ast	Lea	
вн:	Р	6		24S		33E			3484940			598		E	ast	Lea	
13. Date Spudded 02/05/12	9/2/1	ate T.D. R		03/1	7/12	g Released		04/	/03/12		(Ready to Pro		RT, C	17. Elevations (DF and RKB, RT, GR, etc.) 3656' GR			
18. Total Measured Depth of Well 15568' MD/ 11160' TVD				15523		ck Measured Depth			20. Was Directiona Yes					Type Electric and Other Logs Run -HRLA-HNGS		ther Logs Run	
22. Producing Interval(s), of this completion - Top, Bottom, Name Bone Spring: 11280'-15481'																	
23.					CAS	ING REC	ORD (I			ring							
CASING SI. 13-3/8"		WEIG	HT LB./I	FT.		DEPTH SET			OLE SIZE 7-1/2"		CEMENTIN			-	AMOUNT		
9-5/8"						4912'			<del>7-1/2</del> <del>2-3/4"</del>			985 sx Circ 0 1665 sx Circ 0					
5-1/2"				15540'		7-7/8"		2360 sx			0						
										TOC@10770'							
						<del></del>					<u> </u>			+			
24.					LIN	ER RECORD				25		ГUВІ	NG RE	L COR		1	
		ГОР		BOTTOM		SACKS CEM	ENT SC			SIZ	ČE	D	EPTH S		PACK	ER SET	
									2-		7/8" 10		0700'		1070	0'	
26. Perforation	record (i	nterval siz	e. and nur	nber)			27	AC	ID SHOT	FR.	ACTURE CI	EME	NT SC	HEE	 ZE_ETC		
26. Perforation record (interval, size, and number)27. ACID, SHOT,11280'-15481' (320 holes)DEPTH INTERVAL									RACTURE, CEMENT, SQUEEZE, ETC.  AMOUNT AND KIND MATERIAL USED								
						11280'-15481'			Frac w/2,819,680 # sand & 2,135,075 gals total				als total fluid				
28.							PRODI	TIC'	TION								
Date First Production   Production Method (Flowing, gas lift, pumping - Size and type pump)   Well Status (Prod. or Shut-in)   Prod   Prod																	
Date of Test	Hours	Tested	   Cho	ke Size		Prod'n For	Oil	- Bb	1	Gar	s - MCF	<u></u>	/ater - E	rbi	Gas	Oil Ratio	
}	1		Ì	Choke Size		Test Period		i		ľ			1		ľ		
Flow Tubing	04/10/12 24 Flow Tubing Casing Pressure			14/64 Calculated 24-		Oil - Bbl.					3 812 Water - Bbl.			2718 Oil Gravity - API - (Corr.)			
Press.			Hour Rate				Gas	, m. 171 CI		44.5			-	, (a)			
2250   0     29. Disposition of Gas (Sold, used for fuel, vented, etc.)   30. Test Witnessed By									``								
Sold																	
31. List Attachme														. /.			
C102, C103, Gyro survey, directional survey, C144,log  32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.  33. If an on-site burial was used at the well, report the exact location of the on-site burial																	
33. If an on-site b	urial was	used at the	well, rep	ort the e	exact loc		site burial							,			
						Latitude					Longitude				N/	D 1927 1983	

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Celeste G. Dale Title Regulatory Date 05/14/12 Name E-mail Address: cdale@cimarex.com INSTRUCTIONS This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone. INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE Northwestern New Mexico Southeastern New Mexico T. Ojo Alamo T. Penn A" T. Anhy T. Canyon T. Penn. "B" T. Salt T. Strawn T. Kirtland T. Fruitland T. Penn. "C" B. Salt T. Atoka T. Pictured Cliffs T. Penn. "D" T. Yates T. Miss T. Cliff House T. Leadville T. 7 Rivers T. Devonian T. Queen T. Silurian T. Menefee T. Madison T. Elbert T. Grayburg T. Montoya T. Point Lookout T. San Andres T. Simpson T. Mancos T. McCracken T. Gallup T. Ignacio Otzte T. Glorieta T. McKee Base Greenhorn T.Granite T. Paddock T. Ellenburger T. Blinebry T. Gr. Wash T. Dakota T.Tubb T. Delaware Sand T. Morrison

T.Todilto

T. Entrada

T. Wingate

T. Chinle

T. Permian

No. 3, from to feet.

LITHOLOGY RECORD (Attach additional sheet if necessary)

T. Bone Springs

T. Rustler

T.

T.

T.

T. Drinkard

T. Wolfcamp

T. Cisco (Bough C)

T. Abo

T. Penn

ETTTOE OF THE COTE (Tituen additional sheet it necessary)											
From	То	Thickness In Feet	Lithology	Fro	n T	Го	Thickness In Feet	Lithology			

Tres Equis State #4
Attachment to C-105
Lea County, NM
30-025-40341

Additional Info: No Pilot Hole, KOP @ 10775' TVD/TMD