HOBBS OCD

Madera "19" Federal #2H Unit M, Section 19, T26S, R35E Lea County, New Mexico

JUN 1 9 2012

## RECEIVED

 EXISTING ROADS AND PROPOSED ROADS: The proposed well site is located approximately 18 miles southwest of Jal, New Mexico. Exhibit "A" is a reproduction of a USGS Topographic Map, showing existing and proposed roads. All existing roads will be maintained in a condition equal to or better than current conditions. Any new roads will be constructed to BLM specifications. Exhibit "B" shows the proposed well site as staked.

Directions: From the intersection of Highway #128 and 3<sup>rd</sup> Street in Jal, New Mexico, go south on 3<sup>rd</sup> Street approximately 1.6 miles. Veer right and go southwest on Highway #205 approximately 8.2 miles. Turn right on Caliche road (Beckham Ranch Road) and go west 5.2 miles. Turn right and go north then northwest 4.3 miles. Turn left and go south 0.37 miles to road intersection and location is southwest 260'.

- 2. PLANNED ACCESS ROAD: NO additional road is required.
- 3. LOCATION OF EXISTING WELLS IN A ONE MILE RADIUS
  - a. The Exhibit "C" shows existing wells within a one-mile radius of the proposed well site.
- 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITY:
  - a. There are no production facilities on this lease at the present time.
- 5. SOURCE OF CONSTRUCTION MATERIALS:
  - a. The dirt contractor will be responsible for finding a source of material for construction of road and pad and will obtain any permits that may be required.
- 6. METHODS OF HANDLING WASTE DISPOSAL:
  - a. This well will be drilled with a closed loop system.
  - b. The closed loop system will be constructed, maintained, and closed in compliance with the State of New Mexico, Energy and Natural Resources Department, Oil Conservation Division---The "Pit Rule" 19.15.17 NMAC.
  - c. Drilling fluids will be removed after drilling and completions are completed.
  - d. Water produced during operation will be collected in tank until hauled to an approved disposal system, or separate disposal application will be submitted.
  - e. Oil produced during operation will be stored in tanks until sold.
  - f. Current laws and regulations pertaining to the disposal of human waste will be complied with.
  - g. All trash, junk and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and depositing in an approved sanitary landfill. Burial on site is not approved.

1 | Page

## 7. ANCILLARY FACILITIES:

- a. There are no ancillary facilities on this lease at the present time.
- 8. WELLSITE LAYOUT:
  - a. Exhibit "D" shows the relative location and dimensions of the well pad, closed loop mud system, location of the drilling equipment, pulling unit orientation and access road approach. NOTE: V-Door will be to the South
  - b. The closed loop system will be constructed, maintained, and closed in compliance with the State of New Mexico, Energy and Natural Resources Department, Oil Conservation Division—The "Pit Rule" 19.15.17 NMAC.
  - c. A 600' x 600' area has been staked and flagged.
- 9. PLANS FOR RESTORATION
  - a. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site in as aesthetically pleasing a condition as possible.
  - b. If the proposed well is plugged and abandoned, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible.
  - c. Unguarded pits, if any, containing fluids will be fenced until they have dried and have been leveled.
  - d. Plans for Interim and Final Surface Reclamation
    - i. Well location will be contoured to resemble the original topography as closely as possible. Surface reclamation measures will be taken to avoid new erosion on the well location and the area surrounding the well location. These measures will be overseen by RMR personnel following a structured plan for the reclamation of each individual site.
    - ii. Major drainage systems will be avoided as determine at the onsite with the BLM. Minor drainages may be rerouted around the well site within the 600' x600' cleared are to avoid moving the well location.
    - iii. Segregation of topsoil will by collected to the south side of the location if needed.
    - iv. RMR will use prudent oil field practices when constructing well location and related facilities. RMR personnel will determine the size of the well location needed for safe working conditional for personnel during all aspects on the drilling and production process.
    - v. Backfill requirements for above ground reserve pits will be met by using cut, fill and contouring of available topsoil and like soils for the pit area. Should additional material be needed it will be brought in from a BLM approved source.
    - vi. All topsoil will be spread over the area reclaimed during the interim reclamation using a front end loader. For final reclamation enough topsoil will be evenly distributed between the interim reclaimed area and the final reclaimed area. This method of soil stabilization should help maintain the productivity and viability of the topsoil.
    - vii. Soil treatments will be determined at the time of final reclamation by RMR designated personnel to meet BLM final reclamation goals.

- viii. Reseeding of disturbed areas will be in accordance with the seed mixtures attached to the approved APD as Condition of Approval. Planting and soil preparation will be done during the rainy season between June 1<sup>st</sup> and September 1<sup>st</sup>.
- ix. RMR's personnel will control weeds during the productive period through final abandonment of the well. RMR may also use the option to hire a third party to be in charge of weed control or participate in the Chaves Soil and Water District program to pool monies of weed control.
- Well pads, roads and related facilities with caliche or other surfacing material will be picked up or turned over at the time of final abandonment. These materials may be used on other projects in the area if possible or placed back in the caliche pit or other designated site. Buried pipelines will be left in place after being bled down and purged. Above surface support equipment will be removed or cut down below plow depth and removed. Pipeline right-of-ways will be reseeded according to BLM Best Management Practices.

## 10. SURFACE OWNERSHIP:

Surface Estate: Bureau of Land Management 620 E. Greene Street, Carlsbad, NM 88220 575.234.5972

Mineral Estate: Bureau of Land Management 620 E. Greene Street, Carlsbad, NM 88220 575.234.5972

BLM Bond No.: NMB 000780

Madera "19" Federal #2H Section 19, T26S, R35E Lea County, New Mexico

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that the company I represent is responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

Executed this & day of March 2012

Printed Name: Tommy W. Folsom Signature

Position/Title: Executive Vice President & Director of Exploration and Production

Address: 415 W. Wall Street Suite 1310 Midland, Texas 79701

Telephone: 214.871.0400

Email: Katie@redmountainresources.com

Field Representative: Mike Huber

Telephone: 575.302.2226



Exhibit A







5		6 Ball of Yostes			5:D		thesopecka Metes Pet	
т. 		But o Yotes all persent of tax uness Suit L ical (1975 20 1975	0. č. Gentoles 1. j. Trv Vid razč 51. ražč	04 2015 1376 854	Devor 2 nor.   10:53 Amoco 10:5944 5:50082 Amini Fratic Pane A   13447	0XY H8P 13541	115000 104153 15000 104153	D.F. Formales N. L. 7018 (20)00 Food N.
	ł	ໄປເງິນຊີ່ພະນະ 1993 1993 1993 1993 1993 1993 1993 199			(Cresnpuoke)     Armae			
-	4	3 Sarras		I	atana y 6 Scince us. I and State	5	4	التخصيب
	Hill & Maenar Satar-Fad <sup>+</sup> ToStat 914 AF60 ⊕ 41 S	s-1, Yares Pet Occor red BE Orse.			Tarana J Contra u. (2005) (20)			Kataline Martinen Jernher st Jernher st Jernher Historike Kataline
4		[ το 200 ] γου στα [ 17. 5.	Same Rater	υL	U.S.	U.5.	u,s.	<u>المعامة المعامة المعام</u>
		nar Deven, star 6 - 2014 - 12 - 2004 10340 - 9-16 30 <sup>46</sup> - 6599		20200.4tr) 3 / F 2009 100567	이 있 Y 카러바 - 13647	Pinneer Noi Ret 77 デーシスのない 12・1・27日前 97万日 78日	York: fet stal	Dr. vcn 5.125
		Cane po Nes Sama lo Ener 199 6 - 2007 Sepri 230		100567 240 %	am 1	70 <sup>6</sup> 1	Chargente	(Chesapeoke) Fod. Toszze
	9		it	اء م'	and y	8	9	IQ Cassepeaky)
	M el.Witeen Yaring Fed. Ya Bapc Ka S-T-jija	1 438 1 L _ 4 (Stereored)	( S.m	C. Justy Maulita Taking Maulita Taking Maulita				Sjacicur Siegenn-Ped 13 pois Soci Dig Dia di Inga
	۵ <u>.</u> ۲ ۵.۲	ULS. WARDS AND		U \$	. U.S.	U.S.	U.S.	5° ∰ 104 5000 50 ∰ 104 511 648 175.
	μ€. Contrates 10 1 - ∞014 17-557# 4497 <u>21</u>	5-03-05 #3-04 	Denarjeta) 10. j. 2704 3406	ರಿಕಾರಿಗೆ ನಿರಿದ ತಿ. (- ೮೯೦ಡ (೧೯೯೯	HING Votes Pet. utol Construction Construc	Yutes Per, etc) axy 11-20/c 6-1-304 047-26 20072 2.100 20072	t Vatos Pernetal 4 - r - 2545 Visiant	0 6 0000 (0000
		40, <del>15</del>	<u>t</u> eč 6n	, <del>3</del> 0 <u>∞</u> 102×10	Tana A Street	2.1 <sup>an</sup>   20100	\$h612. 72	5 2000 9625; :3322 (Ches-main)
	State 	15	:4	(3		1 17	Yoter Fetrat	15
	AE Conzoles 19 ( 2014 19 ( 2014 19 ( 2014 19 ( 2014 19 ( 2014) 19			Madera	'19' Federal	#2H	A-L-ICRIS VB IR4O	
	26 روجانه 26 روجانه 26	34 U S. NORTHER	er 5	U.S. 1	0.5.		3rpre 26	
1	Charinvake Devan Ener: 1 20 A S 855 State			Goff Waylin Bridg Trenn Bridge in And St	Shackelfurd Strephone Shackelfurd Strephone	Cont i State 1205		Pervon Ener 1 / 250e Se257
	\$ 869. <del>22</del>	£850™ ¥330 µ		re Box	aren a an	4 14-2915 (http://www.sec.org/10.1004) 70 900 31-2014 (Crawn.Qil)	Ho more Hd. Tora- (Streng) (St	(da 🗠 (Chr.sapeake)
	21	Madera "	24" #1	24	Too man J 19 strange	Madera '19	' Federal #1	22
	MIDLANC & NAP				T Group -	Pookhom	602	GL - Buary Fact TOSA00 DASS 4-8
	MIDE	D/5.	ت ٢	un) F12 FF2 U_3-	Unifed Vew Mex.	Beckham	<u>'19' #1</u>	14.3.
	inegojvate (Levor t.ndr.) 21 1 1014	Device, etal 3 - 12000	Denson, mail , 😨	(144(0) (Tom Bride Distance) Ert. Westin. Drin (C	Ardan JI STINSTAL 7-11208 EVAng CIX-F 6-29127 Artigot	Lupping Pure Rat 7435 A zazar Grey Meyler (2015- Contill, States Mag 9/3 C Lup	Devon clearate re-1-200 man 210 97910 5401 100 100 100 100 100 100 100 100 100	Devas (** 12.1.2006* **
-	12000 (12012 12002 332 CC	8175 100199 8175	2 137 137 192 90 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IANA MA SIA	Contraction Contraction Contraction	Madera '30	' Federal #2	s 88 II 5 PO
	28	27	26	25 Strationard	S. 7 30	SESANG-SMI 29	1 28	(f. neyapanka) frat bacha (f. neyapanka) frat bacha Ti Sti 2.7
		M	adera '24' 2H'		a de la constante de la consta	Madera '30'	Federal #1	
	V. S	2.5.	Anthesaase Led Ut "	"Modery Fer	0.3.	U.S. United Ven Mex Tr Color U.S		U.S. 5
•	Lango Pet Maliand 6 (1933 Ethart	(11) 0 Fet 6-1 21:3 1-24:3		5' Federal #1	CXY CXY	Yanes नेता	Haver, Cil (3 - [ - TODU v0[6]) i0k 20	Rod zn Oil (z.i.*7006 i0161€ i0161€
1	in in the second second	1022 14 14	ANT THIL THIN THE	JE Menager St	5 - 3 17 5 - 3 17 5 - 5 - 7 - 7 5 - 7	VICTORIA TRAINE BROWN TRAIN	THE THE TEVE TENA	way there there a very
	R <sup>®</sup> 3	4E	<i>u.s.</i>	Store Band	to 15,130		R3	SE

Counter