

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-06315 ✓
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO ATTN: ZENO FARRIS		6. State Oil & Gas Lease No.
3. Address of Operator 600 N. MARINEFIELD, SUITE 600, MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name: SHELL STATE ✓
4. Well Location Unit Letter I : 1980 feet from the SOUTH line and 660 feet from the EAST line Section 32 Township 20S Range 37E NMPM County LEA		8. Well Number 006 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3524' - GR		9. OGRID Number 162683 ✓
		10. Pool name or Wildcat EUMONT YATES-7 RIVERS-QUEEN (PRO GAS) ✓

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 3,300'; PUMP A 45 SX. CMT. PLUG @ 3,300'-2,956' (T/7-R); CIRC. WELL W/ PXA FLUID.
- 2) PUMP A 45 SX. CMT. PLUG @ 2,792'-2,484' (T/YATES X B/SALT); WOC X TAG CMT. PLUG. **ECG/OCD**
- 3) PUMP A 50 SX. CMT. PLUG @ 1,476'-1,114' (T/SALT, T/ANHY. X 8-5/8" CSG. SHOE); WOC X TAG CMT. PLUG.
- 4) MIX X CIRC. TO SURF. A 25 SX. CMT. PLUG @ 200'-3'.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CASINGS X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE AGENT DATE 06/23/12

Type or print name DAVID A. EYLER E-mail address: deyler@milagro-res.com PHONE 432-687-3033

For State Use Only

APPROVED BY [Signature] TITLE STATE MAR DATE 6-26-2012

Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

JUN 26 2012



Cimarex Energy Co. of Colorado

Shell State #6

1980' FSL & 660' FEL v l I

Sec 32 - T20S - R37E, Lea Co NM

API # 30-025-06315

Ground Level Elevation: 3524'

DF Elevation: 3535'

M. Ketter

6/19/2012

8-5/8" 32# J-55 csg @ 1164'

Set w/350 sxs cmnt; Circl'd cmnt

Ran 8/94

Quantity	Description	Length	Setting Depth
	KB		
108	2-3/8"		
1	SN		3366.97

5-1/2" 15.5# J55 csg @ 3369'

Set w/ 1150 sxs cmnt; Circl'dcCmt

OH 3369'-3496'

PBTD:

TD: 3496'

CIMAREX

Cimarex Energy Co. of Colorado

Shell State #6

1980' FSL & 660' FEL 012 I

Sec 32 - T20S - R37E, Lea Co NM

API # 30-025-06315

Ground Level Elevation: 3524'

DF Elevation: 3535'

M. Ketter

6/19/2012

25 SXS. CMT. @
200' - 3'

50 SXS. CMT. @
1,476' - 1,114' - TAG

45 SXS. CMT. @
2,792' - 2,484' - TAG

45 SXS. CMT. @
3,300' - 2,956'

5 1/2" CIBP @ 3,300'

8-5/8" 32# J-55 csg @ 1164'

Set w/350 sxs cmnt; Circ'd cmnt

5-1/2" 15.5# J55 csg @ 3369'

Set w/ 1150 sxs cmnt; Circ'd cmnt

OH 3369'-3496'

PBTD:

TD: 3496'

DAE 06/23/12