

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N French Dr, Hobbs, NM 88240  
District II - (575) 748-1283  
811 S First St, Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd, Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

HOBBS OGD  
JUN 28 2012

WELL API NO 30-025-03205
5 Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B165
7 Lease Name or Unit Agreement Name Myers Langlie Mattix Unit
8 Well Number 109
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix TRUGB

SUNDRIES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well. Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>Injection</u>	
2 Name of Operator OXY USA WTP Limited Partnership	
3 Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter <u>M</u> <u>660</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>West</u> line Section <u>32</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3298'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER ☐

OTHER: ☐

13 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19 15 7 14 NMAC. For Multiple Completions. Attach wellbore diagram of proposed completion or recompletion

TD-3676' Perfs-3498-3556'

10-3/4" 21 6# csg @ 298' w/ 250sx, 13-3/4" hole, TOC-Surf-Circ  
7-5/8" 24# csg @ 1184' w/ 400sx, 9-7/8" hole, TOC-Surf-Circ  
3-1/2" 5.75# csg @ 3676' w/ 250sx, 6-3/4" hole, TOC 2300'-Calc

1. RIH & set CIBP @ 3448' M&P 25sx cmt to 3150' WOC-Tag
  - 2 Pef @ 2750', sqz 30sx cmt to 2650' WOC-Tag
  3. Perf @ 1250', sqz 35sx cmt to 1130' WOC-Tag
  - 4 Perf @ 348', sqz 90sx cmt to surface
- 10# MLF between plugs

Spud Date.

Rig Release Date

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 6/27/12

Type or print name David Stewart E-mail address david.stewart@oxy.com PHONE 432-685-5717

For State Use Only


APPROVED BY: Mark Brown TITLE Compliance Officer DATE 7/3/2012

Conditions of Approval

THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS

JUL 03 2012

OXY USA WTP LP - Current  
Myers Langlie Mattix Unit #109  
API No. 42-025-03205



13-3/4" hole @ 298'  
10-3/4" csg @ 298'  
w/ 250sx-TOC-Surf-Circ

9-7/8" hole @ 1184'  
7-5/8" csg @ 1184'  
w/ 400sx-TOC-Surf-Circ

6-3/4" hole @ 3676'  
3-1/2" csg @ 3676'  
w/ 250sx-TOC-2300'-Calc

Perfs @ 3498-3556

TD-3676'


OXY USA WTP LP - Proposed  
Myers Langlie Mattix Unit #109  
API No. 42-025-03205

**90sx @ 348'-Surface**

**35sx @ 1250-1130' WOC-Tag**

**30sx @ 2750-2650' WOC-Tag**

**CIBP @ 3448' w/ 25sx cmt to 3150' WOC-Tag**



13-3/4" hole @ 298'  
10-3/4" csg @ 298'  
w/ 250sx-TOC-Surf-Circ

**Perf @ 348'**

9-7/8" hole @ 1184'  
7-5/8" csg @ 1184'  
w/ 400sx-TOC-Surf-Circ

**Perf @ 1250'**

**Perf @ 2750'**

6-3/4" hole @ 3676'  
3-1/2" csg @ 3676'  
w/ 250sx-TOC-2300'-Calc

**Perfs @ 3498-3556**

TD-3676'