

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N French Dr, Hobbs, NM 88240  
District II - (575) 748-1283  
811 S First St, Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd, Aztec, NM 87420  
District IV - (505) 476-3460  
1220 S St Francis Dr, Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised August 1, 2011

<b>RECEIVED</b> SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO 30- <u>025-25680</u>
1. Type of Well. Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>Injection</u>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6 State Oil & Gas Lease No <u>B 1327</u>
3 Address of Operator P O Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name <u>Myers Langlie Mattix Unit</u>
4. Well Location Unit Letter <u>K</u> <u>1980</u> feet from the <u>South</u> line and <u>1750</u> feet from the <u>West</u> line Section <u>32</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8 Well Number <u>93</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3303'</u>		9 OGRID Number <u>192463</u>
		10. Pool name or Wildcat <u>Langlie Mattix TRUGB</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER ☐

13 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 19 15.7.14 NMAC. For Multiple Completions. Attach wellbore diagram of proposed completion or recompletion

TD-3725' Perfs-3466-3652'

8-5/8" 24# csg @ 500' w/ 300sx, 11" hole, TOC-Surf-Circ

5-1/2" 15.5# csg @ 3725' w/ 1100sx, 7-7/8" hole, TOC-Surf-Circ

1. RIH & set CIBP @ 3416' M&P 40sx cmt to 3140' WOC-Tag
  2. M&P 25sx cmt @ 2700-2550' WOC-Tag
  3. M&P 25sx cmt @ 1300-1150' WOC-Tag
  4. M&P 75sx cmt @ 550' to surface
- 10# MLF between plugs

Spud Date:

Rig Release Date

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 6/27/12

Type or print name \_\_\_\_\_ E-mail address. david\_stewart@oxy.com PHONE. 432-685-5717

For State Use Only

APPROVED BY: Mark Brown TITLE Compliance Officer DATE 7/3/2012

Conditions of Approval (if any)

THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS

JUL 03 2012

OXY USA WTP LP - Proposed  
Myers Langlie Mattix Unit #93  
API No. 30-025-25680

**75sx @ 550'-Surface**

11" hole @ 500'  
8-5/8" csg @ 500'  
w/ 300sx-TOC-Surf-Circ


**25sx @ 1300-1150' WOC-Tag**

**25sx @ 2700-2550' WOC-Tag**

**CIBP @ 3416' w/ 40sx to 3140' WOC-Tag**

7-7/8" hole @ 3725'  
5-1/2" csg @ 3725'  
w/ 1100sx-TOC-Surf-Circ


Perfs @ 3466-3652'



TD-3725'

OXY USA WTP LP - Current  
Myers Langlie Mattix Unit #93  
API No. 30-025-25680

11" hole @ 500'  
8-5/8" csg @ 500'  
w/ 300sx-TOC-Surf-Circ



7-7/8" hole @ 3725'  
5-1/2" csg @ 3725'  
w/ 1100sx-TOC-Surf-Circ

Perfs @ 3466-3652'

TD-3725'