

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

OCD Hobbs

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

| | | |
|--|--|---|
| 1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other | | 5. Lease Serial No. NMNM063530 |
| 2. Name of Operator CIMAREX ENERGY COMPANY OF CO | | 6. If Indian, Allottee or Tribe Name |
| 3a. Address 600 NORTH MARIENFELD STREET, SUITE 600 MIDLAND, TX 79701 | | 7. If Unit or CA/Agreement, Name and/or No |
| 3b. Phone No. (include area code) Ph: 432-620-1986 | | 8. Well Name and No EAST LUSK 15 FEDERAL COM 2 |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 15 T19S R32E NESE 2350FSL 330FEL | | 9. API Well No. 30-025-40557-00-X1 |
| | | 10. Field and Pool, or Exploratory LUSK |
| | | 11. County or Parish, and State LEA COUNTY, NM |

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION |
|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize |
| <input type="checkbox"/> Subsequent Report | <input type="checkbox"/> Deepen |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Fracture Treat |
| | <input type="checkbox"/> Production (Start/Resume) |
| | <input type="checkbox"/> Reclamation |
| | <input type="checkbox"/> Recomplete |
| | <input type="checkbox"/> Temporarily Abandon |
| | <input type="checkbox"/> Water Disposal |
| | <input type="checkbox"/> Water Shut-Off |
| | <input type="checkbox"/> Well Integrity |
| | <input checked="" type="checkbox"/> Other Change to Original APD |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Due to rig change, Cimarex Energy Co respectfully request approval of Choke & Kill flex hose for the E. Lusk 15 Federal Com 2 well.

Please see attached certification & test report for flex hose.

Rig moving to location

Variance approved to use flex line from BOP to choke manifold. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. **Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review.** If the BLM inspector questions the straightness of the hose, a BLM engineer will be contacted and will review in the field or via picture supplied by inspector to determine if changes are required (operator shall expect delays if this occurs).

| | |
|--|--------------------------|
| 14. I hereby certify that the foregoing is true and correct. | |
| Electronic Submission #141980 verified by the BLM Well Information System For CIMAREX ENERGY COMPANY OF CO, sent to the Hobbs Committed to AFMSS for processing by CHRISTOPHER WALLS on 07/02/2012 (12CRW0014SE) | |
| Name (Printed/Typed) TERRI STATHEM | Title REGULATORY ANALYST |
| Signature (Electronic Submission) | Date 06/29/2012 |

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

| | | |
|---|--------------------------|-----------------|
| Approved By CHRISTOPHER WALLS | Title PETROLEUM ENGINEER | Date 07/02/2012 |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | Office Hobbs | |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

MW/OCD 7-11-12

JUL 11 2012





Midwest Hose
& Specialty, Inc.

| INTERNAL HYDROSTATIC TEST REPORT | | | |
|---|----------------------------------|---------------------------------|---------------------------------|
| Customer: Oderco Inc | | P.O. Number: odyd-271 | |
| HOSE SPECIFICATIONS | | | |
| Type: Stainless Steel Armor Choke & Kill Hose | | Hose Length: 45'ft. | |
| I.D. 4 INCHES | | O.D. 9 INCHES | |
| WORKING PRESSURE 10,000 PSI | TEST PRESSURE 15,000 PSI | | BURST PRESSURE 0 PSI |
| COUPLINGS | | | |
| Stem Part No. OKC OKC | | Ferrule No. OKC OKC | |
| Type of Coupling: Swage-It | | | |
| PROCEDURE | | | |
| <u>Hose assembly pressure tested with water at ambient temperature.</u> | | | |
| TIME HELD AT TEST PRESSURE 15 MIN. | | ACTUAL BURST PRESSURE: 0 PSI | |
| Hose Assembly Serial Number: 79793 | | Hose Serial Number: OKC | |
| Comments: | | | |
| Date: 3/8/2011 | Tested: <i>A. Jaime Sauer</i> | | Approved: <i>[Signature]</i> |



**Midwest Hose
& Specialty, Inc.**

Certificate of Conformity

| | |
|------------------|-----------------|
| Customer: | PO |
| DEM | ODYD-271 |

SPECIFICATIONS

| | |
|--------------------|-----------------|
| Sales Order | Dated: |
| 79793 | 3/8/2011 |

We hereby certify that the material supplied
for the referenced purchase order to be true
according to the requirements of the purchase
order and current industry standards

Supplier:
Midwest Hose & Specialty, Inc.
10640 Tanner Road
Houston, Texas 77041

Comments:

| | |
|--|---------------------------------|
| Approved: <i>Samuel Garcia</i> | Date: 3/8/2011 |
|--|---------------------------------|