Form C-144 Revised August 1, 2011

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87450
RECEIVED

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:

| Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
| Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
| Modification to an existing permit
| Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: MANZANO, LLC OGRID #: 231429
Address: PO BOX 2107 - ROSWELL, NM 88202
Facility or well name: HOOKIN BULL STATE #1
API Number: 30 025- 40679 OCD Permit Number: 4 04903
U/L or Qtr/Qtr A Section 17 Township 18 S Range 35 E County: LEA
Center of Proposed Design: Latitude <u>N32 45' 07.75''</u> Longitude <u>W103 28' 28.34"</u> NAD: □1927 ⋈ 1983
Surface Owner: 🗌 Federal 🔀 State 🛄 Private 🔲 Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: Drilling Workover
Permanent Emergency Cavitation P&A
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.
☑ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☒ Haul-off Bins ☐ Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
Secondary containment with leak detection Uisible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
S. Alamatin Mahad
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits. temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,				
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	1				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Ýes ⊠ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site: Aerial photo; Satellite image	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978. Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ⊠ No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🛭 No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☑ No				
Within a 100-year floodplain FEMA map	☐ Yes ☑ No				

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NM and 19.15 17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	······································
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 N and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that us above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	IMAC
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	°e
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	ie

Waste Removal Closure For Closed-loop Systems That U Instructions: Please indentify the facility or facilities for the	tilize Above Grou	nd Steel Tanks or Haul-off Bins Only: (19.15.17.13.1) ds, drilling fluids and drill cuttings. Use attachment if the state of the state	O NMAC) more than two				
facilities are required							
Disposal Facility Name: CRL	7000	Disposal Facility Permit Number: R-9166 1	t .				
Disposal Facility Name:			,				
Will any of the proposed closed-loop system operations and Yes (If yes, please provide the information below)	No		vice and operations?				
Required for impacted areas which will not be used for future Soil Backfill and Cover Design Specifications base Re-vegetation Plan - based upon the appropriate requi Site Reclamation Plan - based upon the appropriate re	ed upon the appropr rements of Subsect	iate requirements of Subsection H of 19.15.17.13 NMA ion I of 19.15.17.13 NMAC	С				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.							
Ground water is less than 50 feet below the bottom of the bu - NM Office of the State Engineer - iWATERS database		Data obtained from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of NM Office of the State Engineer - iWATERS databases.		Data obtained from nearby wells	Yes No				
Ground water is more than 100 feet below the bottom of the - NM Office of the State Engineer - iWATERS database		Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 20 lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of	-	significant watercourse or lakebed, sinkhole, or playa	Yes No				
Within 300 feet from a permanent residence, school, hospita Visual inspection (certification) of the proposed site			Yes No				
Within 500 horizontal feet of a private, domestic fresh water watering purposes, or within 1000 horizontal feet of any other NM Office of the State Engineer - iWATERS databases.	er fresh water well	or spring, in existence at the time of initial application.	☐ Yes ☐ No				
Within incorporated municipal boundaries or within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal boundaries or within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal boundaries or within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal boundaries or within a define adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipal boundaries or within a define adopted pursuant to NMSA 1978, Section 3-27-3, as a defined adopted pursuant to NMSA 1978, Section 3-27-3, as a defined adopted pursuant to NMSA 1978, Section 3-27-3, as a defined adopted pursuant to NMSA 1978, Section 3-27-3, as a defined adopted pursuant to NMSA 1978, Section 3-27-3, as a defined adopted pursuant to NMSA 1978, and the N	ed.	•	Yes No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; T	opographic map; V	isual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the	: NM EMNRD-Mir	ning and Mineral Division	☐ Yes ☐ No				
Within an unstable area. - Engineering measures incorporated into the design; a Society: Topographic map	NM Bureau of Geo	logy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map			☐ Yes ☐ No				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

19,					
Operator Application Certification: 1 hereby certify that the information submitted with t	his application is true, accurat	e and complete to the be	est of my knowledge and belief.		
Name (Print): MIKE HAN	AGAN	Title:	MANAGING MEMBER		
Signature: Mal fline	7	Date:	07/11/12		
e-mail address: mike(umanzanoenergy.com	Telephone:	575-623-1996		
OCD Approval: Permit Application (including	closure plan) Closure Pla	n (only) OCD Cor	nditions (see attachment)		
OCD Representative Signature:			Approval Date: 07///	1/2	
Title: JUL 1 2 2012	<u> </u>	OCD Permit Number:	P1-24903	<u> </u>	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.					
		Closure Complete	ion Date:		
Closure Method: Waste Excavation and Removal On-Site Cl If different from approved plan, please explain.	osure Method 🔲 Alternati	ve Closure Method	Waste Removal (Closed-loop syst	ems only)	
23. Closure Report Regarding Waste Removal Closur Instructions: Please indentify the facility or facilities two facilities were utilized.	e For Closed-loop Systems T s for where the liquids, drilli	That Utilize Above Gro ng fluids and drill cutti	ound Steel Tanks or Haul-off Bins ngs were disposed. Use attachment	Only: if more than	
Disposal Facility Name:	·	Disposal Facility Permi	it Number:	,	
Disposal Facility Name:		Disposal Facility Permi	it Number:		
Were the closed-loop system operations and associate Yes (If yes, please demonstrate compliance to		n areas that will not be u	ised for future service and operations	5?;	
Required for impacted areas which will not be used for Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding 1	. ,	ns:		; ; ;	
Closure Report Attachment Checklist: Instruction mark in the box, that the documents are attached.	s: Each of the following iten	ns must be attached to t	the closure report. Please indicate,	by a check	
Proof of Closure Notice (surface owner and div Proof of Deed Notice (required for on-site clos Plot Plan (for on-site closures and temporary p Confirmation Sampling Analytical Results (if a Waste Material Sampling Analytical Results (r Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding 7 Site Reclamation (Photo Documentation)	ure) ts) pplicable) equired for on-site closure) echnique	1.	NAD (71027 (7 100		
On-site Closure Location: Latitude	Longitue	IC	NAD: []1927 [] 198	<u>., </u>	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print):		Title:		· · · · · · · · · · · · · · · · · · ·	
Signature:		Date:			
e-mail address:		Telephone:			

STATE OF NEW MEXICO EMNRD - OCD

Closed-Loop Systems Permit Application Attachment - Hookin Bull State #1

Design Plan

A closed-loop system will be used while drilling the Hookin Bull State #1 in order to separate and contain all oil, water, drilling fluid, and drill cuttings. Returns from drilling operations will travel up the wellbore annulus, through a flowline at the surface, and into the closed-loop system. As the returning drilling fluid exits the flowline it will pass over two shakers with screens sized to more effectively separate liquids from solids. Liquids will be discharged into temporary above ground steel mud pits for reuse in drilling procedures. Solids will be shaken off into steel haul-off cuttings bins. Two centrifuges placed above the haul-off bins will have suction lines placed under the shaker with liquid discharge in the steel mud pits. The fluid suctioned here will pass through the centrifuges, dropping out any remaining solids into the steel haul-off bins used by the shaker discharge. Once a steel haul-off bin is adequately filled, it will be replaced by an empty bin and hauled away for disposal. This system will keep all drilling fluids and drill cuttings completely contained while waiting for re-use or until ready for disposal.

Operating and Maintenance Plan

The closed-loop system will be operated during all drilling, circulating, and drilling fluid-conditioning operations. The system will be monitored twenty four hours a day for the duration of drilling operations, and will contain only fluids and solids used or generated during drilling operations. Monitoring will include inspection of temporary steel pits, flowlines, solids control equipment, haul-off bins, mud-pump suction lines, and transfer lines between pits. Inspections will focus on leak prevention, detection, and remediation if leaks are found. Equipment condition and effectiveness will be closely monitored to ensure that no failures are encountered that would result in any foreign solids or fluids coming into contact with the ground. Flowlines and transfer lines will be checked regularly to ensure that no plugging is taking place.

Temporary steel pit levels will be monitored in order to keep at least two feet of freeboard as specified in subsection B of 19.15.17.12 NMAC in order to prevent overtopping. Haul-off bins containing solids will be monitored in order to prevent overflow of cuttings. All steel pits will be emptied and removed as soon as rig is released from location.

Closure Plan

The closed-loop system used on the Hookin Bull State #1 will use only above ground steel tanks for drilling fluids, and haul-off bins for drill cuttings. As soon as drilling operations are completed, the above ground tanks will be emptied of all drilling fluids, which will be disposed of at CRI, facility permit number R 9166. The drill cuttings generated during drilling operations will be removed from the location in haul-off bins and disposed of at the same disposal facility as drilling fluid. The cuttings will be removed from location as needed throughout drilling procedures. Once drilling is completed, any remaining bins containing cuttings will be transported to disposal facility, emptied, and cleaned thoroughly.