

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
RECEIVED
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL 16 2012

WELL API NO. 30-025-07192
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Rosa Shults
8. Well Number 2
9. OGRID Number 247128
10. Pool name or Wildcat Gladiola; Devonian
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Celero Energy II, LP

3. Address of Operator
400 W. Illinois, Ste. 1601
Midland, TX 79701

4. Well Location
Unit Letter N : 330 feet from the S line and 2310 feet from the W line
Section 18 Township 12S Range 38E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Revised P&A to reflect recovering approximately 4576' of 7" casing.

1. Bit & scraper run to 11,900'.
2. WL. Set CIBP @ 11900'. RIH w/ BP & PS on tbg & spot 25 sx. Circ salt mud to 9500'.
3. Raise tbg & spot 60 sx @ 9500-9150'. WOC a min of 4 hrs & tag at/above 9150'. Circ salt mud to 4576'.
4. Cut 7" csg @ 4576' & POOH.
5. RIH w/ BP & PS to 4625' & spot 80 sx @ 4625-4475'. WOC a min of 4 hrs & tag TOC at/above 4475'. Circ salt mud to 353'.
6. Raise tbg to 353' & fill 9 5/8" csg to surf w/min 120 sx. RDMO.
7. Set P&A marker, clean & reclaim location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Lisa Hunt

TITLE Regulatory Analyst

DATE 07/11/2012

Type or print name Lisa Hunt

E-mail address: lhunt@celeroenergy.com

PHONE: (432)686-1883

For State Use Only

APPROVED BY:

[Signature]

TITLE


Dist Mgr

DATE 7-16-2012

Conditions of Approval (if any):

JUL 16 2012

Rosa Shults # 2 - 2310' FWL & 330' FSL of Sec. 18, T-12S, R-38E, Unit Letter "N"



Rosa Shults # 2 - 2310' FWL & 330' FSL of Sec. 18, T-12S, R-38E, Unit Letter "N"

Spud: 5/8/57


Compl: 8/5/57

ELEV: 3873'

KB = 13'

API # 30-025-07192

MWM 5/2/12



T-Anhy @ 2219'

T-Qu @ 3935'

T-SA @ 4445'

T-Glr @ 5920'

T-Clrk @ 6550'

T-Tubbs @ 7145'

T-Abo @ 7824'

T-Wfcp @ 9087'

T-Penn @ 9517'

T-Miss @ 11230'

T-Wdfd @ 11810'

T-Dev @ 11921'