Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resource	S Revised August 1, 2011 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283 HOBBS CONSEDIVATION DIVISION		20 025 25029
211 C First St. Artesia NM 22210 UIL COINSLIN VALION DIVISION		5. Indicate Type of Lease
District III - (505) 334-6178 1000 Rio Brazos Rd, Aztec, NM 87410	1 1 8 2012 1220 South St. Francis Dr.	STATE 🗶 🖊 FEE 🗌
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr , Santa Fe, NM 87505	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		Fast Eumont Unit
1. Type of Well: Oil Well 💢 Gas Well 🗌 Other		8. Well Number LO2
2. Name of Operator		9. OGRID Number 192463
OXY USA WTP Limited Partnership 3. Address of Operator		10. Pool name or Wildcat
	TX 79710	Euroal Tates TRan
4. Well Location	1	
Unit Letter 🕴	: 660 feet from the South line and	
Section 35	Township 198 Range 37E	
	11. Elevation (Show whether DR, RKB, RT, GR	2, etc.)
	3223,	
12. Check	Appropriate Box to Indicate Nature of No	tice, Report or Other Data
NOTICE OF I	NTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK		 -
TEMPORARILY ABANDON		
DOWNHOLE COMMINGLE	_	MENT 30D
_		_
OTHER:	OTHER:	ls, and give pertinent dates, including estimated date
	work). SEE RULE 19.15 714 NMAC. For Multiple	
proposed completion of the	sita de la constituta del constituta de la constituta de la constituta della constituta de	The second section of the sect
TD	-3950' PBTD-3662' Perfs-3782-3866' CIBP-366	2-7/92
8-5/8' 24# csg @ 399' w/ 300sx, 11" hole, TOC-Surf-Circ 5-1/2' 14# csg @ 3935' w/ 1000sx, 7-7/8" hole, TOC-Surface-Calc		
	1/2 14# C3g @ 3535 W/ 10003X, 7-7/8 Hole, 100-30	irrace-Carc
1.	RIH & tag CIBP @ 3662' M&P 25sx cmt to 3512'	
2. M&P 30sx cmt @ 2775-2575' WOC-Tag		
(M&P 30sx cmt @ 1560-1360 WOC-Tag	
1 1	-	
4.	M&P 70sx cmt @ 449 to surface	
4.	-	
4.	M&P 70sx cmt @ 449 to surface	
Spud Date:	M&P 70sx cmt @ 449 to surface	
	M&P 70sx cmt @ 449 to surface 10# MLF between plugs .	
Spud Date:	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date:	
Spud Date:	M&P 70sx cmt @ 449 to surface 10# MLF between plugs .	wledge and belief.
Spud Date:	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date:	
Spud Date:	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date:	
Spud Date: I hereby certify that the information SIGNATURE	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date: In above is true and complete to the best of my known above is true. TITLE Regulatory Advisory Advis	visor DATE 7/16/12
Spud Date: I hereby certify that the information	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date:	DATE 7\16\12 art@oxy.com PHONE: 432-685-5717
Spud Date: I hereby certify that the information SIGNATURE Type or print name For State Use Only	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date: In above is true and complete to the best of my known above is true. TITLE Regulatory Advisory Advis	DATE 7\16\12 art@oxy.com PHONE: 432-685-5717
Spud Date: I hereby certify that the information SIGNATURE Type or print name For State Use Only APPROVED BY:	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date: TITLE Regulatory Adventure and address: david stews TITLE Outpliance	visor DATE 7/16/12
Spud Date: I hereby certify that the information SIGNATURE Type or print name For State Use Only	M&P 70sx cmt @ 449 to surface 10# MLF between plugs Rig Release Date: In above is true and complete to the best of my known above is true. TITLE Regulatory Advisory Advis	DATE 7\16\12 art@oxy.com PHONE: 432-685-5717

JUL 1,9 2012

OXY USA WTP LP - Proposed East Eumont Unit #102 API No. 30-025-05829

70sx @ 449'-Surface


11" hole @ 399' 8-5/8" csg @ 399' w/ 300sx-TOC-Surf-Circ

30sx @ 1560-1360' WOC-Tag

30sx @ 2775-2575' WOC-Tag


25sx @ 3662' to 3512'

7/92-CIBP @ 3662'



7-3/4" hole @ 3950' 5-1/2" csg @ 3935' w/ 1000sx-TOC-Surf-Calc

Perfs @ 3782-3866'



11" hole @ 399' 8-5/8" csg @ 399' w/ 300sx-TOC-Surf-Circ

7-3/4" hole @ 3950' 5-1/2" csg @ 3935' w/ 1000sx-TOC-Surf-Calc

Perfs @ 3782-3866'

7/92-CIBP @ 3662'