

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05846 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B1581
7. Lease Name or Unit Agreement Name East Eumont Unit ✓
8. Well Number 104 ✓
9. OGRID Number 192463 ✓
10. Pool name or Wildcat Eumont Yates TR Qn

4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>south</u> line and <u>1650</u> feet from the <u>west</u> line Section <u>36</u> Township <u>19S</u> Range <u>37E</u> NMPM County <u>Lea</u>	11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3599'
---	---

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14-NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3925' PBTD-3750' Perfs-3850-3890' CIBP-3750'-7/92

8-5/8" 22.7# csg @ 310' w/ 250sx, 12-1/4" hole, TOC-Surf-Circ
5-1/2" 14# csg @ 3924' w/ 200sx, 7-7/8" hole, TOC-2769'-Calc

1. RIH & tag CIBP @ 3750' M&P 30sx cmt to 3550' WOC-Tag
 2. Perf @ 2775' sqz 70sx cmt to 2575' WOC-Tag
 3. Perf @ 1560' sqz 50sx cmt to 1410' WOC-Tag
 4. Perf @ 360' sqz 125sx cmt to surface
- 10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 7/16/12

Type or print name _____ E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY: Mark White TITLE Compliance Officer DATE 07-19-2012

Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

JUL 19 2012

OXY USA WTP LP - Proposed
East Eumont Unit #104
API No. 30-025-05846

125sx @ 360'-Surface

12-1/4" hole @ 310'
8-5/8" csg @ 310'
w/ 250sx-TOC-Surf-Circ

Perf @ 360'

50sx @ 1560-1410' WOC-Tag

Perf @ 1560'

70sx @ 2775-2575' WOC-Tag

Perf @ 2775'

30sx @ 3750-3550' WOC-Tag

7-7/8" hole @ 3925'
5-1/2" csg @ 3924'
w/ 200sx-TOC-2769'-Calc

7/92-CIBP @ 3750'

Perfs @ 3850-3890'

TD-3925'

OXY USA WTP LP - Current
East Eumont Unit #104
API No. 30-025-05846

12-1/4" hole @ 310'
8-5/8" csg @ 310'
w/ 250sx-TOC-Surf-Circ

7/92-CIBP @ 3750'

7-7/8" hole @ 3925'
5-1/2" csg @ 3924'
w/ 200sx-TOC-2769'-Calc

Perfs @ 3850-3890'



TD-3925'