Form 3160-5 (April 2004)

1 27 ME W LEW - 22

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Hobbs	
OCD Hobbs MOBBS OCD	

FORM APPROVED OM B No 1004-0137 Expires. March 31, 2007

5 Lease Senal No.

Vacuals	MOTICES	AND	REPORTS	ON	WELLS
		MALE VIEW	HEFURIO	₩ 1 (1	U for the top

NMLC 030139 Do not use this form for proposals to drill or to re-entitle [6 2012 6. If Indian, Allottee or Tribe Name

abandoned we	II. Use Form 3160 - 3	(APD) for such pro	posals.		-
SUBMIT IN TRI	PLICATE- Other ins	tructions on rever	se s receved	7 If Unit or CA/Agreem JT Lynn A 8. Well Name and No.	ent, Name and/or No
2. Name of Operator Tenison Oil C	ompany			2 9 API Well No.	
3a. Address 1925 Höspital Place Abilene TX 4 Location of Well (Footage, Sec., 7				30-025-09444 10 Field and Pool, or Exp Cooper Jalmat	ploratory Area =
990 from the south line & 330 f	, ,			11 County or Parish, Sta	ate
12. CHECK AP	PROPRIATE BOX(ES) TO	O INDICATE NATUR	E OF NOTICE, RE	EPORT, OR OTHER I	DATA
TYPE OF SUBMISSION		TYI	PE OF ACTION		
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Star Reclamation Recomplete Temporarily Aba Water Disposal	Well In	Shut-Off tegnty
13 Describe Proposed or Completed If the proposal is to deepen direct Attach the Bond under which the following completion of the invotesting has been completed. Final determined that the site is ready if	tionally or recomplete horizonta e work will be performed or pro- slived operations If the operational al Abandonment Notices shall be	ally, give subsurface location vide the Bond No on file win riesults in a multiple comp	ns and measured and true with BLM/BIA. Required letion or recompletion in	e vertical depths of all pertin id subsequent reports shall be n a new interval, a Form 316	ent markers and zones e filed within 30 days 0-4 shall be filed once

1. Set CIBP at 3,074' Tbg. at at 3,074' circulate hole 9.5 mud cap with 35 sx. cmt. 140' Alug. wooc

2. Perf at 1,600' Sqz. 60 sx. cmt. WOC & Tag.
3. Perf at 1,340' Sqz. 60 sx. cmt. WOC & Tag.

4. Perf. at 100' circulate 40 sx. cmt. to surface.

5. Cut off ankors & well head install dry hole marker.

At cut-off verity ant. to suctace

RECLAMATION PROCEDURE ATTACHED

SEE ATTACHED FOR CONDITIONS OF APPROVAL

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	
Gary Eggleston	Title Agent
Signature July Land	Date 6-76-12
THIS SPACE FOR FEDER	AL OR STATE OFFICE USE
Approved by James a. Omos	Title SEPS Date 7-11-12
Conditions of approval, it any, are attached Approval of this notice does not we certify that the applicant holds legal or equitable title to those tents in the subject which would entitle the applicant it contact operations thereon	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for States any false, fictitious or fraudulent statements or representations as to anym	any person knowingly and willfully to make to any department or agency of the United latter within its jurisdiction

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this

form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or

present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

· NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requestion and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., Washington D.C. 20240

CURRENT WELLBORE DIAGRAM

LEASE: T.T. L.	MAZ A	WELL:	7	FIELD:	CAAPETIAL	API:	30-025-09444
LOC. 36	p.	SEC:	7 <i>8</i>	BLK:	235	Reservoir)
SVV:		GL:		CTY/ST	IPA MA	SPUD:	
CURRENT STATUS:	1	KB:		DF:		TD DATE:	
	0 6 8					COMP. DATE:	
FRESH WATER DEPTH:		reserva e propieta de la	KE. J.J. STEP.		HOLE SIZE: /3 SURF CSG & SIZE: 4 SET @: /240 SXS CMT: 500 CIRC: 7 TOC AT: 7 TOC BY:	Hg	COMMENTS:
							*******GEOLOGY****** TOPS OF ALL ZONES PRODUCTIVE OF HYDRO- CARBONS:
TBG: AND O JTS: SN: TAC: ROD SIZE: PKR: NOD O TYPE:				A GCA NUI.	HOLE SIZE: INT. CSG & SIZE: SET @: SXS CMT: CIRC: TOC AT: TOC BY:		CURRENT PERFS: 3/94-3596 SQUEEZE JOBS:
OH ID: COTD: PBTD: TD:				;	HOLE SIZE: 8 3/4 PROD. CSG & SIZE: 1/2 SET @: 3656 ' SXS CMT: 25/2 CIRC: NO TOC AT: TOC BY: 1/2	, 7''	BY:
				P1f,	11/10		

CURRENT WELLBORE DIAGRAM

LEASE: F. T. Lyana	WELL:	7 FIELD:	CONPERTAL	API:	30-025-09444
boc	SEC:	ZS BLK:	335	Reservoir	
SVY:	GL:	CTY/ST	LAN OW	SPUD:	
CURRENT STATUS:	KB:	DF:		TD DATE:	والمستدر وساومون ومنع هوايون التربيد ويرس ويراس ويراس ويراس ويراس ويراس والمساورة
11	ą.	R 9 R		COMP. DATE:	
1000 N. T. 1500 /	E		hole size: /3 **		COMMENTS:
Secretary of the second		******* * *******************	SURF CSG & SIZE: Q	Te.	
FRESH WATER			SET @: /290	r -g	
DEPTH:	100 mg		SXS CMT: 500		
, I'm the first team			CIRC: 💆		
	the ball		TOCAT:		
n.c. 1010			IUC DI:		
	The section of the se		Λ .		
الم		100 to	- Porto Size	120 740	Grander CEOLOGY*****
			1300 7 18	A STATE OF THE PARTY OF THE PAR	TOPS OF ALL ZONES PRODUCTIVE OF HYDRO- CARBONS:
	-		رام م المراجع ا		PRODUCTIVE OF HYDRO-
			were & I May		CARDONG.
			Part + Sg = 60 1606 To 18	THE CAN	ర ు.
· .	And the same of th		des to 15	المراجع المحاسب معيم التأثيم والمراجع المراجع المراجع	
		- -	*]	- Estimated A	CURRENT PERFS:
TBG: NONE					3174-3396
JTS:			~y-		7 , J.
SN: TAC:		X	,		•
ROD SIZE:	<u> </u>	- 28	2011/15 107 7	ABUT O	a takt
		1.	35 5X5 CMT 30	111110 2	SQUEEZE JOBS:
PKR: NONP	The second of the second second second	F	CIBP 30PM		
TYPE:			•		•
		į			
		ĺ			
	å				
OH ID:			ma #2,		
COTD: PBTD:		† -	HOLE SIZE: \$\frac{3}{2}\eta\rightarrow{2}{2}	»/'	
TD:	1	K	SET @: 3650'	•	
:	1		SXS CMT: 2.50		,
			SXS CMT: <i>QGO</i> CIRC: <i>NO</i>		•
	ARTE ENERGY	Cmt Plug	TOCAT:		
	\	} :	TOC BY: "		
OPEN HOLE:	(1	LINER:		BY:
OTEM HOLE:		1	SUNEX:		
į <u> </u>					

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation procedure.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E Greene St Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To. 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Environmental Protection Specialist 575-234-5909, 575-361-2648 (Cell)

Terry Gregston Environmental Protection Specialist 575-234-5958

Bobby Ballard Environmental Protection Specialist 575-234-2230

Randy Rust Natural Resource Specialist 575-234-5943

Línda Denniston Environmental Protection Specialist 575-234-5974

Jennifer Van Curen Environmental Protection Specialist 575-234-5905

Justin Frye Environmental Protection Specialist 575-234-5922 Cody Layton Natural Resource Specialist 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Todd Suter Surface Protection Specialist 575-234-5987

Doug Hoag Civil Engineering Technician 575-234-5979

Tanner Nygren Natural Resource Specialist 575-234-5975

John Fast Natural Resource Specialist 575-2345996