

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88201
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR APPLICATIONS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-34323
1. Type of Well: Oil Well ☒ Gas Well ☐ Other Water Injection ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Chevron U.S.A. INC.		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Road Midland, TX 79705		7. Lease Name or Unit Agreement Name MONUMENT "23" STATE
4. Well Location Unit Letter <u>M</u> : <u>753</u> feet from the <u>SOUTH</u> line and <u>637</u> feet from the <u>WEST</u> line Section <u>23</u> Township <u>19-S</u> Range <u>36-E</u> NMPM County <u>Lea</u>		8. Well Number: <u>19</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number: 4323
		10. Pool name or Wildcat MONUMENT; ABO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-7485' PBTD-7485' OH: 7164'-7485' CIBP: 7130'
PROD. CSG: 5-1/2" 15.5 & 17# @ 7164' w/1075 sx, HOLE SZ: 7-7/8", TOC: 1084'
SURF CSG: 8-5/8" 24# @ 1360' w/450 sx, HOLE SZ: 11", TOC: SURFACE

1. MIRUWSU. NDWH. NUBOPE.
2. Pressure Test casing to 500 psi and record/report findings.
3. 3B RIH, Tag CIBP @ 7130' w/30 sx of C cement. *→ CIRC WELL w/ MEF*
4. Set plug w/25 sx of C cement @ 2675' CTOC. WOC & TAG
5. Set plug w/30 sx of C cement @ 1473' CTOC. WOC & TAG
6. Perf & Circulate ~~100 sx~~ of C cement @ 100' - Surface.
7. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 07/25/12

Type or print name Matthew Brewer E-mail address: mbrewer01@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: [Signature] TITLE DIST. MGR DATE 8-1-2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office Must be Notified
24 hours prior to the beginning of Plugging Operations begin

11 3 0 2 2012

WELL DATA SHEET

FIELD:	<u>Monument</u>	WELL NAME:	<u>MONUMENT</u>	FORMATION:	<u>Abo (TA'd)</u>
			<u>23 STATE#19</u>		
LOC:		SEC:	<u>23</u>	GL:	
TOWNSHIP:	<u>19S</u>	COUNTY:	<u>LEA</u>	KB to GL:	<u>13</u>
RANGE:	<u>36E</u>	STATE:	<u>NM</u>	DF to GL:	
				STATUS:	<u>TA</u>
				API NO:	<u>30-025-34323</u>
				REFNO:	<u>BQ8436</u>
				Well: Bore	<u>101879</u>


Spud: (4/1/98)
Comp: (5/5/98)

Csng 8 5/8 SET 1360'
450 SX, 11' hole
CMT TO SURF

TBG DETAIL
KB=13'

Tops	
Anhy	1329
Salt	1423
Salt	2625
Yates	2775
7 Riv	3065
Aueen	3641
Grayburg	4013
SanAndres	4443
Abo	7139

1/3/2005
CIBP @ 7130'



TD @ 7485
PBTD @ 7485


Updated: Mohammad Siddiqui

4/1/98: NEW WELL COMPLETION. RUN CBL, TOC AT 1084'. SPOT 750 GALS 15% HCL ACROSS OPEN HOLE. MAKE 1 SWAB RUN AND KICK WELL OFF. FLW'G ON 1/2 CHOKE W/ 680# TP. FLW'G 60-70 BPH W/ 90% OIL CUT.
1/3/05: TA'd Well. Test Witnessed by Buddy Hill W/NMOCD approved.

CURRENT



Chevron U.S.A. Inc. Wellbore Diagram : MON23-19



PROPOSED

Chevron U.S.A. Inc. Wellbore Diagram : MON23-19

