

OCD CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

AUG 07 2012

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐Gas Well ☐Other ☒ WIW

2. Name of Operator

Occidental Permian Ltd.

3. Address of Operator

P.O. Box 4294, Houston, TX 77210-4294

4. Well Location

Unit Letter B : 660 feet from the North line and 2310 feet from the East lineSection 10 Township 19-S Range 38-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3611' KB

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐CHANGE PLANS ☐WELL OR ALTER CASING ☐MULTIPLE COMPL ☐WELBORE COMMINGLE ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Form, www.emnrd.state.nm.us/oed.

Spud Date:

Rig Release Date:

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Stephens TITLE Regulatory Compliance Analyst DATE 8/3/12Type or print name Mark Stephens E-mail address: Mark_Stephens@oxy.com PHONE (713) 366-5158

For State Use Only

APPROVED BY Mark Stephens TITLE Compliance Officer DATE 08-06-2012

Conditions of Approval (if any):

AUG 08 2012

South Hobbs G/SA Unit Well No. 68
API No. 30-025-07679
Lea Co., NM

Subject well plugged and abandoned as follows:

7/3/12-----MIRU. Unable to bleed off well due to strong flow

**7/5/12-----Kill well w/ 15# mud
Set CIBP @ 4,097'**

**7/9/12-----Circ hole w/ MLF. Cap BP w/ 25sx cmt – CTOC @ 3,735'
Spot 30sx cmt @ 3,040' – CTOC @ 2,606' – Tag @ 2,670'**

**7/10/12-----Spot 45sx cmt @ 1,748' – CTOC @ 1,097' – Tag @ 1,044'
Perf @ 270'**

**7/11/12-----Sqz 85sx cmt to surface.
Top off well. RDMO. Cut WH & anchors. Install P&A marker.**

Occidental Permian Ltd.

SHU 68

30-025-07679

Lea Co., NM

Perf at 270' sqz well with 85 sx and circulate to surface

13" 50# @220
Cement w/ 200 sx Circulate

9 5/8" 36# @ 1659
Cmt w/ 375 sx

45 sx of cmt from 1044'-1748'

30 sx of cmt from 2606-3040'

7" 22# @ 4070 Cmt w/ 350 sx
TOC 3150' CBL

CIBP @ 4097'. Cap with 25 sx of cmt. TOC 3735

Perforations: 4204-4221'

4 1/2" 10.6# @ 4245 w/700 sx
TOC 300' CBL