HOBBS OCD
AUG 0 9 2012
RECEIVED

Yates Petroleum Corporation 105 S. Fourth Street Artesia, NM 88210


Hydrogen Sulfide (H₂S) Contingency Plan


For

Allen B Federal SWD 1980' FNL & 1980' FWL Section 28, T24S-R32E Lea County, NM

Allen B Federal SWD

This is an open drilling site. H₂S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H₂S, including warning signs, wind indicators and H₂S monitor.





Assumed 100 ppm ROE = 3000? 100 ppm H2S concentration shall trigger activation of this plan.

Emergency Procedures

In the case of a release of gas containing H₂S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H₂S, measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H₂S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H₂S and SO₂

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentration
Hydrogen Sulfide	H_2S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ррт
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Yates Petroleum Corporation Phone Numbers

and Marriagon (M. Marriagon) and Companies for a strong of the companies	
VMC Office	(575) 740 1471
YPC Office	(575) 748-1471
Wade Bennett/Prod Superintendent	. ,
•	(575) 748-4228
Mike Larkin/Drilling	
Paul Hanes/Prod. Foreman/Roswell	` ,
Tim Bussell/Drilling Superintendent	
Artesia Answering Service	(575) 748-4302
(During non-office hours)	
Agency Call List	
Eddy County (575)	
Artesia	
State Police	746-2703
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
NMOCD	
NWOCD	/40-1203
Carlsbad	
State Police	885_3137
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
- · · · · · · · · · · · · · · · · · · ·	
US Bureau of Land Management	
New Mexico Emergency Response Commission (Santa Fe)	
24 HR	
New Mexico State Emergency Operations Center	
National Emergency Response Center (Washington, DC)	(800) 424-8802
Other	
D	
Boots & Coots IWC1-800-256-9688 or (281) 931-8884	
Cudd Pressure Control(915) 699-0139 or (915) 563-3356	
Halliburton(575) 746-2757	
B. J. Services(575) 746-3569	
Elight For Life 4000 24th St. Lubback TV	(007) 742 0011
Flight For Life -4000 24th St, Lubbock, TX	
Aerocare -Rr 3 Box 49f, Lubbock, TX (1)	(800) /4/-8923
Med Flight Air Amb 2301 Yale Blvd SE #D3, Albuq, NM	(303) 842-4433
S B Air Med Svc 2505 Clark Carr Loop SE, Albuq, NM(202) 842 - 4949

Interim Reclamation Well Pad Layout Example*

*dimensions and facilities will vary according to well location specifics

