
Jbmit 3 Copies To Appropriate District State of New Mexico	Form, C-103
Office Energy, Minerals and Natural Resources District I	WELL API NO.
1625 N. French Dr., Hobbs, NM POBBS OCD District II OIL CONSERVATION DIVISION	30-025-29431
District III 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NA 16 d 4 2012 Santa Fe, NM 87505 District IV	STATE X FEE
1220 S. St. Francis Dr., Santa Fe, NM. 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name: North Vacuum ABO Unit
1. Type of Well: Oil Well X Gas Well Other	8. Well Number
2. Name of Operator	9. OGRID Number
XTO Energy, Inc. / 3. Address of Operator	10. Pool name or Wildcat
200 N. Loraine, Ste. 800 Midland, TX 79701	Vacuum; ABO, North
4. Well Location	
Unit Letter M: 660 feet from the South line and	780 feet from the West line
Section 26 Township 17S Range 34E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc. 4027'	c.)
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
	toport, or other Bata
NOTICE OF INTENTION TO: SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON X REMEDIAL WORK	☐ ALTERING CASING ☐
TEMPORARILY ABANDON	NG OPNS. P AND A
PULL OR ALTER CASING	ОВ 🔲
DOWNHOLE COMMINGLE	
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give	ve pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
XTO Energy, Inc requests to PXA North Vacuum ABO Unit #287 with the following intent: 1. Spot 100' (40sxs) cmt fr 4166-4266 wor my the following intent: 2. Spot 100' (40sxs) cmt fr 2700-2800'. WOC. Tag.	
1. Spot 100' (40sxs) cmt fr 4166-4266 WOC 725 2. Spot 100' (40sxs) cmt fr 2700-2800'. WOC. Tag.	
3. Spot 100' (40sxs) cmt fr 1600-1700'.	
2. Spot 100' (40sxs) cmt fr 2700-2800'. WOC. Tag. 3. Spot 100' (40sxs) cmt fr 1600-1700'. 4. Spot-100' (40sxs)-cmt-fr-365-465'. WOC. Tag. 5pot 50 sx Qnt-From 465 to Surface 5. Set-60' (25sxs)-cmt fr 0'-60'.	
5. Set-60 (255X5) cmt fr 0 -60	
``	
Sm.1D.4	,
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE HO mil Paladus TITLE Regulatory Analyst DATE 08/06/2012	
Type or print name <u>STEPHANIE RABADUE</u> stephanie_rabadue@ E-mail address:	xtoenergy.com PHONE 432-620-6714
For State Use Only	
APPROVED BY TITLE DIST. MA	DATE 8-16-2012
Conditions of Approval (if any):	2019
Oil Conservation Division - Hobbs office. Must be Notified	~ _ LM /UIM· V

North Vacuum ABO Unit #287

N. Vacuum ABO Field Lea County, NM

Current: TAed

Spud.- 10/25/85 Rig Released - 11/16/85 Elevation-GL- 4027'



Bridges State Unit #287

Vacuum Grayburg S.A. Field Lea County, NM

Spud - 10/25/85 Elevation-Proposed Rig Released - 11/16/85 GL-4027' Cement Plug: Surface-60' 13-3/8", 48# H40 ST&C csg. Set @ 415' w/ 500 sx. Class C. Cement Plug: 1600-1700 9-5/8", 53.5#, S95 csg. Set @ 5000' w/ 2475 Sx. Class C + N2 + 200 sx Class C + 100 sx. Thix.cap. Cement Plug: 2700-2800 Circ 131 sx. TOL @4216' Cement Plug. 4166-4266 CIBP @ 8488' capped w/ 11 sx. Cmt. ABO Perfs: 8538-49', 52-56', 59-63', 77-88', 95-98' (38 holes) 51/2" csg. Set @ 8850' w/ 1100 sx. Class H, 17# K55 7316-8850',

15.5# K55 4216-7316'.