

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

AUG 21 2012

WELL API NO. 30-025-04114
5. Indicate Type of Lease STATE ☒ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Northwest Eumont Unit
8. Well Number 162
9. OGRID Number 19111
10. Pool name or Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3633' Drilling Floor

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Rhombus Operating	
3. Address of Operator P.O. Box 8316, midland, Texas 79708	
4. Well Location Unit Letter N : 660 feet from the South line and 1980 feet from the West line Section 34 Township 19S Range 36E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3633' Drilling Floor	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/10/12 - MERV. P00H & LD rods. P00H & stand back Tbs.
Set CIBP @ 3780'. Dump 35' cut on CIBP. TOC @ 3745
Perfs: 3814 - 3935. SDFW.

8/13/12 - RTH w/ tbs to 3740'. Load well w/ fresh wtr. Test to 500" for 30 min. Good test. Circ well w/ phr fluid.
P00H & LD tbs. NUWH. RDMO.

8/16/12 - Top of t well w/ fresh wtr. Test to 500" for 30 min w/ chart. Good test.

Spud Date:

Rig Release Date:

* LAST PRODUCTION - MAY 2009

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tony Bunch TITLE Field Foreman DATE 8/16/12


Type or print name Tony Bunch E-mail address: t48bunch@yahoo.com PHONE: (575) 370-4313
For State Use Only

APPROVED BY: Mark White TITLE Compliance Officer DATE 08-22-2012

Conditions of Approval (if any):

This Approval of Temporary 8/16/2014
Abandonment Expires

AUG 22 2012



9:30 AM
520 #
Rhombus Operating
Happul
C. Steyerhant Trucking

10:05 AM
Rhombus Operating Unit #162
Northwest Eumont Unit
Unit letter - N
Sec 34 T19S R36E
660 FSL & 1980 FWL
API # 30-025-04114

Rhombus Operating
Northwest Eumont Unit #162
Wellbore Schematic

August 16, 2012

