

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OCD

OIL CONSERVATION DIVISION

AUG 24 2012

1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03854
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Water Injection <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron Midcontinent, L.P.		6. State Oil & Gas Lease No. B-1553
3. Address of Operator 15 Smith Road Midland, TX 79705		7. Lease Name or Unit Agreement Name Lovington San Andres Unit
4. Well Location Unit Letter <u>B</u> : <u>660</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>2</u> Township <u>17-S</u> Range <u>36-E</u> NMPM County <u>Lea</u>		8. Well Number: 28
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3853' DF		9. OGRID Number: 150628
		10. Pool name or Wildcat Lovington Grayburg San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-5036' OH-4602'-5036'
13" csg @ 267' w/175 sx
8-5/8" csg @ 2071' w/600 sx
5-1/2" csg @ 4602' w/400 sx

1. MIRUWSU. NDWH. NUBOP.
2. TIH tubing. Set CIBP @ 4502' w/25 sx of C cement.
3. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
4. Set 25 sx of C cement @ 3,150'CTOC. WOC & TAG
5. Perf & Sqz 80 sx of C cement @ 2300'CTOC. WOC & TAG
6. Perf & Circulate 100 sx of C cement @ 350' to Surface.
7. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Matthew Brewer TITLE Representative DATE 08/21/12

Type or print name Matthew Brewer E-mail address: mbrewer01@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: [Signature] TITLE Dist. Mgr. DATE 8-27-2012
Conditions of Approval (if any):

AUG 27 2012

CURRENT

LSAU #28
API No. 30-025-03854

13 " set @ 267'
CMT w/ 175 sks

8-5/8" set @ 2071'
CMT w/ 600 sks

5 1/2" CSG - set @ 4602'
CMT w/ 400 Sks

Baker AD-1 packer set 4548'

OH from 4,602 - 5,036'

TD = 5036'


Well Location

660 ' FNL & 1980 ' FEL
Unit Letter B
Section 2
Township 17-S
Range 36-E
Lea County, New Mexico
Elev: 3,853' DF

Spudded: 4/26/43
Completed: 6/27/43


PROPOSED

LSAU #28
API No. 30-025-03854



LSAU #28

C-144 CLEZ P&A Rig Lay out



Well Head

