

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-30052 ✓
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Denton Exploration NM, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 3710 Rawlings St., Suite 1070 Dallas, TX 75219		7. Lease Name or Unit Agreement Name Ainsworth DB ✓
4. Well Location Unit Letter <u>M</u> : <u>660</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>W</u> line Section <u>23</u> Township <u>9S</u> Range <u>33E</u> NMPM County <u>Lea</u>		8. Well Number 1 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4336.9		9. OGRID Number 2806D3
		10. Pool name or Wildcat <u>Vada</u> <u>Vada Upper Penn</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well originally drilled and P & A by Coastal O & G in 1987.

Denton re-entered well in 2011, non-productive.

See attached P & A procedure.

HOBBS OCD

AUG 24 2012

RECEIVED

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Eddie W. Seay TITLE Agent DATE 8/22/2012

Type or print name Eddie W. Seay E-mail address: seay04@leaco.net PHONE: 575-392-2236

For State Use Only

APPROVED BY: [Signature] TITLE Dist MGR DATE 9-5-2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office **Must be Notified**
24 hours prior to the beginning of Plugging Operations begin

SEP 05 2012

P & A
DENTON EXPLORATION NM, INC.
AINSWORTH DB #1
API 30-025-30052

Casing & History

13 3/8" set at 380' cemented w/ 400 sx.

8 5/8" set at 4000' cemented w/ 1500 sx.

Re-entered well, drill out plugs, down to 5360', run 5 1/2" casing cemented w/400 sx.

Top of cement 3530'.

Perforate at 5226' to 5253' not productive.

Set CIBP at 5220' w/ 4 sx cement on top.

Perforate at 4722' to 4725' and 4739-4742' not productive.

Set CIBP at 4718' w/4 sx cement on top.

Perforate at 4638' to 4650' acidize, tested.

Non productive.

P & A Proposal

Notify OCD before rigging up.

- 1) Run in with wire line set CIBP at 4630' cap with 4 sx cement.
- 2) Load hole with salt gel.
- 3) Cut and pull casing at $\pm$ 3500' . (lay down)
- 4) Spot cement plug in and out of casing stub from 3550/3450' . Wait on cement & tag.
- 5) Spot 25 sx plug from 430' to 330' . Wait on cement and tag.
- 6) Spot plug at surface, 10 sx.
- 7) Cut off well head install proper marker.
- 8) Cut anchor, clean location.
- 9) File final C-103.

HOBBS OCD

AUG 24 2012

RECEIVED

WELLBORE SCHEMATIC AND HISTORY BEFORE

COMPLETION SCHEMATIC		APINUM: 30-025-30052																															
FORM	DEPTH	OPERATOR: DENTON EXPLORATION NM INC																															
13 3/8 @ 380 TOC @ 0' TOC 5 1/2 @ 3530 8 5/8 @ 4000' TOC @ 0 PERF 4638-4650 DRY CIBP @ 4718 CAP W/ 4 sxs cement PERF 4722-4742 DRY CIBP @ 5220 CAP W/ 4 sxs cement PERF 5226-5253 DRY 5 1/2 @ 5360 TOC @ 3530 PLUG 7555-7655 PLUG 9550-9650 TD 9720		LEASENAME: AINSWORTH DB WELL NO 1																															
		SURF LOC	UL: M SEC: 23 TWN 9S RNG 33E																														
		660 FSL 660 FWL																															
		BH LOC	UL: M SEC: 23 TWN 9S RNG 33E																														
		660 FSL 660 FWL																															
		TD 9720	PBD KB DF																														
		GL																															
		POOL	PERFS																														
		POOL	PERFS																														
		Open Hole																															
<table border="1"> <thead> <tr> <th colspan="6">CASING RECORD</th> </tr> <tr> <th></th> <th>SIZE</th> <th>DEPTH</th> <th>CMT</th> <th>HOLE SIZE</th> <th>TOC</th> </tr> </thead> <tbody> <tr> <td>SURF</td> <td>13.325</td> <td>380</td> <td>400 sxs</td> <td>17.5</td> <td>Circ</td> </tr> <tr> <td>INT1</td> <td>8.625</td> <td>4000</td> <td>1500 sxs</td> <td>12.25</td> <td>Circ</td> </tr> <tr> <td>PROD</td> <td>5.5</td> <td>5360</td> <td>400 sxs</td> <td>7.875</td> <td>3530</td> </tr> </tbody> </table>				CASING RECORD							SIZE	DEPTH	CMT	HOLE SIZE	TOC	SURF	13.325	380	400 sxs	17.5	Circ	INT1	8.625	4000	1500 sxs	12.25	Circ	PROD	5.5	5360	400 sxs	7.875	3530
CASING RECORD																																	
	SIZE	DEPTH	CMT	HOLE SIZE	TOC																												
SURF	13.325	380	400 sxs	17.5	Circ																												
INT1	8.625	4000	1500 sxs	12.25	Circ																												
PROD	5.5	5360	400 sxs	7.875	3530																												
Rustler	2040	SPUD: 09/25/1987 P&A: 11/04/1987 RE-ENTRY: 10/27/2011																															
T. Salt	2120																																
B. Salt	2510																																
Yates	2630																																
San Andres	3850																																
Glorieta	5260																																
Glorieta	5260																																
Tubb	6700																																
Abo	7660																																
Wolfcamp	8770																																

PREPARED BY Eddie Seay UPDATED 08/28/12

WELLBORE SCHEMATIC AFTER P&A

