

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87401
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO: 30-025-30698
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name WEST LOVINGTON UNIT
8. Well Number 66
9. OGRID Number 241333
10. Pool name or Wildcat LOVINGTON ; UPPER S/A, WEST
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSAL TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CHEVRON MIDCONTINENT, L.P.

3. Address of Operator
15 SMITH ROAD, MIDLAND, TEXAS 79705

4. Well Location
Unit Letter: P 135 feet from the SOUTH line and 1300 feet from the EAST line
Section 5 Township 17-S Range 36-E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	CASING/CEMENT JOB ☐
OTHER	OTHER: TA W/CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

08-29-2012: NOTIFIED NMOCD. RAN CHART. TEST CSG TO 580 PSI FOR 32 MINUTES. (COPY OF CHART ATTACHED). MAXEY BROWN WITNESSED THE TEST.

CIBP SET @4660'
PERFS: 4709-5062

This Approval of Temporary
Abandonment Expires 8-29-2014

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Pinkerton TITLE REGULATORY SPECIALIST

DATE 08-30-2012

Type or print name DENISE PINKERTON

E-mail address: leakejd@chevron.com

PHONE: 432-687-7375


For State Use Only

APPROVED BY: [Signature] TITLE Dist. Mgr.

DATE 9-5-2012

Conditions of Approval (if any):

SEP 05 2012



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

Don Edwards

#52

8/29/2012

BR 2221

CHEVRON
WEST LINDGTON
UNIT # 66
P. 5-175-36E
00-025-30698

VIA STATUS TEST
EXTENSION


START 580+
FINISH 580+
TIME 32 min

YAL (key) Brown
000
001
002
003
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034
035
036
037
038
039
040
041
042
043
044
045
046
047
048
049
050
051
052
053
054
055
056
057
058
059
060
061
062
063
064
065
066
067
068
069
070
071
072
073
074
075
076
077
078
079
080
081
082
083
084
085
086
087
088
089
090
091
092
093
094
095
096
097
098
099
100

MACLASKEY
1000#/100min
CAL 8/23/2012

Chevron U.S.A. Inc. Wellbore Diagram : WLU 66

Lease: OVC VACUUM		Well No.: WLU #66 66	Field: FLD-LOVINGTON	
Location: 135FSL1300FEL		Sec.: N/A	Blk:	Survey: N/A
County: Lea	St.: New Mexico	Refno: IZ1877	API: 3002530698	Cost Center: BCFA30900
Section:		Township: N/A		Range: N/A
Current Status: ACTIVE			Dead Man Anchors Test Date: NONE	
Directions:				

Wellbore Notes (Top-Bottom Depth) Desc

@ (1-1) Wellbore Comment

@ (5230-5230) Wellbore Comment

Surface Casing (Top-Bottom Depth) Desc

@ (0-388) Unknown 13.375 OD/ 48.00# Round Short 12.715 ID 12.559 Drift

@ (0-388) Cement

@ (0-388) Wellbore Hole OD-17.5000

Intermediate Casing (Top-Bottom Depth) Desc

@ (0-1961) Cement

@ (388-1961) Wellbore Hole OD-12.5000

@ (0-1961) Unknown 8.625 OD/ 24.00# Round Short 8.097 ID 7.972 Drift

Production Casing (Top-Bottom Depth) Desc

@ (4660-4664) Bridge Plug Cast Iron 5.500"

@ (4709-5062) Perforations

@ (0-5220) Cement

@ (0-5220) Unknown 5.500 OD/ 15.50# Round Short 4.950 ID 4.825 Drift

@ (1961-5220) Wellbore Hole OD- 7.8750

Ground Elevation (MSL):: 0.00	Spud Date: 12/16/1989	Compl. Date: 01/01/1980
Well Depth Datum:: CSI0000N	Elevation (MSL):: 0.00	Correction Factor: 13.00
Last Updated by: hillbj		Date: 10/01/2007