

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87404  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

<b>RECEIVED</b> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 SEP 18 2012		WELL API NO. 30- 025- 21160
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>		6. State Oil & Gas Lease No. OG 361
7. Lease Name or Unit Agreement Name State BN		8. Well Number 3
9. OGRID Number 16696		10. Pool name or Wildcat Mescalero SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4320'		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL. <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4500' PBD-4454' Perfs-4069-4156'

8-5/8" 24# csg @ 393' w/ 325sx, 11" hole, TOC-Surf-Circ

4-1/2" 9.5# csg @ 4486' w/ 400sx, 7-7/8" hole, TOC-2840'-TS

1. RIH & set CIBP @ 4019' M&P 25sx cmt
  2. M&P 25sx cmt @ 3420-3220' WOC-Tag
  3. Perf @ 2210' sqz 35sx cmt to 2110' WOC-Tag
  3. Perf @ 1570' sqz 35sx cmt to 1470' WOC-Tag
  4. Perf @ 443' sqz 155sx cmt to surface
- 10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Regulatory Advisor DATE 9/14/12

Type or print name \_\_\_\_\_ E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE Compliance Officer DATE 9/19/2012

Conditions of Approval (if any)

Oil Conservation Division - Hobbs office **Must be Notified**  
24 hours prior to the beginning of Plugging Operations begin

SEP 19 2012

OXY USA Inc. - Proposed  
State BN #3  
API No. 30-025-21160

155sx @ 443'-Surface


35sx @ 1570-1470' WOC-Tag

35sx @ 2210-2110' WOC-Tag

25sx @ 3420-3220' WOC-Tag

CIBP @ 4019' w/ 25sx

PB-4454'



11" hole @ 397'  
8-5/8" csg @ 393'  
w/ 325sx-TOC-Surf-Circ

Perf @ 443'

Perf @ 1570'

Perf @ 2210'

Perfs @ 4069-4156'

7-7/8" hole @ 4500'  
4-1/2" csg @ 4486'  
w/ 400sx-TOC-2840'-TS

TD-4500'

OXY USA Inc. - Current  
State BN #3  
API No. 30-025-21160

11" hole @ 397'  
8-5/8" csg @ 393'  
w/ 325sx-TOC-Surf-Circ

PB-4454'

TD-4500'

Perfs @ 4069-4156'

7-7/8" hole @ 4500'  
4-1/2" csg @ 4486'  
w/ 400sx-TOC-2840'-TS