District I 1625 N French Dr , Hobbs, NM 88240 HOBBS OCD District II

State of New Mexico **Energy Minerals and Natural Resources** Department

Form C-144 CLEZ Revised August 1, 2011

811 S First St, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87419EP 20 2012 District IV 1220 S S S P

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

1220 S St. Francis Dr , Santa Fe, NM 87505

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure


Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

			pollution of surface water, ground water or the ernmental authority's rules, regulations or ordinances.	
I. Operator: San	dridge Exploration & Production IIC	OGRID #:	270265	
Operator: Sandridge Exploration & Production, LLC OGRID #: 270265 Address: 123 Robert S. Kerr Ave., OKC, OK 73102-6406				
E W. H. EV. C. L. 196				
API Number: 30	-025- 14B761	OCD Permit Number: 911	25210	
API Number: 30-025- 4076 OCD Permit Number: 105210 U/L or Qtr/Qtr				
Center of Proposed Design: Latitude32.489393 N Longitude103.066313 W NAD: \[\sqrt{1927} \sqrt{1983} \]				
Surface Owner: Federal State Private Tribal Trust or Indian Allotment				
Surface Owner Federal State Frivate Tribal Trust of Indian Anouncent				
2. Closed-loop System:	Subsection H of 19.15.17.11 NMAC			
Operation. Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A				
Above Ground Steel Tanks or ☐ Haul-off Bins				
3.				
Signs: Subsection C of 19.15.17.11 NMAC				
2 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.16.8 NMAC				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:				
s. Waste Removal Closure Fo	or Closed-loop Systems That Utilize Ab	ove Ground Steel Tanks or Haul-o	ff Bins Only: (19.15.17.13.D NMAC)	
Instructions: Please indent			cuttings. Use attachment if more than two	
facilities are required.	eri 1360	Disposal Facility Perm	it Number: NM-01-0006	
Disposal Facility Name: _	PARABO		t Number:NM-01-0003	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
6 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Spence Laird Title: Regulatory Analyst				
Signature:	and bind			
e-mail address:	lmcdonald@sandridgeenergy.com	Telephone:	405-429-5500	

OCD Approval: Permit Application (including closure plan) Closure I	in the second			
OCD Representative Signature:	Approval Date: 09/24/12			
Petroleum Engineer Title:	OCD Permit Number: 01-05210			
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:				
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name:				
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \sum No				
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief I also certify that the closure complies with all applicable closure requires				
Name (Print):	Title:			
Signature	Date·			
e-mail address	Telephone:			

LARIAT SERVICES, INC. RIG #17 TYPICAL LOCATION FOOTPRINT

Reserve Pit should be added as acceded



A

Lariat Services, Inc. - Rig #17 Inventory

APPROXIMATE AGE:

Bullt 2005

POWERED DRAW WORKS:

Rt 400 Single Drum Drawworks Lebus Grooved for 1 1/8" Line 42" x 10" Brakes with 424-400,000# Tension Torque Brake.

Powered by 630 HP Series 60 Detroit Engine with an Allison 6061 Transmission to 500 HP Right Angle Gear Box.

MAST & SUBSTRUCTURE:

International Derrick Service 67' 500,000 GNC Mast Mounted on a 3 Axle Carrier with Boatskid 12' Substructure with Pipe Handling Boom Arm.

POWERED PUMPS:

- (1) RSF-1000 Powered by Detroit Series 2000 Dlesel Engine.
- (1) EMSCO DB-550 Powered by Caterpillar 3406 Diesel Engine,

TOP HEAD DRIVE AND POWER UNIT:

Top Drive system XK250-24K Powered by Detroit Series 60 / 350 HP @ 1200 RPM with Sunstrawn Hydraulic Pump. Maximum Circulating Pressure 5000 PSI with Torque Capacity of 24,000 Ft. lbs. Max. RPM 150.

CROWN AND TRAVELING CARRIER FOR TOP HEAD DRIVE:

Crown is Designed for 8 Line String Up, Consisting of (8) 20" x 1 1/8" Sheaves, Banjo Sheaves are 1 1/8" X 250 Ton.

WELL CONTROL EQUIPMENT:

Kopmey 8 Bottle 5 Stallon Accumulator. 5000 # Choke Manifold. 11" x 3000 # Double Shaffer B.O.P.

GENERATOR HOUSE:

10' x 48' Skid Mounted House.

(2) 380 KW Marathon Generators Powered by (2) Detrolt Series 60 550 HP Diesel Engines.

Sullivan Paletek Rotary Screw Compressor.

MUD SYSTEM:

(2) 10' W \times 5' H \times 40' L with 10' Porch on Each End 400 BBL Each with (4) 5" \times 6" Centrifugal Pumps with 50 HP, Electric motors, Linear Shale Shaker. (2) Cone Desander (12) Cone Desilter and Mud Hopper.

TOOLPUSHER'S HOUSE!

8' W x 40' L Idle Time Trailer.

TOP DOGHOUSE:

8' W x 20' L with 4' Porch.

BOTTOM DOG HOUSE:

25' L x 8' W with 5 Station Accumulator Mounted on Front.

WATER TANK:

8' W \times 8' H \times 40' L with Lubster Mounted on One End with (2) 2'' X 3'' Centrifugal Pumps with 20 HP Electric Motors. Water Tank 500 BBL Cap.

HANDLING TOOLS AND AUXILLARY EQUIPMENT:

OWI 1000 Hydraulic Wireline Machine.

U.S. Oll Tools.

Alr Slips,

(2) Braden Hydraulic 3/8" Line Winches.

Lariat Services, Inc. – Rig #17 Inventory

(1) 450 Gallon Day Tank on Unit.
(1) 450 Gallon Hydraulic Tank.
(3) Sultcases (1) 32' x 3' x 1" - (1) 40' x 3' x 1" - (1) 34' x 3' x 2".
(1) Diesel Tank Skid Mounted 38' L x 7' (Tank is 6' x 6' x 14').
(1) Junk Box 5' x 8" x 20'.
(1) Auto-Drill Automatic Driller.
Type "D" Weight Indicator With E-80 Sensator,
Deadline Anchor Hercules Type HA 118T.
Crown Protection System.
(1) Pre-Mix Pit 7' W x 7' H x 28' L With 5" x 6" Mixing Pump 100 HP Electric Motor.
(1) 500 BBL Storage Tank,

