

Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505						State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505						Form C-105 July 17, 2008							
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																			
4 Reason for filing <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)								5 Lease Name or Unit Agreement Name Monument Abo 6 Well Number 001											
7 Type of Completion <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER Recompletion																			
8 Name of Operator Apache Corporation								9 OGRID 873											
10 Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705								11 Pool name or Wildcat Monument Abo (46970) Yeso NW											
12 Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County									
Surface:	C	02	20S	36E		800	North	1750	West	Lea									
BH:																			
13 Date Spudded 10/29/1980	14 Date T D Reached 01/15/1981	15 Date Rig Released			16 Date Completed (Ready to Produce) 08/20/2012			17 Elevations (DF and RKB, RT, GR, etc) 3598' GR											
18 Total Measured Depth of Well 7979'			19 Plug Back Measured Depth 5340'			20 Was Directional Survey Made? No		21 Type Electric and Other Logs Run											
22 Producing Interval(s), of this completion - Top, Bottom, Name Paddock/Glorieta 5220'-5316'																			
23 CASING RECORD (Report all strings set in well)																			
CASING SIZE		WEIGHT LB /FT		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED									
13-3/8"		48#		470'		17-1/2"		500 sx											
8-5/8"		24-28#		4380'		12-1/4"		2150 sx											
5-1/2"		14-15 5-17#		7730'		7-7/8"		675 sx											
24. LINER RECORD						25. TUBING RECORD													
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN	SIZE	DEPTH SET		PACKER SET										
						2-7/8"	5307'												
26 Perforation record (interval, size, and number) Abo 7283'-7629' (2 SPF, 32 holes) CIBP @6932' w/ 3 sx cmt Lwr Paddock 5720'-5810' (2 SPF, 88 holes) CIBP @5670' w/ 3 sx cmt Middle Paddock 5352'-5418' (2 SPF, 72 holes) CIBP @5340' w/ 3sxcmt Paddock/Glorieta 5220'-5316' (2 SPF, 88 holes) Producing						27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>Lwr Paddock</td> <td>3626 gals acid,</td> </tr> <tr> <td>Middle Paddock</td> <td>3684 gals acid</td> </tr> <tr> <td>Paddock/Glorieta</td> <td>3593 gals acid</td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	Lwr Paddock	3626 gals acid,	Middle Paddock	3684 gals acid	Paddock/Glorieta	3593 gals acid
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																		
Lwr Paddock	3626 gals acid,																		
Middle Paddock	3684 gals acid																		
Paddock/Glorieta	3593 gals acid																		
28 PRODUCTION																			
Date First Production 08/20/2012		Production Method (Flowing, gas lift, pumping - Size and type pump) Pump				Well Status (Prod. or Shut-in) Producing													
Date of Test 09/02/2012	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 36	Gas - MCF 0	Water - Bbl 314	Gas - Oil Ratio 0												
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr) 38.8													
29 Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30 Test Witnessed By Apache Corp.											
31 List Attachments C-101, C-103, C-104, C-144 CLEZ																			
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit																			
33 If an on-site burial was used at the well, report the exact location of the on-site burial																			
Latitude _____ Longitude _____ NAD 1927 1983																			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																			
Signature			Printed Name Fatima Vasquez			Title Regulatory Tech I			Date 09/06/2012										
E-mail Address Fatima.Vasquez@apachecorp.com																			

SEP 27 2012

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1060'	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 1157'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2340'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2483'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3265'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3644'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 4058'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb 6479'	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo 7040'	T. Pemrose 3397'	T. Entrada	
T. Wolfcamp 7867'	T. San Andres 5053'	T. Wingate	
T. Penn	T. Permian 7960'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology