Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

HOBBS OCD

FORM APPROVED OMB No. 1004-0137

Expires: July 31, 2010

OCT 1 1 2013. Lease Serial No.

NMNM94191

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.			7. If Unit of CA/Ag	7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well					
X Oil Well Gas	Well Other		8. Well Name and No. YUMA FEDERAL #001		
2. Name of Operator SM ENERGY COMPANY	, /	9. API Well No. 30-025-3059	9. API Well No. 30-025-30590		
3a. Address		3b. Phone No. (include area c	ode) 10. Field and Pool of	10. Field and Pool or Exploratory Area	
3300 N "A" ST, BLDG 7-2	200. MIDLAND, TX 79	CORBIN;DE	CORBIN; DELAWARE, WEST		
3300 N "A" ST, BLDG 7-200, MIDLAND, TX 79705 (432)688-1709 4. Location of Well (Footage, Sec., T.R, M, or Survey Description) (K) 2310' FSL & 1980' FWL, SEC 14 T18S R32E			11. Country or Paris		
12. CHI	ECK THE APPROPRIATE BOX	X(ES) TO INDICATE NATUR	RE OF NOTICE, REPORT OR OT		
TYPE OF SUBMISSION	TYPE OF ACTION				
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off	
	Alter Casing	Fracture Treat	Reclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete	X Other LEASE USE	
	Change Plans	Plug and Abandon	Temporarily Abandon	GAS MEASUREMENT	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		

Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has

SM ENERGY COMPANY REQUESTS APPROVAL TO MEASURE LEASE USE GAS FOR OPERATED HEATER TREATERS AT OUR FACILITIES AS OUTLINED ON ATTACHED SPECIFICATIONS FROM PERMIAN **FABRICATORS**

> NOV 15 2011 NMOCD ARTESIA

Accepted for record NMOCD

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certificate that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct experience the applicant experience the applicant to conduct experience the applicant experience the applicant to conduct experience the applicant exp		parc	
Approved by	Title	Date	
THIS SPACE FOR FEDERA	L OR STATE OFFI	CE USE	
Signature VIIII IIII Da	te 11/10/2011		
VICKIE MARTINEZ TE	le ENGINEER TEC	HII	
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)			

fictitious or fraudulent statements or representations as to any matter within its jurisdiction

determined that the site is ready for final inspection.)

Heater Specifications from Permian Fabricators
Estimated Fuel Calcuations per Chad McNeely (SM Energy Facility Engineer)

4 X 20 and 6 X 20 heater treaters utilize a 500,000 BTU/HR burner and are going to use approx. 8 mcf per day (24 hr day) and you can estimate that it will only burn about 12 hours in a 24 hour period.

For a 30 day month that would equal $\underline{120 \text{ mcf a month}}$ (4 MCF a day(for 12 hrs a day) X 30 days = 120 mcf)

31 days = 124 mcf

8 X 20 heater treaters utilize a 750,000 BTU/HR burner and are going to use approx. 12 mcf per day (24 hr day) and you can estimate that it will only burn about 12 hours in a 24 hour period.

For a 30 day month that would equal $\underline{180 \text{ mcf a month}}$ (6 MCF a day(for 12 hrs a day) X 30 days = 180 mcf)

31 days = 186 mcf

For PDU Battery:

2 - 6X20 treaters @ TR 1. Approx. 4 MCF per day each when in use 1 - 8X20 treater @ TR 1 Approx. 6 MCF per day when in use 1 - 6X20 treater @ TR 2 Approx. 4 MCF per day when in use 1 - 4X20 treater @ TR 7/8 Approx. 4 MCF per day when in use

For Geronimo Battery

1 - 4X20 treater Approx. 4 MCF per day when in use 1 - 8X20 treater Approx. 6 MCF per day when in use

For Inca 1 Battery

1 - 6X20 treater Approx. 4 MCF per day when in use

For Quanah/Yuma Battery

1 - 4X20 treater Approx. 4 MCF per day when in use