

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-04696
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT
8. Well Number #406
9. OGRID Number 005380
10. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG/SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,640' - GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other INJECTION

2. Name of Operator
XTO ENERGY, INC. ATTN: STEPHANIE RABADUE

3. Address of Operator
200 N. LORRAINE, SUITE 800, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter J: 1670 feet from the SOUTH line and 1650 feet from the EAST line
Section 17 Township 21S Range 36E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,640' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) TAG EXISTING 4-1/2" CIBP @ +/-3,730'; CIRC. WELL W/ PXA MUD; PRES. TEST 4-1/2" LINER TO 500#.
- 2) PUMP A 25 SX. CMT. PLUG @ 3,730'-3,480' (T/CIBP).
- 3) PUMP A 35 SX. CMT. PLUG @ 3,250'-2,950' (T/YATES X B/SALT); WOC X TAG CMT. PLUG.
- 4) PUMP A 25 SX. CMT. PLUG @ 1,565'-1,365' (T/SALT X T/ANHY.); WOC X TAG.
- 5) MIX X CIRC. TO SURF. A 40 SX. CMT. PLUG @ 360'-3'.
- 6) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyer TITLE AGENT DATE 10/09/12

DEYLER@MILAGRO-RES.COM

Type or print name DAVID A. EYER E-mail address: DEYLER@MILAGRO-RES.COM PHONE (432) 687-3033

For State Use Only

APPROVED BY Mah Whitaker TITLE Compliance Officer DATE 10-18-2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office Must be Notified
24 hours prior to the beginning of Plugging Operations begin

OCT 18 2012

WELL NAME: EMSU 406
LOCATION: 1670' FSL & 1650' FEL, SEC 17, T21S R36E
FORMATION: GRBG/SNDR
SPUD DATE:
IP:

COUNTY/STATE: LEA, NM
LEASE: EUNICE MONUMENT
CURRENT STATS:
COMPL DATE:
API No: 30-025-04696 *UIL J*
1670' FSL X 1650' FEL



ELEV
GL: 3640'
KB: 6351'

11" HOLE

8-5/8", 32# CSG @ 310'
CMT W/300 SX
CIRC TO SURF W/88 SX

CSG LEAK F/357'-699'. SQZ'D
W/75 & 175 SX CMT. DIDN'T
HOLD. PUT IN LINER. 11/1992

4-1/2" 11.6# LINER SET @ 3768'
CMT W/150 SX TO SURF

CIBP @ 3730'

7 7/8" HOLE

Perforations:

PNRS 3775'-77'
3794'-96'
3812'-14'
3820'-22'
3837'-39'
3852'-64' - (SQZ 07/1955)
3858'-60'
3874'-83' - (SQZ 07/1955)
3876'-86'
3898'-3910' - (SQZ)
3900'-10'

5-1/2", 15.5# CSG @ 3939'
CMT W/750

~~CIRC~~ *DID NOT CIRC*

GRBG OH

PBTD: 3730'
TD: 4116'

CIBP @ 4116'

WELL NAME: EMSU 406
LOCATION: 1670' FSL & 1650' FEL, SEC 17, T21S R36E
FORMATION: GRBG/SNDR
SPUD DATE:
IP:


COUNTY/STATE: LEA, NM
LEASE: EUNICE MONUMENT
CURRENT STATS:
COMPL DATE:
API No: 30-025-04696



ELEV
GL: 3640'
KB: 6351'

11" HOLE

8-5/8", 32# CSG @ 310'
CMT W/300 SX
CIRC TO SURF W/88 SX



CIRC. 40 SXS. CMT. @ 360' - 3'

CSG LEAK F/357'-699'. SQZ'D
W/75 & 175 SX CMT. DIDN'T
HOLD. PUT IN LINER. 11/1992

Pump 25 SXS. CMT. @ 1565' - 1365' - TAG

Pump 35 SXS. CMT. @ 3250' - 2950' - TAG

Pump 25 SXS. CMT. @ 3730' - 3480'

CIBP @ 3730'

4-1/2" 11.6# LINER SET @ 3768'
CMT W/150 SX TO SURF

7 7/8" HOLE

5-1/2", 15.5# CSG @ 3939'
CMT W/750
CIRC

Perforations:

PNRS 3775'-77'
3794'-96'
3812'-14'
3820'-22'
3837'-39'
3852'-64' - (SQZ 07/1955)
3858'-60'
3874'-83' - (SQZ 07/1955)
3876'-86'
3898'-3910' - (SQZ)
3900'-10'

GRBG OH

PBTD: 3730'
TD: 4116'

CIBP @ 4116'

DAS 10/09/12