

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88200
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OGD
OCT 17 2012
RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-20961
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: TEXACO CITIES SERVICES ST. COM.
8. Well Number 001
9. OGRID Number 162683
10. Pool name or Wildcat LUSK; BONE SPRING, SOUTH/LUSK; MORROW
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3537' - GR

SUNDRY RECEIPTS AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO ATTN: TRACIE J. CHERRY

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter G : 1980 feet from the NORTH line and 1980 feet from the EAST line
Section 32 Township 19S Range 32E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EAST(Z) STRING: 1) DUMP BAIL 35' CMT. @ 12,250'. 2) SET 2-7/8" CIBP @ 10,480' (T/WC); DUMP BAIL 35' CMT. @ 10,480'. 3) SET 2-7/8" CIBP @ 7,258' (T/B.S.); DUMP BAIL 35' CMT. @ 7,258'.

WEST(Y) STRING: 1) SET 2-7/8" CIBP @ 9,300' (PERFS.); DUMP BAIL 35' CMT. @ 9,300'. 2) SET 2-7/8" CIBP @ 7,258' (T/B.S.); DUMP BAIL 35' CMT. @ 7,258'.

1) JET CUT X PULL BOTH STRINGS OF 2-7/8" @ +/-3,945'. 2) PUMP A 55 SX.CMT.PLUG @ 3,945'-3,815'; WOC X TAG.
3) PUMP AN 80 SX.CMT.PLUG @ 2,910'-2,675' (T/REEF X DV TOOL); WOC X TAG. 4) PUMP A 40 SX.CMT.PLUG @ 2,320'-2,200' (B/SALT); WOC X TAG. 5) PUMP AN 80 SX.CMT.PLUG @ 1,060'-825' (T/SALT, 11-3/4" SHOE, T/ANHY); WOC X TAG.
6) CIRC. 25 SX.CMT. @ 63'-3'-7) DIG OUT X CUT OFF WH 3'B.G.L.; WELD ON STEEL PLATE TO CSGS. X DRY HOLE MARKER.

Spud Date: Perfor 350' Circ. Cmt

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE AGENT DATE 10/15/12


Type or print name DAVID A. EYLER E-mail address: deyler@milagro-res.com PHONE 432.687.3033

For State Use Only

APPROVED BY Mark Whitaker TITLE Compliance Officer DATE 10-19-2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office **Must be Notified**
24 hours prior to the beginning of Plugging Operations begin



TD @ 13,000'




GL = 3540'
KB : 17.3' above GL
Completed: 7/16/1964

CIRC. 25' SX 5' CMT. @ 63'-3'

Cimarex Energy Co. of Colorado
Texaco Cities Service State Com #1
1980' FNL & EL
Sec. 32, T-19-S, R-32-E, Lea Co., NM
J Piwetz 10/1/2012
API #30-025-20961

Pump 80 SX 5' CMT. @ 1060' - 825' - TAG
Pump 40 SX 5' CMT. @ 2320' - 2200' - TAG
Pump 80 SX 5' CMT. @ 2910' - 2675' - TAG
Pump 65 SX 5' CMT. @ 3945' - 3815' - TAG



15" Hole
11-3/4", 31 & 42# ST&C csg @ 906'
cmt d w/ 700 sx, cmt circ

DV @ 2724'

8-5/8", 24# J-55 csg @ 3880'
cmt d 1st stage w/ 450 sx, cmt circ
2nd stage thru DV @ 2724' w/300 sx, Cmt did not circ

Est TOC = 4650' Calculated

Dump BAIL 35' CMT. @ 7258'
SET 2-7/8" CIBP @ 7258'

Dump BAIL 35' CMT. @ 7258'
SET 2-7/8" CIBP @ 7258'

Dump BAIL 35' CMT. @ 9300'
SET 2-7/8" CIBP @ 9300'

L Bone Springs Perfs: 9330 - 9400' noncontinuous (1/19/2005)

CIBP @ 11,250' + 35' cement

Strawn perfs: 11,302 - 11,343' (1 JSPF/32 Holes)

(Y String) 2-7/8" 6.5# J-55 Csg @ 12,995' (WEST STRING)
(Z String) 2-7/8" 6.5# J-55 Csg @ 12,987' (EAST STRING)

Dump BAIL 35' CMT. @ 10480'
SET 2-7/8" CIBP @ 10480'

Dump BAIL 35' CMT. @ 12250'
CIBP @ 12,250' (11/2/2000)

Morrow Perfs: 12,332 - 12,388' (1 JSPF/16 Holes)

"Y" PBD = 12,015'

TD @ 13,000'

DAS 10/15/12