


SCANNED



Scientific Drilling

E.O.G.

Field: Uncle Tom
Site: Lea County, NM
Well: Uncle Tom Fed #3
Wellpath: VH - Job #32K0105059/075
Survey: 1/25/05 & 1/29/05


SUR: G-28-18s-33e, 1874/N & 2086/E
BHL: F-27-18s-33e, 1572/N & 1645/W
API # 30-025-30836

This survey is correct to the best of my knowledge
and is supported by actual field data.

Eric Newby Company Representative

Notorized this date 7th of February, 2005.

Deborah Sue Bynum
Notary Signature
County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling International Survey Report

Company: E.O.G.	Date: 2/4/2004	Time: 09:24:02	Page: 1
Field: Uncle Tom	Co-ordinate(NE) Reference:	Site: Lea County, NM, Grid North	
Site: Lea County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: Uncle Tom Fed #3	Section (VS) Reference:	Well (0.00N,0.00E,68.58Azi)	
Wellpath: VH - Job #32K0105059/075	Survey Calculation Method:	Minimum Curvature	
		Db: Sybase	

Survey: 1/25/05 & 1/29/05	Start Date: 1/25/2004
Company: Scientific Drilling Internatio	Engineer: Carter w/Black Warrior
Tool: Keeper;Keeper Surface Readout Gyro	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	1.01	39.45	99.99	0.77	0.68	0.56	1.01	0.88	39.45
200.00	0.94	96.57	199.98	2.26	1.27	1.93	0.93	2.31	56.78
300.00	0.75	86.02	299.97	3.61	1.22	3.40	0.24	3.61	70.29
400.00	0.80	73.58	399.96	4.93	1.46	4.73	0.18	4.95	72.81
500.00	0.79	82.08	499.95	6.30	1.75	6.08	0.12	6.33	73.90
600.00	0.67	102.26	599.95	7.46	1.72	7.33	0.28	7.53	76.76
700.00	0.53	81.61	699.94	8.39	1.67	8.36	0.26	8.53	78.72
800.00	0.63	67.21	799.93	9.39	1.95	9.33	0.18	9.53	78.20
900.00	0.60	76.78	899.93	10.46	2.28	10.34	0.11	10.59	77.56
1000.00	0.63	75.97	999.92	11.52	2.53	11.38	0.03	11.66	77.45
1100.00	0.66	84.08	1099.92	12.62	2.73	12.49	0.10	12.79	77.68
1200.00	0.63	83.97	1199.91	13.71	2.84	13.61	0.03	13.90	78.20
1300.00	0.64	115.34	1299.90	14.62	2.66	14.66	0.34	14.90	79.71
1400.00	0.63	112.20	1399.90	15.40	2.22	15.68	0.04	15.83	81.95
1500.00	0.57	120.04	1499.89	16.11	1.76	16.62	0.10	16.71	83.96
1600.00	0.55	129.26	1599.89	16.66	1.21	17.42	0.09	17.46	86.04
1700.00	0.85	129.30	1699.88	17.25	0.43	18.36	0.30	18.37	88.65
1800.00	0.69	109.52	1799.87	18.07	-0.24	19.50	0.31	19.51	90.70
1900.00	0.93	116.47	1899.86	19.07	-0.80	20.80	0.26	20.81	92.21
2000.00	0.98	141.56	1999.85	19.86	-1.83	22.06	0.42	22.13	94.75
2100.00	0.92	154.49	2099.83	20.17	-3.23	22.93	0.22	23.16	98.01
2200.00	1.07	127.28	2199.82	20.71	-4.52	24.02	0.49	24.44	100.65
2300.00	1.34	126.30	2299.80	21.82	-5.77	25.71	0.27	26.35	102.66
2400.00	1.37	98.02	2399.77	23.49	-6.63	27.83	0.66	28.61	103.40
2500.00	1.49	91.31	2499.74	25.73	-6.83	30.32	0.21	31.08	102.70
2600.00	1.27	74.76	2599.71	28.03	-6.57	32.69	0.45	33.34	101.36
2700.00	1.44	61.97	2699.68	30.38	-5.69	34.87	0.35	35.33	99.26
2800.00	1.48	52.81	2799.65	32.87	-4.32	37.00	0.24	37.25	96.65
2900.00	1.76	56.83	2899.61	35.62	-2.69	39.32	0.30	39.41	93.92
3000.00	1.65	48.21	2999.57	38.47	-0.90	41.68	0.28	41.69	91.23
3100.00	1.50	52.21	3099.53	41.08	0.87	43.78	0.19	43.79	88.87
3200.00	1.56	44.55	3199.49	43.58	2.64	45.77	0.21	45.85	86.70
3300.00	1.65	50.29	3299.45	46.19	4.53	47.84	0.18	48.05	84.59
3400.00	1.72	44.10	3399.41	48.92	6.53	49.99	0.19	50.41	82.56
3500.00	2.31	52.60	3499.35	52.22	8.83	52.63	0.66	53.37	80.48
3600.00	2.29	54.96	3599.27	56.10	11.20	55.87	0.10	56.98	78.67
3700.00	1.92	63.67	3699.20	59.71	13.09	59.01	0.49	60.44	77.49
3800.00	1.45	74.52	3799.16	62.64	14.17	61.73	0.57	63.33	77.07
3900.00	1.12	82.77	3899.13	64.84	14.63	63.92	0.38	65.57	77.11
4000.00	1.06	100.77	3999.12	66.58	14.58	65.79	0.35	67.39	77.51
4100.00	0.65	82.73	4099.10	67.91	14.48	67.27	0.49	68.81	77.85
4200.00	0.53	96.75	4199.10	68.87	14.50	68.29	0.19	69.81	78.01
4300.00	0.41	99.87	4299.10	69.58	14.38	69.10	0.12	70.58	78.24
4400.00	0.27	31.97	4399.09	70.07	14.52	69.58	0.40	71.08	78.21
4500.00	0.18	34.54	4499.09	70.39	14.85	69.79	0.09	71.35	77.99
4600.00	0.34	64.03	4599.09	70.82	15.11	70.15	0.20	71.76	77.85
4700.00	0.23	32.35	4699.09	71.28	15.41	70.52	0.19	72.18	77.68
4800.00	0.42	355.26	4799.09	71.54	15.94	70.60	0.27	72.38	77.28



Scientific Drilling International

Survey Report

Company: E.O.G.	Date: 2/4/2004	Time: 09:24:02	Page: 2
Field: Uncle Tom	Co-ordinate(NE) Reference:	Site: Lea County, NM, Grid North	
Site: Lea County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: Uncle Tom Fed #3	Section (VS) Reference:	Well (0.00N,0.00E,68.58Azi)	
Wellpath: VH - Job #32K0105059/075	Survey Calculation Method:	Minimum Curvature	Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
4900.00	0.25	323.63	4899.09	71.59	16.48	70.44	0.25	72.34	76.83
5000.00	0.61	296.96	4999.08	71.18	16.90	69.83	0.40	71.85	76.40
5100.00	0.25	300.09	5099.08	70.69	17.25	69.17	0.36	71.29	76.00
5200.00	0.09	293.72	5199.08	70.50	17.39	68.91	0.16	71.07	75.84
5300.00	0.28	10.42	5299.08	70.58	17.66	68.88	0.27	71.11	75.62
5400.00	0.22	9.21	5399.08	70.80	18.09	68.96	0.06	71.29	75.30
5500.00	0.58	84.53	5499.08	71.39	18.33	69.49	0.57	71.87	75.22
5600.00	0.60	50.70	5599.07	72.37	18.71	70.40	0.34	72.85	75.12
5700.00	1.06	64.92	5699.06	73.79	19.44	71.64	0.50	74.23	74.82
5800.00	1.20	61.74	5799.04	75.76	20.32	73.40	0.15	76.17	74.52
5900.00	1.35	62.74	5899.02	77.97	21.36	75.37	0.15	78.34	74.18
6000.00	1.47	67.08	5998.99	80.42	22.40	77.60	0.16	80.77	73.90
6100.00	1.51	67.33	6098.95	83.02	23.40	80.00	0.04	83.35	73.69
6200.00	2.28	71.58	6198.90	86.33	24.54	83.10	0.78	86.65	73.55
6300.00	2.38	68.46	6298.82	90.39	25.93	86.92	0.16	90.71	73.39
6400.00	2.14	64.49	6398.74	94.33	27.50	90.54	0.29	94.62	73.11
6500.00	2.05	57.71	6498.67	97.95	29.26	93.73	0.26	98.19	72.67
6600.00	2.11	49.16	6598.61	101.44	31.42	96.64	0.32	101.62	71.99
6700.00	2.13	44.70	6698.54	104.87	33.94	99.34	0.17	104.98	71.14
6800.00	1.99	47.56	6798.47	108.19	36.43	101.93	0.17	108.24	70.33
6900.00	1.90	42.57	6898.41	111.30	38.83	104.33	0.19	111.32	69.59
7000.00	1.65	29.20	6998.37	113.91	41.30	106.15	0.48	113.91	68.74
7100.00	1.16	20.81	7098.34	115.70	43.51	107.22	0.53	115.71	67.91
7200.00	1.51	12.58	7198.31	117.12	45.74	107.86	0.40	117.16	67.02
7300.00	1.10	2.12	7298.28	118.24	47.98	108.19	0.47	118.35	66.08
7400.00	1.03	3.53	7398.27	119.00	49.84	108.28	0.07	119.20	65.28
7500.00	0.48	357.87	7498.26	119.52	51.16	108.32	0.55	119.79	64.72
7600.00	0.08	139.53	7598.26	119.68	51.52	108.35	0.55	119.97	64.57
7700.00	0.19	176.33	7698.26	119.65	51.30	108.40	0.13	119.93	64.67
7800.00	0.35	188.93	7798.26	119.45	50.84	108.37	0.17	119.70	64.87
7900.00	0.61	171.46	7898.25	119.17	50.01	108.40	0.30	119.38	65.23
8000.00	0.68	192.20	7998.25	118.73	48.90	108.35	0.24	118.87	65.71
8100.00	0.28	298.66	8098.24	118.24	48.44	108.01	0.81	118.38	65.85
8200.00	1.69	316.22	8198.23	117.52	49.62	106.78	1.43	117.74	65.07
8300.00	2.08	297.17	8298.17	115.76	51.51	104.14	0.73	116.19	63.68
8400.00	1.11	273.56	8398.13	113.68	52.40	101.56	1.15	114.28	62.71
8500.00	0.71	214.72	8498.12	112.29	51.95	100.24	0.96	112.90	62.60
8600.00	0.49	186.53	8598.12	111.58	51.02	99.84	0.36	112.12	62.93
8700.00	0.77	142.77	8698.11	111.56	50.06	100.20	0.54	112.01	63.45
8800.00	0.81	137.12	8798.10	112.00	49.01	101.08	0.09	112.34	64.14
8900.00	0.72	129.68	8898.09	112.56	48.09	102.05	0.13	112.81	64.77
9000.00	0.67	116.45	8998.09	113.26	47.43	103.06	0.17	113.44	65.29
9100.00	0.51	125.37	9098.08	113.89	46.91	103.94	0.18	114.04	65.71
9200.00	0.49	129.18	9198.08	114.35	46.38	104.64	0.04	114.45	66.09
9300.00	1.00	178.87	9298.07	114.25	45.24	104.98	0.78	114.32	66.69
9400.00	1.31	184.95	9398.05	113.44	43.23	104.90	0.33	113.46	67.61
9500.00	1.07	172.41	9498.03	112.71	41.16	104.93	0.35	112.71	68.58




**Scientific
Drilling**

Field: Uncle Tom
Site: Lea County, NM
Well: Uncle Tom Fed #3
Wellpath: VH - Job #32K0105059/075
Survey: 1/25/05 & 1/29/05



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 2/4/2004
Model: igrf2000





Survey Report

INTEQ

MIN. CURVATURE CALCULATIONS (SPE-3362)

OPERATOR: EOG Resources
WELL: Uncle Fed Com #3H
LOCATION: Lea Co., NM

START: 2/14/2005
FINISH:
JOB #: 848422

TIE-IN PROVIDED BY: BHI Midland Office

PROPOSED DIRECTION: 85.43
MAG TO GRID: +8.06

STATION	SURVEY						VERT.	DLS/
NUMBER	DEPTH	INC	AZMTH	TVD	N-S	E-W	SECTION	100
TIE-IN	9200	0.49	129.18	9198.08	46.36	104.63	107.99	
MWD	9294	8.7	96.0	9291.70	45.36	112.02	115.28	8.8
MWD	9326	15.6	96.3	9322.97	44.64	118.72	121.90	21.6
MWD	9357	22.8	92.1	9352.22	43.96	128.88	131.97	23.6
MWD	9389	27.2	89.3	9381.22	43.82	142.39	145.43	14.2
MWD	9416	29.8	87.3	9404.95	44.21	155.27	158.30	10.3
MWD	9446	32.4	83.7	9430.63	45.44	170.71	173.78	10.7
MWD	9477	35.0	83.3	9456.42	47.39	187.79	190.97	8.4
MWD	9508	36.7	84.0	9481.55	49.40	205.84	209.12	5.6
MWD	9540	35.1	82.6	9507.47	51.58	224.47	227.87	5.6
MWD	9571	37.9	82.9	9532.39	53.91	242.76	246.29	9.1
MWD	9601	43.1	83.3	9555.19	56.24	262.10	265.75	17.4
MWD	9633	49.1	84.4	9577.37	58.70	285.01	288.78	18.9
MWD	9665	55.2	85.1	9597.00	61.01	310.16	314.04	19.1
MWD	9696	60.0	86.8	9613.60	62.84	336.26	340.20	16.2
MWD	9728	63.3	86.5	9628.80	64.49	364.37	368.35	10.3
MWD	9760	67.9	86.1	9642.01	66.37	393.45	397.48	14.4
MWD	9791	72.1	86.8	9652.61	68.17	422.52	426.60	13.7
MWD	9823	75.3	87.9	9661.59	69.59	453.19	457.30	10.5
MWD	9854	78.0	89.3	9668.75	70.33	483.34	487.41	9.8
MWD	9886	80.9	89.3	9674.61	70.71	514.79	518.79	9.1
MWD	9917	84.2	88.9	9678.63	71.19	545.52	549.46	10.7
MWD	9949	87.6	89.3	9680.91	71.69	577.43	581.31	10.7
MWD	9980	90.3	90.7	9681.48	71.69	608.43	612.20	9.8
MWD	10012	93.1	91.7	9680.53	71.03	640.40	644.02	9.3
MWD	10044	93.5	91.0	9678.69	70.27	672.34	675.80	2.5
MWD	10075	92.5	90.3	9677.07	69.92	703.29	706.63	3.9
MWD	10107	90.9	90.0	9676.12	69.84	735.28	738.50	5.1
MWD	10138	90.3	90.0	9675.80	69.84	766.28	769.40	1.9
MWD	10170	90.7	90.0	9675.52	69.84	798.28	801.30	1.3



Survey Report

INTEQ

MIN. CURVATURE CALCULATIONS (SPE-3362)

OPERATOR: EOG Resources

WELL: Uncle Fed Com #3H

LOCATION: Lea Co., NM

TIE-IN PROVIDED BY: BHI Midland Office

START: 2/14/2005

FINISH:

JOB #: 848422

PROPOSED DIRECTION: 85.43

MAG TO GRID: +8.06

STATION	SURVEY						VERT.	DLS/
NUMBER	DEPTH	INC	AZMTH	TVD	N-S	E-W	SECTION	100
MWD	10201	90.3	89.6	9675.25	69.95	829.27	832.21	1.8
MWD	10233	89.1	89.6	9675.41	70.17	861.27	864.12	3.8
MWD	10265	87.7	90.0	9676.31	70.28	893.26	896.02	4.5
MWD	10296	88.1	89.6	9677.44	70.39	924.24	926.91	1.8
MWD	10328	87.7	88.6	9678.61	70.89	956.21	958.82	3.4
MWD	10358	88.1	87.9	9679.71	71.81	986.18	988.76	2.7
MWD	10390	88.9	88.9	9680.55	72.70	1018.15	1020.71	4.0
MWD	10421	90.5	88.9	9680.71	73.30	1049.15	1051.65	5.2
MWD	10453	90.5	88.6	9680.44	73.99	1081.14	1083.60	0.9
MWD	10516	90.9	88.6	9679.67	75.53	1144.11	1146.49	0.6
MWD	10548	91.0	88.6	9679.13	76.31	1176.10	1178.44	0.3
MWD	10579	90.4	87.9	9678.76	77.26	1207.08	1209.40	3.0
MWD	10611	90.3	87.9	9678.56	78.43	1239.06	1241.37	0.3
MWD	10641	89.5	87.5	9678.61	79.64	1269.04	1271.35	3.0
MWD	10673	89.2	87.2	9678.98	81.12	1301.00	1303.33	1.3
MWD	10704	89.0	87.2	9679.46	82.63	1331.96	1334.31	0.6
MWD	10736	88.8	86.8	9680.08	84.31	1363.91	1366.29	1.4
MWD	10767	88.5	86.5	9680.81	86.12	1394.85	1397.27	1.4
MWD	10799	88.4	85.8	9681.67	88.26	1426.76	1429.26	2.2
MWD	10831	88.2	85.8	9682.62	90.61	1458.66	1461.24	0.6
MWD	10862	88.7	85.4	9683.46	92.98	1489.56	1492.23	2.1
MWD	10894	88.6	85.1	9684.21	95.63	1521.44	1524.22	1.0
MWD	10926	89.2	85.4	9684.83	98.28	1553.33	1556.22	2.1
MWD	10956	89.3	85.4	9685.22	100.69	1583.23	1586.21	0.3
MWD	10988	89.4	85.4	9685.58	103.25	1615.12	1618.21	0.3
MWD	11019	89.2	85.4	9685.96	105.74	1646.02	1649.21	0.6
MWD	11051	89.7	85.4	9686.27	108.31	1677.91	1681.21	1.6
MWD	11082	89.8	85.4	9686.41	110.79	1708.81	1712.21	0.3
MWD	11114	90.4	85.8	9686.35	113.25	1740.72	1744.21	2.3
MWD	11145	90.4	85.8	9686.13	115.52	1771.64	1775.21	0.0



Survey Report

INTEQ

MIN. CURVATURE CALCULATIONS (SPE-3362)

OPERATOR: EOG Resources
WELL: Uncle Fed Com #3H
LOCATION: Lea Co., NM

START: 2/14/2005
FINISH:
JOB #: 848422

TIE-IN PROVIDED BY: BHI Midland Office

PROPOSED DIRECTION: 85.43

MAG TO GRID: +8.06

STATION NUMBER	SURVEY DEPTH	INC	AZMTH	TVD	N-S	E-W	VERT. SECTION	DLS/ 100
MWD	11177	90.0	85.4	9686.02	117.97	1803.54	1807.21	1.8
MWD	11210	89.8	84.4	9686.08	120.91	1836.41	1840.20	3.1
MWD	11241	90.0	84.7	9686.13	123.85	1867.27	1871.20	1.2
MWD	11271	91.5	85.1	9685.74	126.52	1897.15	1901.20	5.2
MWD	11304	93.8	85.4	9684.22	129.25	1930.00	1934.16	7.0
MWD	11334	95.0	86.5	9681.91	131.36	1959.83	1964.07	5.4
MWD	11366	94.6	86.5	9679.24	133.31	1991.66	1995.95	1.3
MWD	11397	93.2	86.1	9677.13	135.30	2022.52	2026.87	4.7
MWD	11429	92.8	85.8	9675.45	137.56	2054.40	2058.83	1.6
MWD	11460	93.6	85.8	9673.72	139.83	2085.27	2089.78	2.6
MWD	11492	94.2	86.5	9671.55	141.97	2117.12	2121.70	2.9
MWD	11524	93.6	86.1	9669.37	144.03	2148.98	2153.62	2.3
MWD	11555	92.8	86.1	9667.64	146.14	2179.86	2184.57	2.6
MWD	11582	91.8	86.2	9666.56	147.95	2206.78	2211.55	3.7
MWD	11615	91.8	86.5	9665.52	150.05	2239.69	2244.53	0.9
MWD	11645	92.5	86.1	9664.39	151.98	2269.61	2274.50	2.7
MWD	11676	92.5	85.4	9663.04	154.28	2300.50	2305.47	2.3
MWD	11708	93.5	84.7	9661.37	157.03	2332.33	2337.43	3.8
MWD	11740	93.9	84.4	9659.30	160.07	2364.12	2369.36	1.6
MWD	11771	92.8	84.4	9657.49	163.09	2394.92	2400.30	3.5
MWD	11803	91.6	84.0	9656.26	166.32	2426.73	2432.27	4.0
MWD	11834	90.7	84.0	9655.64	169.56	2457.55	2463.25	2.9
MWD	11866	90.7	83.3	9655.25	173.10	2489.36	2495.23	2.2
MWD	11898	90.6	82.6	9654.89	177.02	2521.11	2527.20	2.2
MWD	11929	90.4	82.2	9654.62	181.12	2551.84	2558.16	1.4
MWD	11960	90.0	81.5	9654.51	185.52	2582.52	2589.10	2.6
MWD	11992	90.0	82.6	9654.51	189.94	2614.22	2621.04	3.4
MWD	12023	90.0	84.0	9654.51	193.56	2645.00	2652.02	4.5
MWD	12055	90.1	84.0	9654.48	196.91	2676.83	2684.01	0.3
MWD	12086	90.1	83.7	9654.42	200.23	2707.65	2715.00	1.0



Survey Report

INTEQ

MIN. CURVATURE CALCULATIONS (SPE-3382)

OPERATOR: EOG Resources
WELL: Uncle Fed Com #3H
LOCATION: Lea Co., NM
TIE-IN PROVIDED BY: BHI Midland Office

START: 2/14/2005
FINISH:
JOB #: 848422

PROPOSED DIRECTION: 85.43
MAG TO GRID: +8.06

STATION NUMBER	SURVEY DEPTH	INC	AZMTH	TVD	N-S	E-W	VERT. SECTION	DLS/ 100
MWD	12118	89.8	83.7	9654.45	203.74	2739.46	2746.98	0.9
MWD	12150	89.8	83.3	9654.56	207.36	2771.25	2778.96	1.2
MWD	12181	90.3	83.3	9654.54	210.98	2802.04	2809.94	1.6
MWD	12213	90.4	83.3	9654.34	214.71	2833.82	2841.92	0.3
MWD	12276	90.1	84.4	9654.07	221.46	2896.46	2904.89	1.8
MWD	12339	90.7	84.0	9653.63	227.83	2959.13	2967.88	1.1
MWD	12402	90.8	84.7	9652.80	234.03	3021.82	3030.86	1.1
MWD	12465	90.6	84.4	9652.03	240.01	3084.53	3093.85	0.6
MWD	12497	91.3	85.1	9651.50	242.94	3116.39	3125.84	3.1
MWD	12528	91.2	84.7	9650.83	245.69	3147.26	3156.83	1.3
MWD	12559	89.9	83.3	9650.53	248.93	3178.09	3187.82	6.2
MWD	12590	89.3	83.0	9650.74	252.63	3208.87	3218.79	2.2
MWD	12621	89.3	83.3	9651.12	256.33	3239.64	3249.77	1.0
MWD	12653	87.9	84.0	9651.91	259.87	3271.44	3281.74	4.9
MWD	12683	87.5	83.7	9653.11	263.08	3301.24	3311.70	1.7
MWD	12715	87.8	83.0	9654.42	266.78	3333.00	3343.66	2.4
MWD	12746	87.9	83.3	9655.58	270.48	3363.75	3374.61	1.0
MWD	12778	88.1	84.0	9656.70	274.01	3395.54	3406.57	2.3
MWD	12809	88.0	84.0	9657.76	277.25	3426.35	3437.55	0.3
MWD	12841	88.0	84.4	9658.87	280.48	3458.17	3469.52	1.2
MWD	12873	88.1	84.4	9659.96	283.60	3490.00	3501.50	0.3
MWD	12904	88.8	84.7	9660.80	286.55	3520.84	3532.48	2.5
MWD	12934	89.3	85.4	9661.30	289.13	3550.73	3562.48	2.9
MWD	12966	89.5	85.4	9661.63	291.70	3582.62	3594.47	0.6
MWD	12998	89.7	85.8	9661.86	294.16	3614.53	3626.47	1.4
MWD	13029	90.4	85.8	9661.83	296.43	3645.44	3657.47	2.3
MWD	13060	90.9	86.1	9661.48	298.62	3676.36	3688.47	1.9
BIT	13115	91.5	86.5	9660.33	302.16	3731.24	3743.45	1.3