

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised August 1, 2011

HOBBS OCD

OCT 26 2012

RECEIVED

WELL API NO. 30-025-08737
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 81481
7. Lease Name or Unit Agreement Name State N
8. Well Number 5
9. OGRID Number 192463
10. Pool name or Wildcat Eumant Yates TRQN

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA WTP Limited Partnership	
3. Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter <u>M</u> : <u>660</u> feet from the <u>south</u> line and <u>660</u> feet from the <u>west</u> line Section <u>2</u> Township <u>22S</u> Range <u>36E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3560'</u>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3515' PBD-2980' OH-3034-3515' CIBP-2980'

8-5/8" 24# csg @ 1510' w/ 646sx, 12-1/4" hole, TOC-Surf-Circ  
5-1/2" 14# csg @ 3034' w/ 450sx, 7-7/8" hole, TOC-436'-Calc

1. RIH & tag CIBP @ 2980' M&P 25sx cmt to 2830'
2. M&P 25sx cmt @ 1560-1385' WOC-Tag
3. Perf @ 300' sqz 100sx cmt to surface  
10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 10/23/12

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717  
For State Use Only

APPROVED BY: [Signature] TITLE Dist. Mgr. DATE 10-29-2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: Must be Notified  
24 hours prior to the beginning of Plugging Operations begin

OCT 29 2012

OXY USA WTP LP - Current  
State N #5  
API No. 30-025-08737

12-1/4" hole @ 1510'  
8-5/8" csg @ 1510'  
w/ 646sx-TOC-Surf-Circ

3/08-CIBP @ 2980'


7-7/8" hole @ 3034'  
5-1/2" csg @ 3034'  
w/ 450sx-TOC-436'-Calc

OH @ 3034-3515'

TD-3515'

OXY USA WTP LP - Proposed  
State N #5  
API No. 30-025-08737

100sx @ 300'-Surface



Perf @ 300'

12-1/4" hole @ 1510'  
8-5/8" csg @ 1510'  
w/ 646sx-TOC-Surf-Circ

25sx @ 1560-1385' WOC-Tag

25sx @ 2980-2805' WOC-Tag

3/08-CIBP @ 2980'

7-7/8" hole @ 3034'  
5-1/2" csg @ 3034'  
w/ 450sx-TOC-436'-Calc

OH @ 3034-3515'

TD-3515'