

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-01831
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-2064

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name South Four Lakes Unit
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other SWD	2. Name of Operator Pride Energy Company	8. Well Number 1
3. Address of Operator P.O. Box 701950, Tulsa, OK 74170-1950	9. OGRID Number	
4. Well Location Unit Letter <u>B</u> : <u>660</u> feet from the <u>N</u> line and <u>1980</u> feet from the <u>E</u> line Section <u>2</u> Township <u>12S</u> Range <u>34E</u> NMPM County <u>Lea</u>	10. Pool name or Wildcat Four Lakes Penn	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) DF: 4160		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) Wireline set. CIBP @ 5250'
- 2) TA well.

APPROVAL CONDITIONS:

After CIBP is set, Mechanical Integrity test to be run. Pressure tested to 500 pounds per square inch with a pressure drop of not more than 10% for thirty (30) minutes. Original chart with subsequent report on C-103 to be sent to OCD Hobbs office.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Engineer DATE May 11, 2005

Type or print name Steve Gillett E-mail address: steveg@pride-energy.com Telephone No. (918)524-9200

For State Use Only

APPROVED BY: [Signature] OC FIELD REPRESENTATIVE II/STAFF MANAGER  
TITLE \_\_\_\_\_ DATE MAY 18 2005  
Conditions of Approval (if any): \_\_\_\_\_

### Current Completion

KB: 4161.0'

DF: 4160.0'

GL: 4149.0'

Datum: 12.0' above GL

### South Four Lakes Ut # 1

Steve Gillett 5/10/05

API # 30-025-01831

660' FNL & 1980' FEL

Sec 2-T12S-R34E

Lea Co, NM

13 $\frac{3}{8}$ " TOC @ surface (circ)  
9 $\frac{7}{8}$ " TOC @ surface (circ)  
13 $\frac{3}{8}$ " 48# @ 389' w/ 325 sx in 17 $\frac{1}{2}$ " hole

5 $\frac{1}{2}$ " TOC stg 2 @ 2375' by TS  
9 $\frac{7}{8}$ " @ 4220' w/ 3000 sx in 12 $\frac{1}{4}$ " hole

San Andres perfs: 5322'-40', 48'-78',  
5384'-5408', 2 spf, 144 holes

PBTD 7935'  
CIBP @ 8000' w/ 30 sx on top  
Casing part @ 8050'

5 $\frac{1}{2}$ " Primary cmt stage 2  
2 holes @ 8175' w/ 1600 sx  
5 $\frac{1}{2}$ " TOC stg 1 @ 8185' by TS

Penn "A" perfs: 9888'-9900', 1 spf, 12 holes

Penn "C" perfs: 10148'-68', 1 spf, 21 holes


Cisco perfs: 10227'-57', 4 spf, 120 holes

CIBP @ 10,970'

Bend perfs: 11386'-404', 410'-412"  
1 spf, 22 holes

PBTD = 11,417'

5 $\frac{1}{2}$ " 15.5, 17, 20# @ 11,417'  
w/ 750 sx out shoe in 8 $\frac{3}{4}$ " hole



no tubing in wellbore



BP pushed to 11,417'

### Proposed Completion

KB: 4161.0'

DF: 4160.0'

GL: 4149.0'

Datum: 12.0' above GL

### South Four Lakes Ut # 1

Steve Gillett 5/10/05

API # 30-025-01831

660' FNL & 1980' FEL

Sec 2-T12S-R34E

Lea Co, NM

13 $\frac{3}{8}$ " TOC @ surface (circ)

9 $\frac{5}{8}$ " TOC @ surface (circ)

13 $\frac{3}{8}$ " 48# @ 389' w/ 325 sx in 17 $\frac{1}{2}$ " hole

5 $\frac{1}{2}$ " TOC stg 2 @ 2375' by TS

9 $\frac{5}{8}$ " @ 4220' w/ 3000 sx in 12 $\frac{1}{4}$ " hole

San Andres perfs: 5322'-40', 48'-78',  
5384'-5408', 2 spf, 144 holes

PBTD 7935'

CIBP @ 8000' w/ 30 sx on top  
Casing part @ 8050'

5 $\frac{1}{2}$ " Primary cmt stage 2

2 holes @ 8175' w/ 1600 sx

5 $\frac{1}{2}$ " TOC stg 1 @ 8185' by TS

Penn "A" perfs: 9888'-9900', 1 spf, 12 holes

Penn "C" perfs: 10148'-68', 1 spf, 21 holes

Cisco perfs: 10227'-57', 4 spf, 120 holes

CIBP @ 10,970'


Bend perfs: 11386'-404', 410'-412"

1 spf, 22 holes

PBTD = 11,417'

5 $\frac{1}{2}$ " 15.5, 17, 20# @ 11,417'

w/ 750 sx out shoe in 8 $\frac{3}{4}$ " hole



no tubing in wellbore

CIBP @ 5250' w/ 10' cmt on top

BP pushed to 11,417'