

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-21083
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 890082510
7. Lease Name or Unit Agreement Name Black
8. Well Number WSW # 1
9. OGRID Number 2193
10. Pool name or Wildcat WSW Santa Rosa
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other **Water Supply Well**

2. Name of Operator
Bethwell Oil & Gas

3. Address of Operator
P.O. Box 22577, Hialeah, Florida 33012

4. Well Location
Unit Letter **D** : **1200** feet from the **South** line and **2320** feet from the **East** line
Section **21** Township **24S** Range **37E** NMPM **lea** County

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL _____ Sect _____ Twp _____ Rng _____ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____
Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;
_____ feet from the _____ line and _____ feet from the _____ line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Will Plug & Abandon well within next 60 days

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE **[Signature]** TITLE **Foreman** DATE **4-25-05**

Type or print name **Robert C. Bredemeyer** E-mail address **rcb@ayla@hotmail.com** Telephone No. **326-338-0610**

(This space for State use)

APPROVED BY **[Signature]** FIELD REPRESENTATIVE II/STAFF MANAGER DATE _____
Conditions of approval, if any:

MAY 3 1 2005

Black WSW # 1

7" set at 526ft, Cement to circulated to surface

TD 775ft

Set CIBP at 500ft

Run tbh and tag CIBP

Circulate cement to surface

Estimated 86 sacks Class C at 1.32 cuft/sx

Pull tbh

Refill casing with cement

Cut off wellhead and Install PA marker

BEP 4/27/05

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CBNQ)

OPERATOR Botwell Oil & Gas
 LEASE NAME Black

WELL # W5W #1
 SECT 21 TWN 24 S RNG 37 E
 FROM 1200 N 5 L 2320 (BWL)
 TD: 775' FORMATION @ TD
 PBTD: 526' FORMATION @ PBTD Santa Rosa

NA
 @
 TOC

7'20"
 @ 526'
 TOC 5m Sacc

TD 775'

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	-0-	-0-	-0-		
INTMED 1	17"	526'	Surface	Visual	
INTMED 2					
PROD					
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @		TOP - BOTTOM		
INTMED 1			PERF	-	
INTMED 2			OPENHOLE	-	
PROD					

***REQUIRED PLUGS DISTRICT 1**

PLUG #	TYPE	BACKS	DEPTH
EXAMPLE			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3330'-3450'
PLUG #3	CIRP/S		4800'
PLUG #4	CIRP	25 SXS	4800'
PLUG #5	STUB	30 SXS	3600'-3700'
PLUG #6	RETNR BOX	200 SXS	400'
PLUG #7	SLAT	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

PLUG #	TYPE	BACKS	DEPTH
EXAMPLE			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3330'-3450'
PLUG #3	CIRP/S		4800'
PLUG #4	CIRP	25 SXS	4800'
PLUG #5	STUB	30 SXS	3600'-3700'
PLUG #6	RETNR BOX	200 SXS	400'
PLUG #7	SLAT	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

Ricky this is all I have
 on this well.