




TRIPPLE M OIL TOOL, INC.
REPLACEMENT PARTS
SHAFFER TYPE 39 BLOWOUT PREVENTER



Ref #	Part Number	Description	Price
1	177542	Body.	On Request
2	11011	Stud, Flange Body.	On Request
3	20003	Stud Nut, Flange Body.	On Request
4	177502	End Cover, Front.	On Request
5	177503	End Cover, Rear.	On Request
6	11036	Stud, End Cover & Thrust Plate.	On Request
7	20010	Stud Nut, End Cover & Thrust Plate.	On Request
8	177516	Door Gasket, Size 7-1/16"	28.12
8	177616	Door Gasket, Size 9"	29.25
8	177716	Door Gasket, Size 11"	33.75
9	177511	Thrust Plate	350.00
10	50298	Gasket, Thrust Plate	13.50
11	177517	Side Plug	112.50
	170005	Bolts for Brass Full Nuts	1.46
	170006	Bolts, Stainless Steel for Full Nuts	3.26

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



DIMENSIONAL AND ENGINEERING DATA ON SHAFFER DOUBLE CELLAR CONTROL GATES

Nominal Gate Size	A.P.I. Series	Vertical Bore	Working Pressure PSI	Test Pressure PSI	Approx. Weight, Pounds	Ram Size	A Height	B Width	C Length	D Center To Rear	E Center To Front	F Max. Distance Needed to Change Rams
7"	6"-900	7 1/4"	3,000	6,000	3,400	C.S.O. thru 5" O.D.	24 1/2"	29 1/2"	41"	17 1/2"	23 1/2"	58 1/2"
9"	8"-900	9"	3,000	6,000	4,150	C.S.O. thru 7" O.D.	25 1/2"	30"	45 1/2"	19 1/2"	25 1/2"	65 1/2"
10 1/2"	10"-900	11"	3,000	6,000	4,900	C.S.O. thru 8 1/2" O.D.	27 1/2"	31 1/2"	48"	21 1/2"	26 1/2"	70 1/2"
	10"-1500	11"	5,000	10,000	8,925	C.S.O. thru 8 1/2" O.D.		37"	51 1/2"	23"	28 1/2"	75 1/2"
13 1/2"	12"-900	13 1/2"	3,000	6,000	5,870	C.S.O. thru 13 1/2" O.D.	28 1/2"	33 1/2"	52 1/2"	23 1/2"	29 1/2"	77"
16"	16"-600	16"	2,000	3,000	8,025	C.S.O. thru 10 1/2" O.D.	31 1/2"	36 1/2"	54 1/2"	24 1/2"	30"	80"

ELEVATORS

RATED CAPACITY ON ELEVATORS AND SPIDERS

BJ Type LYT Elevators	20 Tons
BJ Type MYT Elevators	40 Tons
BJ Type YT Tubing Elevators	75 Tons
BJ Type YC Casing Elevators	75 Tons
BJ Slip Grip Casing Elevators 7-5/8"	75 Tons
BJ Slip Grip Casing Elevators 10-3/4"	150 Tons
BJ Slip Grip Casing Elevators 13-3/8"	200 Tons
10-3/4" BJ Slip Grip Casing Elevators and/or Spider	200 Tons
13-3/8" BJ Slip Grip Casing Elevators and/or Spider	500 Tons
13-3/8" BJ Slip Grip Casing Elevator and/or Spider	400 Tons
13-3/8" BJ Slip Grip Casing Elevator and/or Spider	350 Tons

"A" SERIES ELEVATORS—Rated Capacities in Tons

Size (O.D.)	"AA"	"MAA"	"RA"
2-3/8"	—	175	125
2-7/8"	—	175	125
3-1/2"	250	175	125
4"-4-1/2" (Reg. & FH)	275	225	150
5"-5-1/2", 4-1/2" (IF)	300	250	175
6-5/8"	300	250	175
7"	300	250	175

Size (O.D.)	"SLA-100"	"SLA-65"	"SLA-35"
1.050"	—	—	35
1.315"	—	—	35
1.660"	—	65	35
1.990"	—	65	35
2.375"	100	65	35
2.750"	100	65	35
3.125"	100	55	—
3.500"	100	55	—
3.875"	100	55	—
4.250"	100	45	—

BJ TYPE "X" SIDE DOOR ELEVATORS

Rated Capacities in Tons

Size (O.D.)	Light Weight	Extra Heavy (XH)	Double Extra Heavy (XXH)	Triple Extra Heavy (XXXH)	"SX" Series
1.660" - 1.900"	—	35	—	—	—
2.3/8" - 2.7/8"	—	35	60	—	—
3-1/2"	—	35	75	—	—
4"-4-1/2" (Reg. & FH)	30	50	90	—	—
5"-5-1/2", 4-1/2" (IF)	35	60	100	—	—
6-5/8" - 7"	50	75	125	—	—
7-5/8" - 8-5/8"	60	90	125	150	—
9-5/8"	60	90	125	150	—
10-3/4"	60	90	125	150	650
11-3/4"	60	90	125	150	—
13-3/8"	60	75	125	150	500
16"	60	90	—	150	500
18-5/8"	60	90	—	200	—
20"	60	90	—	200	250
21-1/2"	—	100	—	—	—
24-1/2"	—	100	—	—	—

