District I 16%5 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 200/

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fc office

Pit or Below-Grade	Tank	Registr	ation or	Closure
Is pit or below-grade tank co	vered b	v a "gener	al plan"? V	es No VV

Type of action: Registration of a pit or b	below-grade tank Closure of a pit or below-grade	N tank XXI		
	85-8100			
Facility or well name: Covington A Fed #20 API#: 30-02	5-35898 U/Lor Ott/Ott I Sec26 T22	S p32F		
County: Lea Latitude 32:21:35.57 Nneitude 103	:38:15.32WAD: 1927 🖾 1983 🗆 Surface Ow			
	NAD. 1927 M 1963 M Surface Ow	mer rederal State Private Indian		
Pit	Below-grade tank			
Type: Drilling Production Disposal				
Workover Emergency	Volume:bbl Type of fluid:			
Lined Unlined	Construction material:			
<u> </u>	Double-walled, with leak detection? Yes If not	, explain why not.		
Liner type: Synthetic Thicknessmil Clay Volume				
001				
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)		
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
- Gome water,	100 feet or more	(0 points)		
		(5 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	Yes No 86189101	(Toldints)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Land 41-11 200 Co. 1	(To waits)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(30 points) 5 \ (30 points) 5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
b watercourses.)		(0 points)		
	E 120	36/		
	Ranking Score (Total Points)	1.0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and to be 20007	0756		
onsite \(\mathbb{N} \) offsite \(\partial \) If offsite, name of facility	relationship to other equipment and tanks. (2) Indican	e disposal location:		
onsite offsite If offsite, name of facility				
end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth	below ground surfaceft. and attach sai	mple results. (5) Attach soil sample results		
and a diagram of sample locations and excavations.				
I hereby certify that the information above is true and complete to the best of a been/will be constructed or closed according to NMOCD guidelines XX, a Date: 10/27/04	my knowledge and belief. I further certify that the s general permit , or an (attached) alternative OC	above-described pit or below-grade tank has		
Printed Name Trans Cathy Whight Sn Eng Took				
Printed Name/Title Cathy Wright, Sr Eng Tech Signature Cathy White				
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the oregulations.	relieve the operator of liability should the contents of operator of its responsibility for compliance with any operator of its responsibility for compliance with a specific complex for the complex for	the pit or tank contaminate ground water or other federal, state, or local laws and/or		
Approval:				
Date: 14/64				
Printed Name/Title CHRIS WILLIAM S DIST SUR SILL ALL				
Signature (for William				
Printed Name/Title CHRIS WILLIAMS - DIST. 5UP Signature Chin Usliam pu - 4/15/04				

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lines with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 40 mil plastic then covered with 3 feet of fill dirt.

