District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-14

March 12, 200-

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fc office

Pit or Below-Grade	Tank Registra	tion or C	losure
Is pit or below-grade tank cov	vered by a "general	plan"? Yes	No KX

Type of action: Registration of a pit or b	below-grade tank Closure of a pit or below-grade tank XX		
	85-8100		
Address:	340		
Facility or well name: Livingston Ridge 19 Fed #3 30-	025-36029L or Qtr/Qtr L Sec19 T22S R 32E		
County: Lea Latitude 32:22:31.8 Nongitude 103	:43:32.8W _{NAD:} 1927 🔼 1983 🗌 Surface Owner Federal 🖔 State 🗌 Private 🗀 Indian 🗎		
	Indian [
Pit	Below-grade tank		
Type: Drilling Production Disposal			
Workover Emergency	Volume:bbl Type of fluid:		
	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay Volume			
bbl			
	Landy 60 C		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet 50 feet or more, but less than 100 feet (10 points)		
water elevation of ground water.)	50 feet or more, but less than 100 feet (10 points)		
	50 feet or more, but less than 100 feet 100 feet or more Ves		
Wellhead protection area: (Less than 200 San S	Yes Yes		
Wellhead protection area: (Less than 200 feet from a private domestic	[] Szzzpojna		
water source, or less than 1000 feet from all other water sources.)	No E G points \$\overline{\		
D'	\(\frac{1}{2}\)		
Distance to surface water: (horizontal distance to all wetlands, playas,	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet		
	1000 feet or more		
	Ranking Score (Total Points)		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate disposal location:		
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial action taken including remediation start date and		
end date. (4) Groundwater encountered: No 🕅 Yes 🗀 If we show death h	below ground surfaceft. and attach sample results. (5) Attach soil sample results		
and a diagram of sample locations and excavations.	ft. and attach sample results. (5) Attach soil sample results		
I hereby certify that the information above is true and complete to the best of r been/will be constructed or closed according to NMOCD guidelines \mathbb{Z} , a Date: $10/27/04$	my knowledge and belief. I further certify that the above-described pit or below-grade tank has general permit □, or an (attached) alternative OCD-approved plan □.		
Printed Name/Title_Cathy Wright, Sr Eng Tech	Simony (DH) 1/1/1/1		
Your certification and NMOCD approval of this amplication of the			
otherwise endanger public health or the environment. Nor does it relieve the or regulations.	relieve the operator of liability should the contents of the pit or tank contaminate ground water or operator of its responsibility for compliance with any other federal, state, or local laws and/or		
Approval:			
Date: 12/1/04	<u> </u>		
Printed Name/Title CHRIS WILLIAMS DIST SUP	Signature Mis William		
Printed Name/Title CHRIS WILLIAMS DIST SUP pre - 4/15/04	- Comment		
-			

Pit Closing Procedure:

3

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lines with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 40 mil plastic then covered with 3 feet of fill dirt.

01:15p PC

19 04 01:15