District I 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-14

March 12, 200-

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fc office

Pit or Below-Grade	e Tank	Reg	istrati	on	or	Closure	,
In mile and the first of the second							=

Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grade tank X
Operator: Pogo Producing Company 432-68 Telephone: P.O. Box 10340, Midland, TX 79702-7 Facility or well name: WBR Federal #9 API #: 30-02	35-8100 e-mail address: <u>wrightc@pogoprodu</u> cing.com
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Volume bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (.0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet or more 1000 feet or more (20 points) (10 points)
	Ranking Score (Total Points)
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite of facility offsite. If offsite, name of facility end date. (4) Groundwater encountered: No Yes If yes, show depth and a diagram of sample locations and excavations.	relationship to other equipment and tanks. (2) Indicate disposal location. (3) Attach a general description of remedial action talks. (5) Attach soil sample results.
Printed Name/Title Cathy Wright, Sr Eng Tech Your certification and NMOCD approval of this application/elegans described.	Signature Addy World the contents of the pit or tank contaminate ground water or operator of its responsibility for compliance with any other federal, state, or local laws and/or

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lines with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 40 mil plastic then covered with 3 feet of fill dirt.

