District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fc office

Form C-14

March 12, 200

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \ No KX

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank XX		
Operator: Pogo Producing Company 432-68 Telephone: P.O. Box 10340, Midland, TX 79702-7 Facility or well name: WBR Federal #12 API #: 30-02	35-8100 e-mail address: <u>wrightc@pogo</u> 340 5-36415 U/L or Ott/Ott F. Sec 13 T 22	producing.com
Latitude 32.23.34.0 Nongitude 103	:38:03,6WNAD: 1927 🖾 1983 🗌 Surface Ow	ner Federal 🖾 State 🔲 Private 🗀 Indian 🗌
Pit  Type: Drilling   Production   Disposal    Workover   Emergency    Lined   Unlined    Liner type: Synthetic   Thicknessmil Clay   Vötume bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No (6785	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (10 points) (17
	Ranking Score (Total Points)	87
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite of offsite. If offsite, name of facility		
I hereby certify that the information above is true and complete to the best of the been/will be constructed or closed according to NMOCD guidelines 23, a Date: 10/27/04  Printed Name/Title Cathy Wright, Sr Eng Tech  Your certification and NMOCD approval of this application/closure does not a otherwise endanger public health or the environment. Nor does it relieve the cregulations.  Approval:	Signature Slave College Colleg	D-approved plan □.
Printed Name/Title CHRISWILLIAMS - DIST SUP  Au - 4/15/04	Signature Chris Ellelleann	<del></del>

## Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lines with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 40 mil plastic then covered with 3 feet of fill dirt.

