District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe


office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🖫 No 🗌

Operator: Punk Roso tyrcos CP Telephone: 432 . 498 . 31.55 e-mail address: Sec. 04 @ leaco . Of Address: 500 West Illivois M. dland. Toxos 7970 (Facility or well name: CR 9" Federal 2 API #: 30 - 025 - 370 47 U/L or Qtr/Qtr 8 Sec. 8 T 24 R . 30 County: Lea Latitude 32 14 11" Longitude 194 23 05 NAD: 1927 1983 Surface Owner: Federal 2 State Private Indian Pit Type: Drilling 2 Production Disposal Volume:bbl Type of fluid:	5_
Address: 500	5
Facility or well name: CR	1 5
County: Lea Latitude 32 4 Longitude 194 23 05 NAD: 1927 1983 Surface Owner: Federal State Private Indian Pit Below-grade tank Type: Drilling Production Disposal]
Pit Below-grade tank Type: Drilling ■ Production □ Disposal □ Volume:	
Type: Drilling Production Disposal Volume:bbl Type of fluid:	
Workover Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not	
Lined Unlined Double-walled, with leak detection? Yes If not, explain why not	
Liner type: Synthetic M Thickness 12 mil Clay	6
Chief type, Cymnetic Ed Lineanico (Inc. init Cite)	<u> </u>
Pit Volume 15000bbl	ي .
Doubt to ground water (watered distance from bottom of nit to consense) Less than 50 feet (20 points 8	F
Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points)	Ž
high water elevation of ground water.) 100 feet or more	w
Wellhead protection area: (Less than 200 feet from a private domestic Yes (20 points)	C/V
Weinted protection area. (Less than 200 feet from a private domestic	N ->
Distance to surface water: (horizontal distance to all wetlands, playas,	•
irrigation canals, ditches, and perennial and ephemeral watercourses.)	
1000 feet or more	
Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite b	
your are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken included the control of the cont	
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 📄 If yes, show depth below ground surfaceft. and attach sample results.	ıng
(5) Attach soil sample results and a diagram of sample locations and excavations.	
T 1 9 : 0 : 1	
C A I	
excevely Transh, line with 12 mil plastice, deposit contents of drilling pit	
in French rover with 20 mil plastic + 3 H of clam sail level + cont	ow.
notify DCD + BLM before starting tile sundry notice after chair	٠ بد
will start soon after approval	
I hereby certify that the information above is true and complete to the best of my knowledge and balled. I found	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [1], or an (attached) alternative OCD-approved plan [1].	ink
Date: 69 05	
Printed Name/Title Edd a L Sany Agant Signature Eddie L	,
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground was otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.	eror
regulations.	
WANA	
Approval: Printed Name/Title Paul Sheekey 500 400 0000 450 1050 0000 1000 1000 10	-
Printed Name/Title Aul 5 Neelley ENVIRONMENTALIPENGINEER CHILLED Date: 6 10-05	



- Wind Direction Indicators (wind sock or streamers)
- △ H2S Monitors (alarms at bell nipple and shale shaker)
- Briefing Areas
- Remote BOP Closing Unit
- □ Sign and Condition Flags

EXHIBIT "D"
RIG LAY OUT PLAT

PURE RESOURCES, L.P. CR "8" FEDERAL # 2 UNIT "B" SECTION 8 T24S-R35E LEA CO. NM

New Mexico Office of the State Engineer Well Reports and Downloads

Township: 24	Range: 35E Section	ons:
NAD27 X:	Y: Z	one: Search Radius:
County:	Basin:	Number: Suffix:
Owner Name: (First)	(Last)	○ Non-Domestic ○ Domestic ● A
Well /	Surface Data Report	Avg Depth to Water Report
	Water Co	lumn Report
	Clear Form W	ATERS Menu Help

AVERAGE DEPTH OF WATER REPORT 06/08/2005

								(nebru	water in	reet)
Bsn	Tws	Rng	Sec	Zone	×	Y	Wells	Min	Max	Avg
CP	248	35E	10				1	300	300	300

Record Count: 1