District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

For di approp For do office

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade ta	nk covered by a "general plan"? Yes X No or below-grade tank Closure of a pit or below-grade					
Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail a Address: 105 South 4 th Street, Artesia, N.M. 88210 Facility or well name: East Sand Springs State Unit 6 API #: 30-025-30676 County: Lea Latitude: 33.36013 Longitude: 103 Surface Owner: Federal State X Private Indian	U/L or Qtr/Qtr <u>N</u> Sec <u>18</u> T <u>11S</u> R <u>35E</u>					
Pit	Below-grade tank					
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:					
Work over Emergency	Construction material:					
Lined X Unlined	Double-walled, with leak detection? Yes If not, ex					
Liner type: Synthetic X Thickness 12 mil Clay Pit Volume 24,000 bbl						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) XXXX (10 points) 18 19 20 27 23 23 24 25 25 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 mints) (000 ints) XXXXX				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(10 points) XXXX				
	Ranking Score (Total Points)	os he zik				
Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surf	(3) Attach a general description of remedial action taken if aceft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excavations.						
Additional Comments: Closure work plan for drilling pit. An encapsulation tren	nch will be constructed and lined with 12 mil synthetic lin	ner next to existing drilling pit. The drilling pit				
contents will be excavated and emplaced into the encapsulation trench using a r	mixture of two to one pit material and Class H bulk ceme	ent or CKD. The emulsion of pit material and				
cement will be mixed using a track hoe and water added if needed. After compl	etion of solidifying pit material in cement and pit content	s have set in place for a minimum of 24 hours, the				
encapsulation trench will then be capped using a 20 mil synthetic liner and back	kfilled to grade using a minimum of 3' of like material ar	nd clean soil. A one call and 48 hour notification to				
OCD will be made before pit closure action begins. Beginning pit closure date:	N/A. Ending pit closure date: N/A					
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines, a g	y knowledge and belief. I further certify that the above eneral permit X, or an (attached) alternative OCD-ap	e-desembed pit or below-grade tank has				
Date: <u>06/10/2005</u>						
Printed Name/Title DAN Dolan / Reclained to Agent	Signature	for Comments				
Your certification and NMOCD approval of this application/closure does not re	eneve the operator of hability should the contents of the pr	it or tank contaminate ground water or otherwise				

endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
Printed Name/Title GARYW-WINK/STAFFMCRignature Layw. Win

New Mexico Office of the State Engineer Well Reports and Downloads

Township: 118 I	Range: 35E Sections:	
NAD27 X:	Y: Zone:	Search Radius:
County: Bas	n:	Number: Suffix:
Owner Name: (First)	(Last) ② All	ONon-Domestic ODomestic
***************************************	e Data Report [Water Column Re	

AVERAGE DEPTH OF WATER REPORT 06/10/2005

								(nebcu	water in	reet)
Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
L	11s	35E	09				1	35	35	35

Record Count: 1

