

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137

Expires: December 31, 1991

5. LEASE DESIGNATION AND SERIAL NO.

NMSF-078423

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 29-7 Unit NMMNM 784171

8. FARM OR LEASE NAME, WELL NO.

#182

9. API WELL NO.

30-039-27788

10. FIELD AND POOL, OR WILDCAT

Blanco Pictured Cliffs

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 8, T29N, R7W, NMPM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ Other ☐

2. NAME OF OPERATOR

BURLINGTON RESOURCES OIL & GAS COMPANY

3. ADDRESS AND TELEPHONE NO.

PO BOX 4289, Farmington, NM 87499 (505) 326-9700

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface Unit P (SESE), 1095' FSL & 815' FEL,

At top prod. interval reported below Same as above

At total depth Same as above

14. PERMIT NO. DATE ISSUED

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

15. DATE SPUNDED

2/11/05

16. DATE T.D. REACHED

216/05

17. DATE COMPL. (Ready to prod.)

5/2/05

18. ELEVATIONS (DF, RKB, RT, BR, ETC.)*

KB-6771'; GL - 6759'

20. TOTAL DEPTH, MD & TVD

3850'

21. PLUG, BACK T.D., MD & TVD

3843'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

yes

24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

Pictured Cliffs - 3560' - 3696'

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CBL w/GR & casing collars

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
7" J-55	20#	143'	8-3/4"	TOC - surface; 61 sx	8 bbls
4-1/2" J-55	10.5#	3845'	6-1/4"	TOC @ 340'; 392 sx	0

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	3643'	

31. PERFORATION RECORD (Interval, size and number)

Pictured Cliffs
.32" holes @ 1 spf
3560'-3570'; 3579' - 3590'; 3606-3614'; 3621'-
3629'; 3636'-3641'; 3692'-3696;
Total 52 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3560' - 3696'	314 bbls 20# Linear 70 Q N2 foam and used 508,500 scf N2 & 100,000# 20/40 AZ sand

33. PRODUCTION

DATE FIRST PRODUCTION 5/11/05 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing WELL STATUS (Producing or shut-in) producing

DATE OF TEST 5/1/05 HOURS TESTED 1 CHOKE SIZE 2 PROD'N FOR TEST PERIOD OIL-BBL 44 mcf GAS-MCF WATER-BBL GAS-OIL RATIO

FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL-BBL 1048 mcf GAS-MCF WATER-BBL OIL-GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS This is a single producing PC well.

This is a single producing PC well.

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Patsy Chug

TITLE

Sr. Regulatory Specialist

DATE

FARMINGTON FIELD OFFICE
BY 5/18/05

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Ojo Alamo	2525'	2730'	White, cr-gr ss.
Kirtland	2730'	3304'	Gry sh interbedded w/tight, gry, fine-gr ss.
Fruitland	3304'	3558'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.
Pictured Cliffs	3558'	3722'	Bn-Gry, fine grn, tight ss.

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Ojo Alamo	2525'	
Kirtland	2730'	
Fruitland	3304'	
Pic.Cliffs	3558	