District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank							
Operator: FO & Resources Inc. Telephon Address: P.O Box 2267 M. Hour	ne: <u>432. 686.37H</u> e-mail address: <u>5e</u>	ay su @ leurs . net					
1	32   L 07 Longitude 103	· • •					
Pit Type: Drilling Production Disposal Uworkover Emergency Lined Unlined Liner type: Synthetic Thickness 2 mil Clay Pit Volume 2000 bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 joints) (10 jo					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes						
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No	Yes If yes, show depth below ground surface	description of remedial action taken including					
Additional Comments: Trench busing ax conste transh line with 12 mil  plantic out contents of the transh comments with 30 mil plantic and  3 Ht of Clean South Contents of Contents to the Content of Contents of							
will began soon after approval.							
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date:	Signature Signature	ative OCD-approved plan .					
Approval: Printed Name/Title GARY W. WINK STAFFM	GR Signature Hay W. U	June Date: 6/23/05					

## New Mexico Office of the State Engineer Well Reports and Downloads

Township: 258	Range: 34E Sections:		
NAD27 X:	Y: Zone	Search Radius:	
County:	Basin:	Number: Suffix:	
Owner Name: (First)	(Last)	○ Non-Domestic ○ Domestic ●	All
Well / Su	rface Data Report	Avg Depth to Water Report	
	Water Colum Clear Form WAT	nn Report Help	

## AVERAGE DEPTH OF WATER REPORT 06/22/2005

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
С	25S	34E	01				1	260	260	260
C	25S	34E	15				2	135	135	135
C	25S	34E	24				1	300	300	300
С	25S	34E	29				2	50	50	50

Record Count: 6

