

July 22, 2005

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 24-637 Drilling Pit UL 'C', Sec. 24, T-18-S, R-37-E

This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal 07/25/2005.

TEVON YN. BISKY

- 6. Work will be completed by the end of August 2005.
- 6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven\_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure

	k covered by a "general plan"? Yes \(\subseteq\) No or below-grade tank \(\supseteq\) Closure of a pit or below-gra		
Operator: _Occidental Permian, LTDTelephone: 505.397.8251_ Address: 1017 W. Stanolind Road, Hobbs, New Mexico 88240 Facility or well name: _NHU 24-637API #: _30-025-3710 County:LeaLatitude 32°44′11.88″N Longitude_100	e-mail address: Steven_Bishop@oxy.	cc	
<u>Pit</u>	Below-grade tank		
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes		
Workover ☐ Emergency ☐			
Lined ☑ Unlined ☐			
Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume _5,000_bbl			
Double to an and under (and all distances from bottom of the control of the contr	Less than 50 feet	(20 points) 20	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)	
water elevation of ground water.)	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	( 0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	( 0 points) 0	
	Ranking Score (Total Points)	20	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite  offsite If offsite, name of facility_Sundance Service, Parabo Facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes  figure			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date:7/22/2005	general permit [], or an (attached) alternative O	CD-approved plan □.	
Printed Name/Title_ Steven M. Bishop/HES Tech	Date:7/22/2005 Printed Name/Title_ Steven M. Bishop/HES TechSignatureSignature		
Your certification and NMOCD approval of this application/closure does not a otherwise endanger public health or the environment. Nor does it relieve the oregulations	relieve the operator of liability should the contents of	the pit or tank contaminate ground water or	
Approval: Date: 8/2/05 Printed Name/Title GARY W. WINK STAFF MG	Rignature Layw. Wink	<b>S</b>	

## North Hobbs Unit 24-637



Occidental Permian Ltd.

North Hobbs Unit 24-637

API #30-025-37101-00

Unit Letter 'C' Section 24, T-18-S, R-37-E

Latitude N 32°44'11.88" Longitude W 103°12'01.73"

100' X 100' Pit 40' North of Wellhead