

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
N.M. Oil Cons. Division  
6025 N. French Dr.  
Hobbs, NM 88240

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator  
CHEVRON USA INC

3. Address and Telephone No. 15 SMITH ROAD, MIDLAND, TX 79705 915-687-737

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Unit Letter F : 1980' Feet From The NORTH Line and 1980' Feet From The  
WEST Line Section 24 Township 20-S Range 36-E

5. Lease Designation and Serial No.  
NM-6266-6

6. If Indian, Alottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number  
EUNICE MONUMENT SOUTH UNIT B  
908

9. API Well No.  
30-025-04316

10. Field and Pool, Exploaratory Area  
EUNICE MONUMENT GRAYBURG S/A

11. County or Parish, State  
LEA, NM

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ OTHER: REQUEST FOR TA  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CHEVRON U.S.A. INTENDS TO TEMPORARILY ABANDON THE SUBJECT WELL.

THE INTENDED PROCEDURE AND WELL BORE DIAGRAM IS ATTACHED FOR YOUR APPROVAL.

This Approval of Temporary  
Abandonment Expires



14. I hereby certify that the foregoing is true and correct

SIGNATURE Denise Leake TITLE Regulatory Specialist DATE 2/17/2003

TYPE OR PRINT NAME Denise Leake

(This space for Federal or State office use)

APPROVED JOE G. LARA

CONDITIONS OF APPROVAL, IF ANY: TITLE Petroleum Engineer DATE 4/1/03

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GW

EMSU # 908  
API # 30-025-04316  
1980' FNL & 1980' FWL  
S24, T20S, R36E, & Unit F  
Eunice Monument South Unit B  
Lea County, New Mexico

February 4, 2003

PROCEDURE TO TEMPORARILY ABANDON WELL:

Notify OCD/BLM 24 hrs prior to work commencing.

1. Verify anchors have been set & tested.
2. MIRU PU. ND WH. NU BOP.
3. Pull rods pump and 2 7/8" tubing.
3. TIH w/6-1/8" bit, csg scraper, & WS. Make bit trip to base of 7" casing at 3744'. POH.
4. Set CIBP @ 3650'. Dump 5 sx Class 'C' cmt on CIBP.
5. TIH w/WS to TOC. Circulate csg w/corrosion inhibited pkr fluid. TOH.
6. Perform MIT (500 PSI for 30 min.).
7. ND BOP. NU WH. RD PU.
8. Clean and clear location.

K. Hickey 687-7260

## WELL DATA SHEET

LEASE: EMSUB WELL 908  
 LOC: 1980' F N L & 1980 F W L SEC: 24  
 TOWNSHIP 20S CNTY Lea  
 RANGE: 36E UNIT: F ST: N.M.

FORM: Grayburg / San Andres DATE:

GL: 3558 STATUS: Producer  
 KB: 3577 API NO: 30-025-04316  
 DF: CHEVNO: FA5459

Date Completed: 1/20/1938

Initial Production: 528 BOPD

Initial Formation: Grayburg

FROM: 3774'-3865'

## Completion Data

2000 GAL 15%

## Subsequent Workover or Reconditioning:

7/67 RECOMPLETE TO EUMONT. SET CICR @ 3726' SQZ OH 3744-3865' W/ 200 SX. PERF 3654-3712' ACID 2000.

11/70 SQZ 3654-3712 W/100 SX. PERF 3554-3712' ACID W/ 3000 GALS, PERF 3752-3807

3/71 FRAC 20K OIL/SAND

4/82 ACID 3000

2/91 SQZ 3554-3615 W 50 SX

6/92 DEEPEN 3996' UNDER REAM 3754-3996' DRILL 3996-4019 ACID 1500

1/1995 ACID 12000 GALS

## CURRENT

13" OD  
 40# CSG  
 Set @ 299 W/ 200 SX  
 Cmt circ.? yes  
 TOC @ surf. by calc

9-5/8" OD  
 36# CSG  
 Set @ 2520 W/ 600 SX  
 Cmt circ.? yes  
 TOC @ surf. by calc

2-7/8" 6.5# TUBING

7" OD  
 22# CSG  
 Set @ 3744 W/ 300 SX  
 Cmt circ.? yes  
 TOC @ 0 by calc

OD  
 LINER  
 Set @ W/ SX  
 Cmt circ.?   
 TOL @

FILE: EMSUB908WB.XLS

PBD:  
 TD: 4019'

## Perfs:

PERFS 3554-3615 SQZ

PERFS 3654-59 SQZ

PERFS 3674-78 SQZ

PERFS 3689-97 SQZ

PERFS 3706-12 SQZ

REAMED OH 3754-3996 TO 7.5"