

Oil Cons.
N.M. DIV-Dist. 2
301 W. Grand Avenue
Alamogordo, NM 88210
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

LAYTON ENTERPRISES, INC.

3a. Address

3103 79th St.
Lubbock, Texas 79423

3b. Phone No. (include area code)

806/745-4638

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FNL 510' FEL
Sec 25, T8S, R36E

5. Lease Serial No.

NM 53389

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

EL ZORRO A FEDERAL #1

9. API Well No.

30-041-20797

10. Field and Pool, or Exploratory Area

Allison Penn

11. County or Parish, State

Roosevelt County, N. M.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

4-29-03 Set Cast Iron Bridge Plug @ 9564.

4-30-03 Set Three 200' cement plugs as shown on attached wellbore diagrams
w/mud laden inhibited packer fluid placed between plugs.

Preparing to perforate, treat, and test selected San Andres Zones.



ACCEPTED FOR RECORD

MAY 16 2003

ARMANDO A. LOPEZ
PETROLEUM ENGINEER

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

DONALD R. LAYTON

Title

President

Signature

Date

5-2-2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GW

BAKER OIL TOOLS, INC.

SERVING THE WORLD

DATE 4-27-03 WELL NO. 1 LEASE E. ZORRO A FIELD ALLISON PENN

NE NE 4 SEC 25 T8S R36E
ROOSEVELT CO. NH

8 5/8" 32# CASING @ 4120 - 1270 SL - CIRCULATED

20 SL CEMENT 6300 - 6100

25 BELLS MUD LADEN FLUID
7500 - 6300

20 SL CEMENT 7700 - 7500

35 BELLS MUD LADEN FLUID
9350 - 7700

20 SL CEMENT 9564 - 9350

CIBP @ 9564

BOUGH C KERFS 9614 - 35

5 1/2" 23# CASING @ 9700 - 1025 SL N₂ CEMENT
CALCULATED CEMENT
@ 3500 #



BRIDGE PLUG



PACKER



CENTRALIZER



SCRATCHER



BASKET



VIBRATION

Use reverse side for additional remarks & sketches