

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>WELL API NO. 30-025-07087</p>
<p>1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/></p>		<p>5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/></p>
<p>2. Name of Operator DYCO PETROLEUM CORPORATION</p>		<p>6. State Oil & Gas Lease No. 03885</p>
<p>3. Address of Operator TWO WEST SECOND TULSA, OK 74103</p>		<p>7. Lease Name or Unit Agreement Name: UNION FEDERAL</p>
<p>4. Well Location 553 Unit Letter 3 652.8 feet from the N line and 1980 feet from the W line Section 05 Township 10S Range 38E NMPM County LEA</p>		<p>8. Well No. 1</p>
<p>10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3945 KB: 3945DF: 3936 GL</p>		<p>9. Pool name or Wildcat SAWYER; SAN ANDRES</p>

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Data: 8 5/8", 24# casing set @ 371', circulated cement; 4 1/2", 9.5# J-55 set @ 4999', cemented w/125 ex 50-50 pozmix, DV tool @ 3041' cemented 2/75 ex 50-50 pozmix. Perforations @ 4936'-58'

- MIRU, Run 3 3/4; (casing ID = 3.965" drift on couplings) gauge ring T.D.
- Fill hole with plug mud (4 1/2" casing capacity is about 81 Bbl)
- Set CIBP @ 4900' & dump 2 sacks cement on top.
- Perforate 4 holes @ 2350'.
- Set cement retainer @ 2320' & pump 50 sacks class A.
- Perforate 4 holes @ 400'.
- Set cement retainer @ 350', circulate cement to surface (approximately 70 ex).
- Pull out of retainer filling 4 1/2" casing to surface (about 28.5 ex).
- Cut off casing strings 3' below G.L. & weld on steel plate.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Berky Bauer TITLE Prod Tech DATE 5-19-03

Type or print name BERKY BAUER

Telephone No. 918 501-1956

APPROVED BY Larry W. Wink FIELD REPRESENTATIVE II/STAFF MANAGER

Conditions of approval, if any:

DATE MAY 22 2003

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.